

## Cobalt Dichloride Free Humidity Indicator Cards

Merle Benas, Keiichi Fujisawa, R. R. Madsen, Rashmi Mathur, Tim Yeakley

## ABSTRACT

Humidity Indicator Cards (HIC's) are used to determine when products have been exposed to moisture above recommended storage levels. Cobalt dichloride is a chemical that changes color when exposed to changing levels of moisture and is commonly used in HIC's for that purpose. Cobalt dichloride has been identified by European regulations as a substance of concern for the environment and for that reason some customers require its replacement. Alternatives have been identified and tested to ensure moisture indication is equivalent to the current requirements of the IPC/JEDEC J-STD-0.33B.1.

#### Note:

The HIC may utilize alternate colors than those shown in this document to indicate humidity changes. Cards that utilize a color change other than blue/pink are acceptable. The color change associated with each specified humidity level is defined on the printed surface of the HIC.

## CONTENTS

ABSTRACT	.1
INTRODUCTION	. 3
BACKGROUND	. 3
PROCEDURE	. 3
HIC MATERIALS CONTENT AND COLOR CHANGE VALIDATION	. 3
1. DETERMINATION OF METALS	. 4
2. DETERMINATION OF HALOGENS	. 4
3. COLOR CHANGE ACCURACY (JEDEC STD 033)	. 4
4. COLOR CHANGE RATE	. 4
SUMMARY OF RESULTS	. 5
CONCLUSION	. 8
ACKNOWLEDGMENTS	. 8
GLOSSARY OF TERMS	. 8



## INTRODUCTION

This paper describes the work performed to certify the replacement of the Humidity Indicator Cards (HIC) containing Cobalt dichloride (CoCl<sub>2</sub>) with less concerning materials used when shipping moisture sensitive integrated circuits.

## BACKGROUND

European REACH requirements identified  $CoCl_2$  as a Substance of Very High Concern (SVHC) under Article 33. While this does not require elimination of use, some customers have decided to eliminate these uses based on the chemicals listing as an SVHC. More environmentally benign alternatives have been identified that perform equivalently.

JEDEC J-STD-033B is the specification Texas Instruments references to identify the requirements for moisture indication. Alternatives to  $CoCl_2$  must meet the requirements of this standard before they can be used. Risks to detection of moisture can be alleviated by testing alternatives to ensure conformance to the standard.

## PROCEDURE

This study evaluated four key performance and material composition elements of a new HIC (Humidity Indicator Card). The spots on the card were required to show a visually perceptible color change indicating variations of ambient humidity in the key ranges printed on the card.

# HIC MATERIALS CONTENT AND COLOR CHANGE VALIDATION

### **Sample Identification**

Sample Name: MS 051060-CDF (TI Part #TI051060-CDF) Material No.: 200014484 Batch No.: 116679 A



## **1. DETERMINATION OF METALS**

#### **Analytical Procedure**

Analytical Instrument	ICP-OES
Model	Varian 720-ES
Sample Preparation	Acid decomposition using a closed vessel under high pressure combined with microwave.
Sampling	One whole card was used
Date of Analysis	October 2009

## 2. DETERMINATION OF HALOGENS

Analytical Instrument	Ion Chromatography
Model	Metrohm 861 Advanced Compact IC
Sample Preparation	Water extraction
Sampling	One whole card was used
Date of Analysis	November 2009

### **Analytical Procedure**

## 3. COLOR CHANGE ACCURACY (JEDEC STD 033)

#### **Test Method:**

Accuracy Test: Place samples in a dry, sealed container to revert color to blue. Place samples in a container with desiccant. Place samples in RH chamber. Wait 24 hours, check for accuracy.

**Colorimeter Test per JEDEC STD-033 Rev B.1**: Place samples in RH chambers. Wait 24 hours, perform colorimeter test.

## 4. COLOR CHANGE RATE

#### **Condition:**

- 1. Compare the current HIC with the new Cobalt Dichloride Free HIC.
- 2. Expose the HIC to production environmental conditions.
- 3. Check the colors periodically up to one hour.
- 4. Evaluate HIC colors at typical room ambient conditions (45+/-15% RH and 23 +/-5 deg. C).





## SUMMARY OF RESULTS

The Cobalt Dichloride Free indicator cards were evaluated for material content, color change accuracy, and color change rate.

1. ICP-OES (Inductively Coupled Plasma – Optical Emission Spectrometry) was performed on an acid decomposed sample card. Elemental content was normal with 950 mg/kg Cobalt detected.

Element	Value	Quantification
Cu	3	1
Ba	1	1
Sn	1	1
Со	950	1
Sr	1	1
Р	16	1
S	92	1
Al	27	1
Fe	4	1
Ca	300	1
Mg	120	1
Na	165	1
K	10	1

2. Ion Chromatography was performed on water extracted from a sample card that was boiled in DI water. Bromine content was consistent with the knowledge that the new cards utilize Cobalt Dibromide as the color change indicator.

Element	Value Detection Lin	
	[IIIg/Kg]	
F	n.d.	1
Cl	180	5
Br	2300	5

n.d. = not detected, value below quantification limit



**3.** Color change accuracy measurements with a colorimeter showed that the new cards met JEDEC criteria for accuracy at the three critical humidity levels.

	Measured	Indicating Spots		
RH	Chamber			
Chamber	RH	5%	10%	60%
<5%	2.0	Blue	Blue	Blue
5%	5.1	Lavender	Blue	Blue
10%	10.3	Pink	Lavender	Blue
15%	14.7		Pink	Blue
55%	54.5			Blue
60%	60.1			Lavender
65%	65.4			Pink

Colorimeter Test	Dry To Wet Change in Hue Degrees	2% RH Environment	5% RH Environment	10% RH Environment	55% RH Environment	60% RH Environment	Pass/Fail
	<u>&gt;</u> ∆7%	Dry	at RH				
SCPP 5% spot	15.34%	97.57	112.54				Pass
	<u>&gt;</u> Δ10%		Dry	at RH			
SCPP 10% spot	12.45%		101.60	114.25			Pass
	<u>&gt;</u> Δ10%				Dry	at RH	
SCPP 60% spot	30.01%				128.00	166.50	Pass

## **Documentation of the Accuracy Test:**



2% RH chamber All spots blue



5% RH chamber5% spot is lavender10 & 60% spots are blue



10% RH chamber5% spot is pink10% spot is lavender60% spot is blue





15% RH chamber 5 & 10% spots are pink 60% spot is blue

55% RH chamber 5 & 10% spots are pink 60% spot is blue

60% RH chamber 5 & 10% spots are pink 60% spot is lavender

4. The color change rate evaluations indicated that the appropriate color change occurred within an acceptable time interval.

#### **Color Change Description**

Exposed time (min)	Current use 4079043-0001	New
0	60% - blue 10% - blue 5% - blue	60% - blue 10% - blue 5% - blue
1	60% - blue 10% - blue 5% - blue	60% - blue 10% - blue 5% - blue
2	60% - blue 10% - blue 5% - blue	60% - blue 10% - blue 5% - blue
3	60% - blue 10% - blue 5% - blue	60% - blue 10% - blue 5% - blue
4	60% - blue 10% - blue 5% - lavender	60% - blue 10% - blue 5% - blue
5	60% - blue 10% - blue 5% - lavender	60% - blue 10% - blue 5% - blue
10	60% - blue 10% - lavender 5% - pink	60% - blue 10% - blue 5% - lavender
15	60% - blue 10% - pink 5% - pink	60% - blue 10% - lavender 5% - pink
20	60% - blue 10% - pink 5% - pink	60% - blue 10% - lavender 5% - pink
30	60% - blue 10% - pink 5% - pink	60% - blue 10% - lavender 5% - pink
60	60% - blue 10% - pink 5% - pink	60% - blue 10% - pink 5% - pink

Color spot Left: 5% / Center: 10% / Right: 60%

#### **Color Change Photographs**



Color spot Left: 5% / Center: 10% / Right: 60%



## CONCLUSION

All tests conducted on the new Cobalt Dichloride Free Humidity Indicator card met JEDEC and TI standards for use. The humidity induced color change of the new card was readily detected optically and the change was confirmed with colorimeter data.

## ACKNOWLEDGMENTS

The authors wish to recognize the following individuals for their professional assistance:

Cindy Chen of TI Taiwan

Michael De Jesus of TI Clark

Aleli Factora of TI Philippines

Mark Frimann of TI Dallas

Oscar Gamez of TI Mexico

Jim Gravley of TI Dallas

Chloe Hung of TI Taiwan

Jimmy Liang of TI Taiwan

Takayuki Miyahara of TI Hiji

Dan Powers of TI Dallas

Mohana Pria Rainoo Raj of TI Malaysia

Julie Terlisner of TI Tucson

Soon Kean Tiang of TI Malaysia

Isabella Wang of TI Taiwan

## **GLOSSARY OF TERMS**

**Humidity Indicator Card:** (HIC) – A card printed with a moisture sensitive chemical capable of a controlled color change in the presence of water vapor.

#### **IMPORTANT NOTICE**

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products		Applications	
Amplifiers	amplifier.ti.com	Audio	www.ti.com/audio
Data Converters	dataconverter.ti.com	Automotive	www.ti.com/automotive
DLP® Products	www.dlp.com	Communications and Telecom	www.ti.com/communications
DSP	dsp.ti.com	Computers and Peripherals	www.ti.com/computers
Clocks and Timers	www.ti.com/clocks	Consumer Electronics	www.ti.com/consumer-apps
Interface	interface.ti.com	Energy	www.ti.com/energy
Logic	logic.ti.com	Industrial	www.ti.com/industrial
Power Mgmt	power.ti.com	Medical	www.ti.com/medical
Microcontrollers	microcontroller.ti.com	Security	www.ti.com/security
RFID	www.ti-rfid.com	Space, Avionics & Defense	www.ti.com/space-avionics-defense
RF/IF and ZigBee® Solutions	www.ti.com/lprf	Video and Imaging	www.ti.com/video
		Wireless	www.ti.com/wireless-apps

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2010, Texas Instruments Incorporated