## PMP3011\_REVB BOM

COUNT	RefDes	Value	Description
1	C1	100uF	Capacitor, Aluminum, 63-V, 20%
1	C14	0.47uF	Capacitor, Ceramic, 16-V, X5R, 20%
1	C15	6.8nF	Capacitor, Ceramic, 50-V, X7R, 20%
1	C2	68 pF	Capacitor, Ceramic, 50V, X7R, 20%
4	C3, C4, C11, C12	22uF	Capacitor, Ceramic, 16V, X5R, 20%
2	C5, C13	470pF	Capacitor, Ceramic, 50-V, X7R, 20%
1	C6	22nF	Capacitor, Ceramic, 50-V, X7R, 20%
1	C7	3.3nF	Capacitor, Ceramic, 50-V, X7R, 20%
1	C8	0.1uF	Capacitor, Ceramic, 50-V, X7R, 20%
2	C9, C10	220uF	Capacitor, Aluminum, 16V, ±20%
2	D1, D2	MBRS340	Diode, Schottky, 3A, 40V
1	D5	12V	Diode, zener 1W, 12V
1	D6	BAS16	Diode, Switching, 150-mA, 75-V, 350mW
2	J1, J2	ED1514	Terminal Block, 2-pin, 6-A, 3.5mm
1	L2	33uH	Inductor, SMT, 33-uH, 3.23-A, 0.06-ohm
1	Q1	FDC658P	Transistor, MOSFET, Pch, -4A, -30V, 50milliohm
1	Q2	FDC653N	Transistor, MOSFET, Nch, 5A, 30V
1	Q3	BSS84	MOSFET, Pch, -50V, -0.13A, 10 Ohm
1	Q6	MMBTA06	Bipolar, NPN, SOT23
2	R1, R7	100K	Resistor, Chip, 1/16-W, 1%
1	R10	1 Meg	Resistor, Chip, 1/16-W, 1%
1	R12	499	Resistor, Chip, 1/16-W, 1%
1	R2	0.02	Resistor, Chip, 1/2-W, 5%
1	R3	2.0K	Resistor, Chip, 1/16-W, 1%
1	R4	301	Resistor, Chip, 1/8W, yy%
1	R5	5.76K	Resistor, Chip, 1/16-W, 1%
1	R6	25.5	Resistor, Chip, 1/16-W, 1%
1	R8	49.9	Resistor, Chip, 1/16-W, 1%
1	R9	6.19K	Resistor, Chip, 1/16-W, 1%
1	U1	TPS40200D	IC, Low Cost Sync Buck Controller

Notes: 1. These assemblies are ESD sensitive, ESD precautions shall be observed.

- 2. These assemblies must be clean and free from flux and all contaminants. Use of no clean flux is not acceptable.
- 3. These assemblies must comply with workmanship standards IPC-A-610 Class 2.
- 4. Ref designators marked with an asterisk ('\*\*') cannot be substituted. All other components can be substituted with equivalent MFG's components.

Size     Part Number     Mfr     Area       0.457 x 0.406     EEVFK1J101P     Panasonic       0603     Std     Std       0603     BSS40     On Semi       0603     BAS16     Vishay-Liteon       0.27 x 0.25     ED1514     OST       0.492 sq"     DR127-330     Coiltronics       SuperSOT-6 <th></th>	
0603     Std     Std       0603     Std     Std       1210     Std     Std       0603     Std     Std       0260 x 0.276 inch     EEEVFK1C221XP     Panasonic       SMA     SMAZ12-13-F     Onsemi       SOT23     BAS16     Vishay-Liteon       0.27 x 0.25     ED1514     OST       0.492 sq"     DR127-330     Coiltronics       SuperSOT-6     FDC653N     Fairchild       SOT23     MMBTA06     N Semi       0603	
0603     Std     Std       1210     Std     Std       0603     Std     Std       0.260 x 0.276 inch     EEEVFK1C221XP     Panasonic       SMA     SMAZ12-13-F     Onsemi       SOT23     BAS16     Vishay-Liteon       0.27 x 0.25     ED1514     OST       0.492 sq"     DR127-330     Coiltronics       SuperSOT-6     FDC653N     Fairchild       SOT23     MBTA06     ON Semi       0603     Std     Std       0603 <td></td>	
1210   Std   Std     0603   Std   Std     0.260 x 0.276 inch   EEEVFK1C221XP   Panasonic     SMA   SMAZ12-13-F   Onsemi     SOT23   BAS16   Vishay-Liteon     0.27 x 0.25   ED1514   OST     0.492 sq"   DR127-330   Coiltronics     SuperSOT-6   FDC653N   Fairchild     SOT23   BSS84   Infineon     SOT23   MMBTA06   ON Semi     0603   Std   Std     0603   Std   Std	
0603     Std     Std       0.260 x 0.276 inch     EEEVFK1C221XP     Panasonic       SMC     MBRS340     On Semi       SOT23     BAS16     Vishay-Liteon       0.27 x 0.25     ED1514     OST       0.492 sq"     DR127-330     Coiltronics       SuperSOT-6     FDC653N     Fairchild       SUperSOT-6     FDC653N     Fairchild       SOT23     MMBTA06     ON Semi       0603     Std     Std       0603     Std     Std       0603     Std     Std	
0603     Std     Std       0.260 x 0.276 inch     EEEVFK1C221XP     Panasonic       SMC     MBRS340     On Semi       SMA     SMAZ12-13-F     Onsemi       SOT23     BAS16     Vishay-Liteon       0.27 x 0.25     ED1514     OST       0.492 sq"     DR127-330     Coiltronics       SuperSOT-6     FDC653N     Fairchild       SUPErSOT-6     FDC653N     Fairchild       SOT23     BSS84     Infineon       SOT23     MMBTA06     ON Semi       0603     Std     Std       0603     Std     Std <td></td>	
0603StdStd0603StdStd0.260 x 0.276 inchEEEVFK1C221XPPanasonicSMCMBRS340On SemiSMASMAZ12-13-FOnsemiSOT23BAS16Vishay-Liteon0.27 x 0.25ED1514OST0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSOT23BSS4InfineonSOT23StdStd0603StdStd0603StdStd0603StdStd2010StdStd1206StdStd	
0603StdStd0.260 x 0.276 inchEEEVFK1C221XPPanasonicSMCMBRS340On SemiSMASMAZ12-13-FOnsemiSOT23BAS16Vishay-Liteon0.27 x 0.25ED1514OST0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd0603StdStd2010StdStd1206StdStd	
0.260 x 0.276 inchEEEVFK1C221XPPanasonicSMCMBRS340On SemiSMASMAZ12-13-FOnsemiSOT23BAS16Vishay-Liteon0.27 x 0.25ED1514OST0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSUperSOT-6FDC653NFairchildSOT23BSS84InfineonSOT23StdStd0603StdStd0603StdStd2010StdStd2010StdStd1206StdStd	
SMCMBRS340On SemiSMASMAZ12-13-FOnsemiSOT23BAS16Vishay-Liteon0.27 x 0.25ED1514OST0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSUperSOT-6FDC653NFairchildSOT23BS84InfineonSOT23StdStd0603StdStd0603StdStd2010StdStd2010StdStd1206StdStd	
SMASMAZ12-13-FOnsemiSOT23BAS16Vishay-Liteon0.27 x 0.25ED1514OST0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSUPErSOT-6FDC653NFairchildSOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd0603StdStd2010StdStd1206StdStd	
SOT23BAS16Vishay-Liteon0.27 x 0.25ED1514OST0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSuperSOT-6FDC653NFairchildSOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd2010StdStd0603StdStd2010StdStd1206StdStd	
0.27 x 0.25ED1514OST0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSuperSOT-6FDC653NFairchildSOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd2010StdStd0603StdStd2010StdStd1206StdStd	
0.492 sq"DR127-330CoiltronicsSuperSOT-6FDC658PFairchildSuperSOT-6FDC653NFairchildSOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd0603StdStd0603StdStd0603StdStd2010StdStd1206StdStd	
SuperSOT-6FDC658PFairchildSuperSOT-6FDC653NFairchildSOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd0603StdStd0603StdStd0603StdStd0603StdStd100StdStd0603StdStd0603StdStd0603StdStd0603StdStd1206StdStd	
SuperSOT-6FDC653NFairchildSOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd0603StdStd2010StdStd0603StdStd2010StdStd1206StdStd	
SOT23BSS84InfineonSOT23MMBTA06ON Semi0603StdStd0603StdStd0603StdStd2010StdStd0603StdStd2010StdStd1206StdStd	
SOT23     MMBTA06     ON Semi       0603     Std     Std       2010     Std     Std       0603     Std     Std       1206     Std     Std	
0603     Std     Std       2010     Std     Std       0603     Std     Std       1206     Std     Std	
0603     Std     Std       0603     Std     Std       2010     Std     Std       0603     Std     Std       1206     Std     Std	
0603     Std     Std       2010     Std     Std       0603     Std     Std       1206     Std     Std	
2010     Std     Std       0603     Std     Std       1206     Std     Std	
0603     Std     Std       1206     Std     Std	
1206 Std Std	
0603 Std Std	
0603 Std Std	
0603 Std Std	
0603 Std Std	
SO-8 TPS40200D TI	

## **IMPORTANT NOTICE**

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products (also referred to herein as "components") are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of significant portions of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI components or services with statements different from or beyond the parameters stated by TI for that component or service voids all express and any implied warranties for the associated TI component or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards which anticipate dangerous consequences of failures, monitor failures and their consequences, lessen the likelihood of failures that might cause harm and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed a special agreement specifically governing such use.

Only those TI components which TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components which have *not* been so designated is solely at the Buyer's risk, and that Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.

Products		Applications		
Audio	www.ti.com/audio	Automotive and Transportation	www.ti.com/automotive	
Amplifiers	amplifier.ti.com	Communications and Telecom	www.ti.com/communications	
Data Converters	dataconverter.ti.com	Computers and Peripherals	www.ti.com/computers	
DLP® Products	www.dlp.com	Consumer Electronics	www.ti.com/consumer-apps	
DSP	dsp.ti.com	Energy and Lighting	www.ti.com/energy	
Clocks and Timers	www.ti.com/clocks	Industrial	www.ti.com/industrial	
Interface	interface.ti.com	Medical	www.ti.com/medical	
Logic	logic.ti.com	Security	www.ti.com/security	
Power Mgmt	power.ti.com	Space, Avionics and Defense	www.ti.com/space-avionics-defense	
Microcontrollers	microcontroller.ti.com	Video and Imaging	www.ti.com/video	
RFID	www.ti-rfid.com			
OMAP Applications Processors	www.ti.com/omap	TI E2E Community	e2e.ti.com	
Wireless Connectivity	www.ti.com/wirelessconnectivity			

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2013, Texas Instruments Incorporated