PMP9476

Designator	Description	Manufacturer	PartNumber	Quantity
	CAP, AL, 47uF, 50V, +/-20%, 0.68 ohm, SMD	Panasonic	EEE-FK1H470XP	2
C3, CFF1, CFF2, CFF3	CAP, CERM, 0.1uF, 100V, +/-10%, X7R, 0805	Kemet	C0805C104K1RACTU	4
C4, C12	CAP, AL, 68uF, 50V, +/-20%, 30 ohm, SMD	Panasonic	EEHZA1H680P	2
C5, C6, C13, C14	CAP, CERM, 4.7uF, 50V, +/-10%, X7R, 1206	MuRata	GRM31CR71H475KA12L	4
C7	CAP, CERM, 1000 pF, 50 V, +/- 5%, C0G/NP0, 0603	Kemet	C0603C102J5GAC	1
C8	CAP, CERM, 2200 pF, 50 V, +/- 10%, X7R, 0603	Kemet	C0603C222K5RAC	1
C9	CAP, CERM, 0.047 µF, 50 V, +/- 10%, X7R, 0603	TDK	C1608X7R1H473K	1
C10	CAP, CERM, 1uF, 16V, +/-10%, X7R, 0603	TDK	C1608X7R1C105K	1
C11, C22	CAP, CERM, 100pF, 25V, +/-10%, X7R, 0603	AVX	06033C101KAT2A	2
C15	CAP, CERM, 0.1uF, 16V, +/-10%, X7R, 0603	TDK	C1608X7R1C104K	1
C16, C17, C18	CAP, CERM, 47uF, 10V, +/-10%, X7R, 1210	MuRata	GRM32ER71A476KE15L	3
C19, C25	CAP, CERM, 10uF, 10V, +/-20%, X5R, 1206	TDK	C3216X5R1A106M	2
	CAP, CERM, 0.1uF, 50V, +/-10%, X7R, 0603	TDK	C1608X7R1H104K	2
C23	CAP, CERM, 4700pF, 100V, +/-5%, X7R, 0603	AVX	06031C472JAT2A	1
C24	CAP, CERM, 0.022uF, 50V, +/-10%, X7R, 0603	TDK	C1608X7R1H223K	1
CF1, CF2, CF3	CAP, CERM, 10uF, 50V, +/-10%, X7R, 1210	MuRata	GRM32ER71H106KA12L	3
D1	Diode, TVS, Bi, 30 V, 400 W, SMA	Littelfuse	SMAJ30CA	1
D2	Diode, Zener, 5.6 V, 500 mW, SOD-123	Diodes Inc.	MMSZ5232B-7-F	1
D5	Diode, Schottky, 40V, 5A, SMC	Comchip Technology	CDBC540-G	1
GND, GND1, GND2, Vbat+, Vbat- , Vboost, Vin, Vout	Terminal, Turret, TH, Double	Keystone	1502-2	8
J1	Header, 100mil, 2x1, Gold, TH	Sullins Connector Solutions	UVLO EN	1
J2	Header, 100mil, 2x1, Gold, TH	Sullins Connector Solutions	FPWM	1
L1	Inductor, Shielded, Composite, 3.3 µH, 8.1 A, 0.02 ohm, SMD	Coilcraft	XAL5030-332MEB	1
L2	Inductor, Shielded Drum Core, Ferrite, 15uH, 5A, 0.024 ohm, SMD	Wurth Elektronik eiSos	744770115	1
LF1	Inductor, Shielded Drum Core, Ferrite, 3.3 µH, 2.6 A, 0.031 ohm, SMD	Wurth Elektronik eiSos	74408943033	1
LFF1	Coupled inductor, 11 µH, 2.5 A, 0.03 ohm, SMD	Wurth Elektronik eiSos	744273102	1
Q1	MOSFET, P-CH, -20 V, -20 A, SON 2x2mm	Texas Instruments	CSD25310Q2	1
Q2	MOSFET, N-CH, 60V, 19A, SON 5x6mm	Texas Instruments	CSD18531Q5A	1
Q3	MOSFET, N-CH, 60 V, 0.26 A, SOT-23	ON Semiconductor	2N7002ET1G	1
R1	RES, 825, 1%, 0.1 W, 0603	Vishay-Dale	CRCW0603825RFKEA	1
R2, R9, R17, R21, R22, R25	RES, 10k ohm, 5%, 0.1W, 0603	Vishay-Dale	CRCW060310K0JNEA	6
R3	RES, 2.21k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW06032K21FKEA	1
R4, R5, R10	RES, 2.00 k, 1%, 0.1 W, 0603, RES, 2.00k ohm, 1%, 0.1W, 0603, RES, 2.00k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW06032K00FKEA	3
R6	RES, 19.6 k, 1%, 0.1 W, 0603	Vishay-Dale	CRCW060319K6FKEA	1
DZ	RES, 59.0k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW060359K0FKEA	1
R7	INES, 39.0K 0IIII, 178, 0.177, 0003	Visituy Dulo	CRCWU0000009NUFREA	1

Designator	Description	Manufacturer	PartNumber	Quantity
R11	RES, 0.01, 1%, 1 W, 1206	Vishay-Dale	WSLP1206R0100FEA	1
R12	RES, 8.25 k, 1%, 0.1 W, 0603	Vishay-Dale	CRCW06038K25FKEA	1
R13	RES, 10.5 k, 1%, 0.1 W, 0603	Vishay-Dale	CRCW060310K5FKEA	1
R14, R16	RES, 0, 5%, 0.1 W, 0603	Vishay-Dale	CRCW06030000Z0EA	2
R15	RES, 4.99 ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW06034R99FKEA	1
R18	RES, 100k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW0603100KFKEA	1
R20	RES, 33.0k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW060333K0FKEA	1
R23	RES, 124k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW0603124KFKEA	1
R24	RES, 4.99k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW06034K99FKEA	1
Sys EN	Test Point, Multipurpose, White, TH	Keystone	5012	1
U1	High Efficiency Low-Side N-Channel Controller for Switching Regulators, 10-pin MSOP	Texas Instruments	LM3481MM	1
	Automotive Catalog Adjustable Precision Shunt Regulator, 34 ppm / degC, 100 mA, -40 to 125 degC, 3- pin SOT-23 (DBZ), Green (RoHS & no Sb/Br)	Texas Instruments	TL432BQDBZRQ1	1
U3	3A Switching Regulator with High Efficiency Sleep Mode, 20-pin TSSOP-EP, Pb-Free	Texas Instruments	LM26003QMH/NOPB	1

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ("TI") reference designs are solely intended to assist designers ("Buyers") who are developing systems that incorporate TI semiconductor products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products.

TI reference designs have been created using standard laboratory conditions and engineering practices. **TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design.** TI may make corrections, enhancements, improvements and other changes to its reference designs.

Buyers are authorized to use TI reference designs with the TI component(s) identified in each particular reference design and to modify the reference design in the development of their end products. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS ARE PROVIDED "AS IS". TI MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. TI DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO TI REFERENCE DESIGNS OR USE THEREOF. TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY BUYERS AGAINST ANY THIRD PARTY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON A COMBINATION OF COMPONENTS PROVIDED IN A TI REFERENCE DESIGN. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES, HOWEVER CAUSED, ON ANY THEORY OF LIABILITY AND WHETHER OR NOT TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, ARISING IN ANY WAY OUT OF TI REFERENCE DESIGNS OR BUYER'S USE OF TI REFERENCE DESIGNS.

TI reserves the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques for TI components are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

Reproduction of significant portions of TI information in TI data books, data sheets or reference designs is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards that anticipate dangerous failures, monitor failures and their consequences, lessen the likelihood of dangerous failures and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in Buyer's safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed an agreement specifically governing such use.

Only those TI components that TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components that have **not** been so designated is solely at Buyer's risk, and Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2015, Texas Instruments Incorporated