Layer Stack Up Detail for: SV601098A.PcbDoc

Layer Name	Gerber Document	Copper Thickness	Dielectric Height	Dielectric Material	Dielectric Type
Top Solder Mask	(.GTS)		0.4mil	Solder Resist	
Top Layer	(.GTL)	1.4mil			
			12.6mil	FR-4 High TG	Core
MidLayer1	(.G1)	1.4mil			
			30mil	FR-4 High TG	PrePreg
MidLayer2	(.G2)	1.4mil			
			12.6mil	FR-4 High TG	Core
Bottom Layer	(.GBL)	1.4mil			
Bottom Solder Mask	(.GBS)		0.4mil	Solder Resist	

DESIGN INFORMATION

BOARD SIZE (REFER ALSO ARRAY/PANEL PROFILING INFORMATION)
2600MIL X 3200MIL

Number of Layers : 4
MIN. TRACK WIDTH: 7 MIL
MIN. CLEARANCE: 8 MIL
MIN. VIA PAD SIZE: 22 MIL
MINIMUM ANNULAR RING 0.05mm (2MIL) EXTERNAL
PER IPC-D-275 CLASS 2 LEVEL C
REGISTRATION TOLERANCES: METAL +/- 5 MIL, HOLES +/- 3 MIL

MATERIAL:
[ ] FR-408 [X] FR-4 High Tg [ ] OTHER _____
THICKNESS: [X] 62 MIL (1.6mm) +/-10% [ ] OTHER _____
TOLERANCE: [X] ANSI IPC-6012 TYPE 3 CLASS 2
[ ] OTHER +/- _____
BOW & TWIST: [X] ANSI IPC-6012 TYPE 3 CLASS 2
[ ] OTHER +/- _____
COPPER THICKNESS (FINISHED):
OUTER: [X] 1.4MIL (1oz) [ ] 2MIL (1.4oz) [ ] 2.8MIL (2oz)
INNER SIGNAL: [X] 1.4MIL (1oz) [ ] 2.8MIL (2oz) [ ] N/A
DRILLING:
REFERENCE: [X] AS SHOWN [X] NC_DRILL FILES
PTH MIN COPPER THICKNESS: [X] 1MIL [ ] OTHER _____
BOARD FINISH:
SILKSCREEN: [X] TOP [X] BOTTOM
SILKSCREEN COLOR: [X] WHITE [ ] OTHER _____
SOLDER RESIST COLOR:
[ ] GREEN [ ] BLUE [X] OTHER RED
SURFACE FINISH: [X] IMMERSION GOLD (ENIG) [ ] ENEPIG
[ ] IMM. TIN/SILVER OR EQUIV [ ] OTHER _____
ARRAY/PANEL: [ ] CUT AND TRIM PER MECH LAYER 1
[ ] N.C. ROUTE [X] V. SCORE
CERTIFICATION: MATERIALS AND WORKMANSHIP FOR ALL PCBS TO MEET OR EXCEED THE REQUIREMENTS OF:
[X] ANSI IPC-A-600F CLASS -> [ ] 1 [X] 2 [ ] 3
[X] UL 94V-0 [X] RoHS [ ] OTHER PER ORDER
ADDITIONAL REQUIREMENTS:
MICROSECTION: [ ] YES
BARE BOARD ELEC. TEST: [ ] NONE [X] REQUIRED [ ] PER ORDER
MANUFACTURER'S UL: [ ] RAIL [ ] METAL [X] SILK



Symbol	Hit Count	Tool Size	Plated	Hole Type
□	13	7.874mil (0.2mm)	PTH	Round
○	370	10mil (0.254mm)	PTH	Round
▽	26	12mil (0.305mm)	PTH	Round
⌑	11	37.992mil (0.965mm)	PTH	Round
☼	24	39.37mil (1mm)	PTH	Round
✡	35	40mil (1.016mm)	PTH	Round
○	2	51.181mil (1.3mm)	PTH	Round
□	4	62mil (1.575mm)	PTH	Round
⊠	6	63mil (1.6mm)	PTH	Round
◇	16	67mil (1.702mm)	PTH	Round
	507 Total			

Drill Table

TEXAS INSTRUMENTS

PROJECT TITLE: TDC1000-TDC7200EVM
DESIGNED FOR: Public Release
FILE NAME: SV601098A.PcbDoc

ALL ARTWORK VIEWED FROM TOP SIDE	BOARD #: SV601098	REV: A	SVN REV: Not In VersionControl
LAYER NAME = [illegible]ensions			
PLOT NAME = Fabrication Drawing	GENERATED : 10/2/2014 10:06:17 AM		TEXAS INSTRUMENTS

Texas Instruments (TI) and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. TI and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. TI and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.

ENGINEER:	LAYOUT BY:
Bahram Mirshab	Krypton Solutions/RS
SCALE: 1.09	ALTIUM DESIGNER VERSION: 10.0.0.27009