Using Hall Effect Sensors for Rotary Encoding Applications TI Precision Labs – Magnetic Position Sensing

Presented and prepared by Dan Harmon






Hall effect sensors

Hall effect latch


Indicates the most recently measured magnetic flux density. These are used in rotary applications such as **BLDC** motor sensors and incremental encoding.




Hall effect switch

Indicates the presence or absence of magnetic flux density compared to a defined threshold.


- Unipolar switch Responds only to south magnetic poles
- Omnipolar switch Responds to both south and north magnetic poles






Linear Hall effect sensors

Outputs a signal that is proportional to magnetic flux density in order to measure precise movement.




TEXAS INSTRUMENTS

Rotary encoding using a Hall effect latch






Sampling frequency vs. RPM




Rotational speed: 60,000 RPM \rightarrow 1000 revs/sec \rightarrow 2000 poles/sec \rightarrow Sample frequency \geq 4000Hz






4

Rotary encoding using a linear Hall effect devices










Magnet Pole-Pitch Challenges



- **Direction determination requires definitive** quadrature
- Magnet pole placement & strength variation
 - Pole "size" variation up to ±3%
 - Pole field strength variation up to ±25%
- Precise design of pole pitch to optimize ulletswitching point needed



Support collateral

TDesigns

TIDA-00480: Hall Sensor Rotary Encoder



Incremental Rotary Encoder Design Considerations

Ross Eisenbeis, Magnetic Sensing Products

Incremental rotary encoders transduce rotational movement into electrical signals. Unlike absolute encoders that measure angle, incremental encoders generate high/low pulses as turning occurs.

Applications include computer mouse wheels, fluid flow meters, knobs, wheel speed sensors, stepper motor feedback for detecting missed steps, and brushed DC motor sensors for automotive windows. sunroofs, seats, and mirrors.

Output signals

When only one direction of rotation needs to be measured, an encoder with a single toggling output can be used.




Figure 1. Single Output

If clockwise versus counterclockwise movement must be distinguished, two encoder outputs with a phase offset can accomplish this. Then the order of 2-bit states describes the direction turned.




Figure 2. 2-Bit Quadrature Output

Using a 90° phase offset ("quadrature") maximizes the timing margin between each state, which prevents errors in the presence of mechanical tolerance, sensor mismatch, and signal jitter.

Technologies

The 3 most commonly employed technologies for generating pulses from rotation are contact, optical, and magnetic.

SBOA200-September 2017 Submit Documentation Feedback

Incremental Rotary Encoder Design Considerations Ross Eisenbeis, Magnetic Sensing Copyright © 2017, Texas Instruments Incorporated

Bru -~



bandwidth. Reliability can also be limited, since the contacts wear out over time due to friction, corrosion, or contaminants 2. Optical: A simple optical encoder can be built using a disc with slits cut out to let light through certain areas, along with an LED, and two photodiodes on the opposite side. If it's mechanically aligned, the photodiodes will see the light in a quadrature sequence. Optical encoders can provide the highest resolution of all the encoder types, and they also scale well to inexpensive low-end applications. However, they can be bulky in size, and reliability is limited by the LED lifetime (which is reduced at high temperatures) and any contaminants that block the

light

3. Magnetic: Magnetic incremental encoders use a circular magnet with multiple north and south magnetic poles. Typically, two Hall Effect Latch devices are placed nearby, and generate quadrature outputs as the magnet turns.

TI TechNotes 🖉

TEXAS INSTRUMENTS

1. Contact: This relies on mechanical contacts to make or break electrical connections. Typically, the stationary component has islands of metal throughout a ring. The piece above it is free to rotate and has metal brushes that momentarily make contact with the islands, connecting them to ground. Figure 3 shows the electrical schematic.

ish 1	Island node (Output 1)	Vcc
ish 2	Island node (Output 2)	Vçc

Figure 3. Typical Contact-Based Encoder

While contact-based encoders only use passive electronics, they tend to be mechanically complex. Pre-built modules are available, and include the encoder, knob, and detents for tactile feedback. This integration also comes with design constraints, special assembly requirements, and a price. The metal brushes on these encoders often require milliseconds of de-bouncing time to settle, which limits the sensing




🔑 Texas Instruments

Common rotary encoding applications




Linear measurement systems



Conveyor belts



Servo motors





Printers



Human interface knobs



To find more magnetic position sensing technical resources and search products, visit ti.com/halleffect



9