#### Ceramic, Pin, Grid, Array, (CPGA)


Ceramic Pin Grid Array (CPGA)





Literature Number: SNOA029

#### **Ceramic Pin Grid Array (CPGA)**

# 44 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U44A









U44A (REV A)

### 65 Pin Ceramic Pin Grid Array NS Package Number UA65A





CONTROLLING DIMENSION IS INCH VALUES IN [ ] ARE MILLIMETERS


# 68 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U68B



# 68 Pin Ceramic Pin Grid Array NS Package Number U68C









U68C (REV A)


# 68 Pin Ceramic Pin Grid Array NS Package Number U68D




#### 68 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U68E 0.098 INDEX 0.078 MARK -( □ 0.645 MAX)-**←** 0.050 TYP R 0.005 TYP -Y-0.190 0.170 -( □ 0.810 MAX)--N--P--X-□ 1.110 1.086 $\Box_{0.988}^{1.012}$ $\odot$ $\odot$ $\odot$ $\odot$ $\odot$ $\odot$ $\odot$ 0 $\odot$ 0.100 TYP 0.020 0.016 0.030 M N X-Y 0.016 M U68E (REV B)


# 75 Pin Ceramic Pin Grid Array NS Package Number U75A









# 84 Pin Ceramic Pin Grid Array NS Package Number U84A









U84A (REV A)


# 84 Pin Ceramic Pin Grid Array NS Package Number U84B






U84B (REV /

# 84 Pin Ceramic Pin Grid Array NS Package Number U84C




U84C (REV C)

## 84 Pin Ceramic Pin Grid Array NS Package Number UA84E




7


#### 99 Pin Ceramic Pin Grid Array NS Package Number U99A




# 100 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U100A




### 109 Pin Ceramic Pin Grid Array NS Package Number U109A




#### 120 Pin Ceramic Pin Grid Array NS Package Number U120A




#### 120 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U120C




#### 121 Pin Ceramic Pin Grid Array NS Package Number U121A




# 124 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U124A




# 132 Pin Ceramic Pin Grid Array NS Package Number U132A




# 132 Pin Ceramic Pin Grid Array NS Package Number U132B




#### 144 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U144A




# 149 Pin Ceramic Pin Grid Array NS Package Number UA149A




# 156 Pin Ceramic Pin Grid Array NS Package Number U156A




### 156 Pin Ceramic Pin Grid Array NS Package Number U156B




# 169 Pin Ceramic Pin Grid Array NS Package Number U169A




# 169 Pin Ceramic Pin Grid Array NS Package Number UA169A




### 173 Pin Ceramic Pin Grid Array NS Package Number U173A




### 175 Pin Ceramic Pin Grid Array NS Package Number U175A




# 180 Pin Ceramic Pin Grid Array NS Package Number U180A




### 223 Pin Ceramic Pin Grid Array NS Package Number U223A




#### 223 Pin Ceramic Pin Grid Array NS Package Number UA223A




#### 224 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U224A



# 251 Pin Ceramic Pin Grid Array NS Package Number UA251A




# 257 Pin Ceramic Pin Grid Array, Cavity Up NS Package Number U257A




U257A (REV A)

#### 259 Pin Ceramic Pin Grid Array **NS Package Number U259A** □ [1.932-1.968 [49.07-49.99] -L-( 1.800 [45.72] TYP ) 0.100 [2.54] TYP -K-0.733-0.747 [18.62-18.97] 0.118-0.145 [3.00-3.68] $(\Box^{0.050}_{[1.27]TYP})$ (0.025 ([0.64] TYP) 0.200 [5.08] TYP $\binom{0.025}{[0.64]}$ 00000 THIS PAD MAY BE 00000 00000 TRIANGULAR [3.81] 0000 0000 0000 0000 0000 0000 -M-(2X 0.300 ) 0000 0000 ( 0.800 ) [20.32]) 000 <del>0 0 0</del> 0 0000 0000 ( 0.475 <sub>TYP</sub>)T 0000 0000 #10-32 UNF STUD 0000 0000 0000 0000 Ø 0.008 [0.20] 0000 0000 00000 0000 SEE TABLE (0.150 TYP) $\binom{0.020}{[0.51]}$ 0.008 TYP) $(\emptyset^{0.050}_{[1.27]}TYP)$ 0.275 (2X [6.99]) [3.30]<sup>TYP)</sup> $\binom{0.020}{[0.51]}$ 0.030 TYP [0.76] $({0.420\atop [10.67]}{TYP})$ 0.240 [6.10]-N-**←**(6X 1.800 0.100 **←** [2.54] TYP $\Box$ $\begin{bmatrix} 0.050 \\ [1.27] \end{bmatrix}$ (45°X<sup>0.040</sup> [1.02]) 0000000000000 0000000000000000 0**0**0000000000000**0**0 P 0 0 0 0 0 $\odot \odot \odot \odot \odot$ N 0 0 0 0 $\odot$ $\odot$ $\odot$ $\odot$ $\mathsf{M} \hspace{.1cm} \hspace{.1cm}$ $\odot \odot \odot \odot \odot$ 00000 00000 <del>K</del> ⊚ <del>⊚ ⊚ ⊙</del> <del>•</del> • • • • 100000 @ @ @ @ @H 0 0 0 0 0 $\odot \odot \odot \odot \odot$ G 0 0 0 0 $\odot \odot \odot \odot \odot$ 00000 $\odot \odot \odot \odot \odot$ 00000000000000 00000 9000000000000 1 2 3/4 5 6 7 8 9 10 1 11 21 3 1 4 1 5 (161 7 1 8 1 9 STAND OFF PIN (3X 45°X 0.020 ) 4 PLACES □ 0.855 Ø 0.070 TYP $\emptyset$ 0.016- 0.020 $\longrightarrow$ TYP [1.78] → Ø 0.030 [0.76] (M)L (\$) M (\$) → Ø 0.010 [0.25] M U259A (REV A)


# 299 Pin Ceramic Pin Grid Array NS Package Number U299A




#### 301 Pin Ceramic Pin Grid Array NS Package Number U301A




### 302 Pin Ceramic Pin Grid Array NS Package Number UA302A




### 303 Pin Ceramic Pin Grid Array NS Package Number U303A



### 319 Pin Ceramic Pin Grid Array NS Package Number UA319A



# 323 Pin Ceramic Pin Grid Array NS Package Number U323A



#### LIFE SUPPORT POLICY

NATIONAL'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF THE PRESIDENT AND GENERAL COUNSEL OF NATIONAL SEMICONDUCTOR CORPORATION. As used herein:

- Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and whose failure to perform when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury to the user.
- A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.



National Semiconductor Corporation Americas

Tel: 1-800-272-9959 Fax: 1-800-737-7018 Email: support@nsc.com

www.national.com

National Semiconductor

Europe

Fax: +49 (0) 1 80-530 85 86 Email: europe.support@nsc.com Deutsch Tel: +49 (0) 1 80-530 85 85 English Tel: +49 (0) 1 80-532 78 32 Français Tel: +49 (0) 1 80-532 93 58

Français Tel: +49 (0) 1 80-532 93 58 Italiano Tel: +49 (0) 1 80-534 16 80 National Semiconductor Asia Pacific Customer Response Group Tel: 65-2544466

Fax: 65-2504466 Email: sea.support@nsc.com National Semiconductor Japan Ltd. Tel: 81-3-5639-7560

Tel: 81-3-5639-7560 Fax: 81-3-5639-7507

#### IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products	Applications
----------	--------------

Audio www.ti.com/audio Communications and Telecom www.ti.com/communications **Amplifiers** amplifier.ti.com Computers and Peripherals www.ti.com/computers dataconverter.ti.com Consumer Electronics www.ti.com/consumer-apps **Data Converters DLP® Products** www.dlp.com **Energy and Lighting** www.ti.com/energy DSP dsp.ti.com Industrial www.ti.com/industrial Clocks and Timers www.ti.com/clocks Medical www.ti.com/medical Interface interface.ti.com Security www.ti.com/security

Logic logic.ti.com Space, Avionics and Defense www.ti.com/space-avionics-defense

Power Mgmt power.ti.com Transportation and Automotive www.ti.com/automotive
Microcontrollers microcontroller.ti.com Video and Imaging www.ti.com/video

RFID <u>www.ti-rfid.com</u>
OMAP Mobile Processors www.ti.com/omap

Wireless Connectivity www.ti.com/wirelessconnectivity

TI E2E Community Home Page e2e.ti.com

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2011, Texas Instruments Incorporated