

PMP4444 REV E1 Bill of Materials

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
C5	1	22uF	25ML22MEFC5X5	Rubycon	CAP, AL, 22uF, 25V, +/-20%, TH	RCAP, 5x5mm
C6	1	1uF	C3216X7R1E105K085AA	TDK	CAP, CERM, 1uF, 25V, +/-10%, X7R, 1206	1206
C7	1	0.1uF	C0603C104K3RACTU	Kemet	CAP, CERM, 0.1uF, 25V, +/-10%, X7R, 0603	0603
R2	1	4.7	ERJ-6RQF4R7V	Panasonic	RES, 4.70 ohm, 1%, 0.125W, 0805	0805
BR1	1	800V	GBU4K-E3/45	Vishay-Semiconductor	Diode, Switching-Bridge, 800V, 4A, TH	GBU
C1	1	1000pF	08051C102KAT2A	AVX	CAP, CERM, 1000pF, 100V, +/-10%, X7R, 0805	0805
C2, C10	2	0.33uF	BFC233840334	Vishay-Bccomponents	CAP, Film, 0.33uF, 630V, +/-20%, TH	17.5x16.5x10mm
C3, C4, C8, C9, C18, C33	6	2200pF	DE1E3KX222MA5BA01	MuRata	CAP, CERM, 2200pF, 250V, +/-20%, E, Disc 10x8mm	Disc 10x8mm
C11	1	120pF	06035A121JAT2A	AVX	CAP, CERM, 120pF, 50V, +/-5%, C0G/NP0, 0603	0603
C12, C13	2	100uF	400KXW100MEFC16X30	Rubycon	CAP, AL, 100uF, 400V, +/-20%, TH	RCAP, 16x30mm
C14	1	10pF	06035A100JAT2A	AVX	CAP, CERM, 10pF, 50V, +/-5%, C0G/NP0, 0603	0603
C15	1	2200pF	CS11-E2GA222MYNS	TDK	CAP, CERM, 2200pF, 250V, +/-20%, E, Radial Disc D10.5x7mm	Radial Disc D10.5x7mm
C16	1	10pF	12062A100JAT2A	AVX	CAP, CERM, 10pF, 200V, +/-5%, C0G/NP0, 1206	1206
C17, C19	2	0.082uF	0603YC823KAT2A	AVX	CAP, CERM, 0.082uF, 16V, +/-10%, X7R, 0603	0603
C20, C21, C22, C23, C24, C25	6	680uF	UHW1V681MPD6	Nichicon	CAP, AL, 680uF, 35V, +/-20%, 0.019 ohm, TH	10x20mm
C26	1	1uF	08055C105KAT2A	AVX	CAP, CERM, 1uF, 50V, +/-10%, X7R, 0805	0805
D1	1	200V	ES1D13-F	Diodes Inc.	Diode, Ultrafast, 200V, 1A, SMA	SMA
D2	1	100V	BZX100A, 115	NXP Semiconductor	Diode, Zener, 100V, 310mW, SOD-323F	SOD-323F
D3, D4	2	1000V	1N4007	Fairchild Semiconductor	Diode, P-N, 1000V, 1A, TH	DO-41
D5	1	82V	1SMB5947BT3G	ON Semiconductor	Diode, Zener, 82V, 550mW, SMB	SMB
D6	1	100V	1SMB5949BT3G	ON Semiconductor	Diode, Zener, 100V, 550mW, SMB	SMB
D7	1	100V	BAS316,115	NXP Semiconductor	Diode, Ultrafast, 100V, 0.25A, SOD-323	SOD-323
D8	1	70V	BAV70-V	Vishay-Semiconductor	Diode, Switching, 70V, 0.25A, SOT-23	SOT-23
D9	1	600V	MURS160-13-F	Diodes Inc.	Diode, Ultrafast, 600V, 1A, SMB	SMB
D10, D11	2	100V	NTST30100CTG	ON Semiconductor	Diode, Schottky, 100V, 15A, TH	TO-220AB
D12	1	30V	DFLZ30-7	Diodes Inc.	Diode, Zener, 30V, 1W, PowerDI123	PowerDI123
F1	1		39213150000	Littelfuse	Fuse, 3.15A, 250V, TH	8x8.5x4mm
J1	1		1757255	TE Connectivity	Header, 3x1 5.08mm, TH	17.24x8.6x12mm
J3	1		923345-05-C	3M	Jumper Wire, 500mil spacing, Green, pkg of 200	500 mil Jumper Wire
J4, J5	2		20020110-H021A01LF	FCI	Terminal Block, 2x1, 5.08mm, TH	12.16x8.8x12mm
J6	1		131-3701-261	Emerson Network Power	Connector, SMB,Vertical RCP 0-4GHz, 50 ohm, TH	236x293x236mil
L1	1	12mH	B82720K2301N040	EPCOS Inc	Inductor, Drum Core, Ferrite, 12mH, 0.3A, 1.1 ohm, TH	13x14x9.5mm
L2	1	47.7uH	RLTI-1098	Renco Electronics	Inductor, Toroid, ?, 47.7uH, A, 0.04 ohm, TH	8.38x16.5x13.72
LED1, LED2	2	Green	HLMP1523	Everlight	LED, Green, TH	LED, 3x4.5mm
Q1	1	650V	IPP60R199CP	Infineon Technologies	MOSFET, N-CH, 650V, 16A, TO-220AB	TO-220AB
Q2	1	0.7V	BC847CLT1G	ON Semiconductor	Transistor, NPN, 45V, 0.1A, SOT-23	SOT-23
R1	1	100k	RC1206FR-07100KL	Yageo America	RES, 100k ohm, 1%, 0.25W, 1206	1206
R3, R4	2	100k	RC1206FR-07100KL	Yageo America	RES, 100k ohm, 1%, 0.25W, 1206	1206
R5, R17	2	0	CRCW12060000Z0EA	Vishay-Dale	RES, 0 ohm, 5%, 0.25W, 1206	1206
R6	1	1.00k	CRCW06031K00FKEA	Vishay-Dale	RES, 1.00k ohm, 1%, 0.1W, 0603	0603
R7	1	0	CRCW06030000Z0EA	Vishay-Dale	RES, 0 ohm, 5%, 0.1W, 0603	0603

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
R8	1	0	CRCW120647K0JNEA	Vishay-Dale	RES, 47k ohm, 5%, 0.25W, 1206	1206
R9	1	100	CRCW0603100RFKEA	Vishay-Dale	RES, 100 ohm, 1%, 0.1W, 0603	0603
R10	1	4.9k	CRCW120624K9FKEA	Vishay-Dale	RES, 24.9k ohm, 1%, 0.25W, 1206	1206
R11	1	20k	CRCW120624K9FKEA	Vishay-Dale	RES, 24.9k ohm, 1%, 0.25W, 1206	1206
R12	1	47k	CRCW120647K0JNEA	Vishay-Dale	RES, 47k ohm, 5%, 0.25W, 1206	1206
R13	1	1.00	CRCW12061R00FKEA	Vishay-Dale	RES, 1.00 ohm, 1%, 0.25W, 1206	1206
R14	1	390K	CRCW120647K0JNEA	Vishay-Dale	RES, 47k ohm, 5%, 0.25W, 1206	1206
R15	1	3.90k	RC0603FR-073K9L	Yageo America	RES, 3.90k ohm, 1%, 0.1W, 0603	0603
R16	1	47.0	RC1206FR-0747RL	Yageo America	RES, 47.0 ohm, 1%, 0.25W, 1206	1206
R18	1	4.7	CRCW12064R70JNEA	Vishay-Dale	RES, 4.7 ohm, 5%, 0.25W, 1206	1206
R19	1	100k	CRCW0603100KFKEA	Vishay-Dale	RES, 100k ohm, 1%, 0.1W, 0603	0603
R20	1	0.27	ERJ-1TRQFR27U	PANASONIC	PANASONIC - ERJ-1TRQFR27U - SISTOR, THICK FILM, 0.27 OHM, 1W, 1%	2512
R21, R22	2	1.00k	CRCW12061K00FKEA	Vishay-Dale	RES, 1.00k ohm, 1%, 0.25W, 1206	1206
R23	1	10K	RC1206FR-078K2L	Yageo America	RES, 8.20k ohm, 1%, 0.25W, 1206	1206
R24, R27, R28, R29, R30, R31, R32	7	8.20k	RC1206FR-078K2L	Yageo America	RES, 8.20k ohm, 1%, 0.25W, 1206	1206
R25	1	39k	CRCW120639K0JNEA	Vishay-Dale	RES, 39k ohm, 5%, 0.25W, 1206	1206
R26	1	1K	RC1206FR-078K2L	Yageo America	RES, 8.20k ohm, 1%, 0.25W, 1206	1206
RT1	1	470k	B57164K474J	EPCOS Inc	Thermistor NTC, 470k ohm, 5%, Disc, 5.5x5mm	Disc, 5.5x5mm
T1	1	260uH	RLTI-1100	Renco Electronics	Transformer, 260uH, TH	45.72x24.64x27.94mm
TP1, TP2, TP7, TP8, TP9, TP10, TP14	7	Red	5005	Keystone	Test Point, Compact, Red, TH	Red Compact Testpoint
TP6, TP11, TP12, TP13	4	Black	5006	Keystone	Test Point, Compact, Black, TH	Black Compact Testpoint
U1	1		UCC28630D	Texas Instruments	Green-Mode Flyback Controller, D0007A	D0007A
V1	1		B72214S0271K101	EPCOS Inc	Varistor, 430V, 4.5KA, TH	Disc, 14x5mm
[NoValue], C27	2	1uF	12063C105KAT2A	AVX	CAP, CERM, 1uF, 25V, +/-10%, X7R, 1206	1206

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ("TI") reference designs are solely intended to assist designers ("Designer(s)") who are developing systems that incorporate TI products. TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design.

TI's provision of reference designs and any other technical, applications or design advice, quality characterization, reliability data or other information or services does not expand or otherwise alter TI's applicable published warranties or warranty disclaimers for TI products, and no additional obligations or liabilities arise from TI providing such reference designs or other items.

TI reserves the right to make corrections, enhancements, improvements and other changes to its reference designs and other items.

Designer understands and agrees that Designer remains responsible for using its independent analysis, evaluation and judgment in designing Designer's systems and products, and has full and exclusive responsibility to assure the safety of its products and compliance of its products (and of all TI products used in or for such Designer's products) with all applicable regulations, laws and other applicable requirements. Designer represents that, with respect to its applications, it has all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. Designer agrees that prior to using or distributing any systems that include TI products, Designer will thoroughly test such systems and the functionality of such TI products as used in such systems. Designer may not use any TI products in life-critical medical equipment unless authorized officers of the parties have executed a special contract specifically governing such use. Life-critical medical equipment is medical equipment where failure of such equipment would cause serious bodily injury or death (e.g., life support, pacemakers, defibrillators, heart pumps, neurostimulators, and implantables). Such equipment includes, without limitation, all medical devices identified by the U.S. Food and Drug Administration as Class III devices and equivalent classifications outside the U.S.

Designers are authorized to use, copy and modify any individual TI reference design only in connection with the development of end products that include the TI product(s) identified in that reference design. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of the reference design or other items described above may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS AND OTHER ITEMS DESCRIBED ABOVE ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY DESIGNERS AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS AS DESCRIBED IN A TI REFERENCE DESIGN OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TI's standard terms of sale for semiconductor products (<http://www.ti.com/sc/docs/stdterms.htm>) apply to the sale of packaged integrated circuit products. Additional terms may apply to the use or sale of other types of TI products and services.

Designer will fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of Designer's non-compliance with the terms and provisions of this Notice.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2016, Texas Instruments Incorporated