


NOTES: UNLESS OTHERWISE SPECIFIED:

- 1 DATUM B AND C PINS MAY BE MANUFACTURED FROM SAME BASE PIECE AS SHOWN OR AS SEPARATE PIECES AND PRESS FIT INTO BASE PIECE
- 2 OPTICAL CUTOUT DIMENSIONS SHOWN ARE FOR REFERENCE ONLY. THE OPTICAL CUTOUT SIZE AND LOCATION SHOULD BE DESIGNED TO ACCOMMODATE THE INCOMING AND OUTGOING LIGHT BUNDLES ASSOCIATED WITH THE SPECIFIC DMD BEING USED.

© COPYRIGHT 2014 TEXAS INSTRUMENTS  
UNPUBLISHED, ALL RIGHTS RESERVED

REVISIONS			
REV	DESCRIPTION	DATE	BY
A	INITIAL RELEASE	11/18/2014	JTM



2511654	0314RD
NEXT ASSY	USED ON
APPLICATION	

UNLESS OTHERWISE SPECIFIED

- DIMENSIONS ARE IN MILLIMETERS
- TOLERANCES: ANGLES  $\pm 1^\circ$   
2 PLACE DECIMALS  $\pm 0.25$   
1 PLACE DECIMALS  $\pm 0.50$
- DIMENSIONAL LIMITS APPLY BEFORE PROCESSES
- INTERPRET DIMENSIONS IN ACCORDANCE WITH ASME Y14.5M-1994
- REMOVE ALL BURRS AND SHARP EDGES
- PARENTHETICAL INFO FOR REF ONLY

DWN J. McKINLEY Engr	DATE 9/17/2014
CQE/QA	
CM	
Apprvd McKINLEY	11/18/2014

TEXAS INSTRUMENTS			
INTERFACE, SERIES 600 SYSTEM, EDGE GUIDE			
SIZE B	DWG NO 2511631	REV A	
SCALE 2:1	SHEET 1 OF 2		

D

C

B

A

D

C

B

A

