



Revision History			
ECN #	Approved Date	Approved by	Notes
N/A	N/A	N/A	N/A



Balancing Resistance of 510 kOhm/2
 Total Dissipated Power of 0.7 W @ 850 V
 Costant Time of the DC LINK: around 65 second.

Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.


Orderable: ChangeMe in variant	Designed for: Public Release	Mod. Date: 4/8/2025
TID #: N/A	Project Title: 11kW T-Type Converter	
Number: TIDA-01606	Rev: E7.1	Sheet Title:
SVN Rev: Version control disabled	Assembly Variant: 001	Sheet: 1 of 16
Drawn By:	File: TIDA-1606-Overview-E7.SchDoc	Size: B
Engineer: Le Ruffo	Contact: http://www.ti.com/support	





© Texas Instruments 2025



PCB Number: TIDA-01606
PCB Rev: E7.1



Fan mount brackets
35mm spacing for mount



Variant/Label Table	
Variant	Label Text
001	ChangeMe!
002	ChangeMe!




LBL1
PCB Label
THT-14-423-10
Size: 0.65" x 0.20"

ZZ1
Label Assembly Note
This Assembly Note is for PCB labels only

ZZ2
Assembly Note
These assemblies are ESD sensitive, ESD precautions shall be observed.


ZZ3
Assembly Note
These assemblies must be clean and free from flux and all contaminants. Use of no clean flux is not acceptable.

ZZ4
Assembly Note
These assemblies must comply with workmanship standards IPC-A-610 Class 2, unless otherwise specified.



Fan 40 x 40 mm
T3 config:
P1+
P2 -
P3 Tach

Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.







Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.

Orderable: ChangeMe in variant	Designed for: Public Release	Mod. Date: 4/8/2025
TID #: N/A	Project Title: 11kW T-Type Converter	
Number: TIDA-01606	Rev: E7.1	Sheet Title:
SVN Rev: Version control disabled	Assembly Variant: 001	Sheet: 3 of 16
Drawn By:	File: TIDA-1606-Aux-Supply-E7.SchDoc	Size: B
Engineer: Le Ruffo	Contact: http://www.ti.com/support	



EMI LCL DM f3db ~ 4.5kHz, @ 200kHz -90dB
 EMI LCL CM @ 200kHz -120dB @ 50Hz -100dB
 Choke L CM 3.4mH, DM 6uH
 Boost L CM 40uH, DM 130uH



Vin = 10-18V (12V nom)
 EN RISE = 2V
 EN FALL = 0.8V
 Vo = 12V +/-3%
 Pload max = 1.25W
 Efficiency = 35%

$$V_{OUT} = (V_{IN} / V_{Clipping}) \times V_{REFIN} / 2 + V_{REFIN} / 2.$$


$$V_{Clipping} = \pm 1.25V$$

$$G = 1/410 \quad V_{in} = 410V \text{ max}$$

$$R_{HV} = 12.5 \text{ Mohm}$$

$$R_{LV} = 30.5k\Omega$$

Point of Common Coupling Voltages



Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.

Orderable: ChangeMe in variant	Designed for: Public Release	Mod. Date: 4/7/2025
TID #: N/A	Project Title: 11kW T-Type Converter	
Number: TIDA-01606	Rev: E7.1	Sheet Title:
SVN Rev: Version control disabled	Assembly Variant: 001	Sheet: 5 of 16
Drawn By:	File: TIDA-1606-PCC-Voltage-Measurements-E7.Sch	Size: A3
Engineer: Le Ruffo	Contact: http://www.ti.com/support	



© Texas Instruments 2025





$$V_{OUT} = (V_{IN} / V_{Clipping}) \times V_{REFIN} / 2 + V_{REFIN} / 2.$$

VClipping = +/-1.25V

G = 1/410 Vin = 410V max




RHV = 12.5 Mohm

RLV = 30.5kohm



Orderable: ChangeMe in variant	Designed for: Public Release	Mod. Date: 4/7/2025
TID #: N/A	Project Title: 11kW T-Type Converter	
Number: TIDA-01606	Rev: E7.1	Sheet Title:
SVN Rev: Version control disabled	Assembly Variant: 001	Sheet: 6 of 16
Drawn By:	File: TIDA-1606-SW-Voltage-Measurements-E7.Sch	Size: B
Engineer: Le Ruffo	Contact: http://www.ti.com/support	




Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.



Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.

Orderable: ChangeMe in variant	Designed for: Public Release	Mod. Date: 4/13/2025
TID #: N/A	Project Title: 11kW T-Type Converter	
Number: TIDA-01606	Rev: E7.1	Sheet Title: *
SVN Rev: * Version control disabled	Assembly Variant: 001	Sheet: 7 of 16
Drawn By: *	File: TIDA-1606-PCC-Current-Measurements-E7.Sch	Size: B
Engineer: Le Ruffo	Contact: http://www.ti.com/support	


VOUT = +/-2V Differential
Vlinear= 1000
G=1/602, 1/1000 Vin max range= 1000V max
float ADJ pin for Gain = 1/602







Orderable: ChangeMe in variant	Designed for: Public Release	Mod. Date: 4/7/2025
TID #: N/A	Project Title: 11kW T-Type Converter	
Number: TIDA-01606	Rev: E7.1	Sheet Title:
SVN Rev: Version control disabled	Assembly Variant: 001	Sheet: 8 of 16
Drawn By:	File: TIDA-1606-DC-Voltage-Measurements-E7-Sch	Size: B
Engineer: Le Ruffo	Contact: http://www.ti.com/support	


Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.
















Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.














Daisy Chain Aux PWR to Another System



Texas Instruments and/or its licensors do not warrant the accuracy or completeness of this specification or any information contained therein. Texas Instruments and/or its licensors do not warrant that this design will meet the specifications, will be suitable for your application or fit for any particular purpose, or will operate in an implementation. Texas Instruments and/or its licensors do not warrant that the design is production worthy. You should completely validate and test your design implementation to confirm the system functionality for your application.

Orderable: ChangeMe in variant	Designed for: Public Release	Mod. Date: 4/7/2025
TID #: N/A	Project Title: 11kW T-Type Converter	
Number: TIDA-01606	Rev: E7.1	Sheet Title:
SVN Rev: Version control disabled	Assembly Variant: 001	Sheet: 15 of 16
Drawn By:	File: TIDA-1606-CAN-Communication-E7.SchDoc	Size: A3
Engineer: Le Ruffo	Contact: http://www.ti.com/support	



IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you fully indemnify TI and its representatives against any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to [TI's Terms of Sale](#), [TI's General Quality Guidelines](#), or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products. Unless TI explicitly designates a product as custom or customer-specified, TI products are standard, catalog, general purpose devices.

TI objects to and rejects any additional or different terms you may propose.

Copyright © 2026, Texas Instruments Incorporated

Last updated 10/2025