

- 1) Refer to BOM for stuffing options.
- 2) Observe polarity on diodes and capacitors.

REVISIONS				
REV.	REV.	DESCRIPTION	DATE	APPROVED

APPLICATION		CONTRACT NO.	DRW: <u>www.WSTScorp.com</u>	3/14	<div style="text-align: center;"> <h1>TEXAS INSTRUMENTS</h1> <h2>ASSEMBLY DRAWING,</h2> <h3>SOMPLC-DOCKV1-R5</h3> </div>							
USED ON	NEXT ASSY.	UNLESS OTHERWISE SPECIFIED	P.L.E.						<div> <div>TITLE:</div> <div>SIZE C</div> <div>CAGE CODE NO.</div> <div>DRAWING NO. SOMPLC-DOCKV1</div> <div>REV 5</div> </div>			
		1. TOLERANCES:	DESIGNER:									
		LINEAR = ± 0.26 (20G)	P.C.									
		ANGULAR = ± 0.30°	O.C.									
		2. ALL DIMENSIONS ARE IN MM (INCHES).	C.M.									
MATERIAL: SEE NOTE			RELI.									
FINISH: SEE NOTE			INFO:									
		3. INTERPRET DRAWING IN ACCORDANCE WITH DOG-517-100.	ENG. DRW:									
			OTHER:									
			OTHER:									
DO NOT SCALE DRAWING			SCALE:	1:1		SHEET	1 OF 2					