

Filename: PMP5013C_bom.xls						
Date: 01/29/2010						
PMP5013C BOM						
COUNT	RefDes	Value	Description	Size	Part Number	Mfr
1	C1	.01u	Capacitor, Ceramic, 250V, [temp], [tol]	1210	Std	Vishay
1	C10	100p	Capacitor, Ceramic, 25V, [temp], [tol]	0603	std	muRata
1	C11	.01U	Capacitor, Ceramic, 25V, [temp], [tol]	0603	std	muRata
1	C12	.01u	Capacitor, Ceramic, 10V	0603	STD	muRata
1	C13	1000P	Capacitor, Ceramic, 25V, [temp], [tol]	0603	std	muRata
2	C14, C15	.01u	Capacitor, Ceramic, 10V	0603	STD	muRata
1	C16	1.0U	Capacitor, Ceramic, 10V	0603	STD	muRata
1	C17	.47U	Capacitor, Ceramic, 16V, [temp], [tol]	0805	STD	muRata
1	C18	4.7u	Capacitor, Ceramic, 16V	0603	STD	muRata
1	C19	1u	Capacitor, Ceramic, 16V	0603	STD	muRata
1	C2	4.7U	Capacitor, Ceramic, 50V, X7R, +/-15%	1825	Std	muRata
1	C3	open	Capacitor, Aluminum Electrolytic, vvV	0.197 inch	35ZL18 5X7	Rubycon
2	C4, C6	0.1uF	Capacitor, Polyester, 200V, 10%	0.311 x 0.213 inch	ECQ-E2473KB	Panasonic
1	C7	1uF	Capacitor, Ceramic, 250V, xx%	2220	tdk	Murata
1	C8	1000pF	Capacitor, Ceramic Disc, 250WV, 1000pF, Y5U ±20%	0.236 x 0.315	ECKNVS102MB	
1	C9	.1u	Capacitor, Ceramic, vvV, [temp], [tol]	0805	GRM40yyyxxxKvv	muRata
1	D1	MURA160	Rectifier, Ultrafast Power, 200V 1A	403D	MURA120T3	On Semi
1	D2	MURA120T3	Rectifier, Ultrafast Power, 200V 1A	403D	MURA120T3	On Semi
1	D3	MURA120	Rectifier, Ultrafast Power, 200V 1A	403D	MURA120T3	On Semi
1	D4	RH04-T	Bridge Rectifier, 400V, 0.5A, Glass Passivated, Fast Recovery	MiniDIP	RH0x-T	Diodes
1	D5	BAS16	Diode, Switching, 150-mA, 75-V, 350mW	SOT23	BAS16	Vishay-Liteon
1	D6	12V	Diode, Zener, 12V, yy-mA, zz-mW, q%	SOT23	MMBZ5242BLT1	Motorola
1	D7	8.2V	Diode, Zener, 8.2V, yy-mA, zz-mW, q%	SOT23	MMBZ5237BLT1	Motorola
3	D8, D9, D10	15V	Diode, Zener, 12V, yy-mA, zz-mW, q%	SOT23	MMBZ5245BLT1	Motorola
1	F1	1A	Fuse 1A		MCRW1A	Bussman
1	L1	470u	470uh 300ma	0.315 DIA inch	22R474C	Murata
1	Q1	FZT757A	Bipolar, PNP, 300V, yy-mA, zz-W	SOT-223	STD	ZETEX
1	Q2	IRFR420	MOSFET, N-ch,500-V, yy-mA, zz-milliOhms	DPAK	STD	STD
1	Q3	MMBT3906T	Bipolar, PNP, -40V, -200mA, -200mW	SOT-523	MMBT3906T-7-F	Diodes
1	Q4	FQT1N60CTF	MOSFET, N-ch, 600V, 1A, zz-milliOhms	SOT223	STD	STD
1	R1	100k	Resistor, 1/2W, yy%	1210	Std	Std
2	R10	3.01K	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R11	2.4	Resistor, 1/2W, yy%	1210	Std	Std

2	R12, R16	10K	Resistor, Chip, 1/16W, x%	0603	Std	Std
2	R14, R17	100K	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R15	20K	Resistor, Chip, 1/16W, x%	0603	Std	Std
	R18	3.01k	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R19	4.32K	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R2	249	Resistor, Metal Film, 1/4 watt, ± 5%	1206	Std	Std
1	R20	200k	Resistor, 1/4 watt, ± 5%	1206	Std	Std
1	R21	6.04K	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R22	1k	Resistor, 1kOhms, 3W, y%	0.670 x 0.217 inch	23J1K0	Ohmite
1	R23	80.6K	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R24	40.2k	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R25	1k	Resistor, 1/4 watt, ± 5%	1206	Std	Std
1	R3	5.11K	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R4	33	Resistor, Chip, 10 Ohms, 3W, y%	0.670 x 0.217 inch	23J10R	Ohmite
1	R5	49.9	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R6	1k	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R7	301K	Resistor, 1/4 watt, ± 5%	1206	Std	Std
1	R8	10	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	R9	39.2k	Resistor, Chip, 1/16W, x%	0603	Std	Std
1	T1	820 uH	Transformer, 10 W Flyback, ±12%	18.50x 19.50 mm	G094195LF	
5	TP1, TP2, TP4, TP8, TP9	5000	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone
2	TP3, TP6	STD	Test Point, O.050 Hole		STD	STD
2	TP5, TP7	5001	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone
1	U1	UCC3809-1P	IC, Economy Primary-Side Controller, xx-V Startup	DGK8	UCC3809-1P	TI
1	U2	TL331DBV	IC, COMPARATOR, DIFFERENTIAL, SINGLE	SOT_23_5 (DBV)	TL331DBV	TI
Notes:	1. These assemblies are ESD sensitive, ESD precautions shall be observed.					
	2. These assemblies must be clean and free from flux and all contaminants. Use of no clean flux is not acceptable.					
	3. These assemblies must comply with workmanship standards IPC-A-610 Class 2.					
	4. Ref designators marked with an asterisk (***) cannot be substituted.					
	All other components can be substituted with equivalent MFG's components.					

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products

Audio	www.ti.com/audio
Amplifiers	amplifier.ti.com
Data Converters	dataconverter.ti.com
DLP® Products	www.dlp.com
DSP	dsp.ti.com
Clocks and Timers	www.ti.com/clocks
Interface	interface.ti.com
Logic	logic.ti.com
Power Mgmt	power.ti.com
Microcontrollers	microcontroller.ti.com
RFID	www.ti-rfid.com
RF/IF and ZigBee® Solutions	www.ti.com/lprf

Applications

Communications and Telecom	www.ti.com/communications
Computers and Peripherals	www.ti.com/computers
Consumer Electronics	www.ti.com/consumer-apps
Energy and Lighting	www.ti.com/energy
Industrial	www.ti.com/industrial
Medical	www.ti.com/medical
Security	www.ti.com/security
Space, Avionics and Defense	www.ti.com/space-avionics-defense
Transportation and Automotive	www.ti.com/automotive
Video and Imaging	www.ti.com/video
Wireless	www.ti.com/wireless-apps

TI E2E Community Home Page

e2e.ti.com

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2011, Texas Instruments Incorporated