

			PMP6701 REVB BOM		5/12/2011	
Count	Ref Des	Value	Description	Size	Part Number	MFR
1	C8	DNP	Capacitor, Ceramic, 50V, X7R, 15%	603	STD	TDK
2	C3, C6	0.1uF	Capacitor, Ceramic, 50V, X7R, 15%	603	STD	TDK
1	C2	1uF	Capacitor, Ceramic, 16V, X7R, 15%	603	STD	TDK
1	C4	47pF	Capacitor, Ceramic, 50V, NPO, 15%	603	STD	TDK
2	C1, C7	220pF	Capacitor, Ceramic, 50V, NPO, 15%	603	STD	TDK
1	C5	1000pF	Capacitor, Ceramic, 50V, X7R, 15%	603	STD	TDK
2	C10, C11	10uF	Capacitor, Ceramic, 25V, X7R, 15%	1210	C3225X7R1E106MT	TDK
2	C12, C24	2.2uF	Capacitor, Ceramic, 100V, X7R, 15%	1210	C3225X7R2A225MT	TDK
1	C15	47uF	Capacitor, Alum, 100V, 20%	0.315 inch	100ZL47uF20%10x12.5	Rubycon
1	D7	B360A	Diode, Schottky Barrier 3A, 60V	SMA	B360A	Diodes Inc.
1	D9	MBRS240LT3	Diode, Schottky Barrier 2A, 40V	SMB	MBRS240LT3	On Semi
2	D2, D3	BAS16	Diode, Switching, 150-mA, 75-V, 350mW	SOT23	BAS16	Diodes Inc.
1	D6	18V	Diode, Zener, 18V, 0.225W	SOT-23	MMBZ5248BLT1	Diodes Inc.
1	D5	20V	Diode, Zener, 20V, 0.225W	SOT-23	MMBZ5250BLT1	Diodes Inc.
2	D1, D8	5.1V	Diode, Zener, 5.1V, 0.225W	SOT-23	MMBZ5231BLT1	Diodes Inc.
1	D4	56V	Diode, Zener, 56V, 0.225W	SOT-23	MMBZ5263BLT1	Diodes Inc.
1	L1	33uH	Inductor, SMT, 3.28A, 50.85 milliohm	0.492"x0.492"	DRQ125-330-R	Cooper
1	L2	1uH	Inductor, SMT, 2.66A, 33 milliohm	4.0 X 4.5mm	LD1-1R0-R	Coiltronics
1	R1	4.7	Resistor, Chip, 1/16W, 1%	603	STD	STD
1	R14	100	Resistor, Chip, 1/16W, 1%	603	STD	STD
3	R10, R16, R32	10K	Resistor, Chip, 1/16W, 1%	603	STD	STD
1	R2	1K	Resistor, Chip, 1/16W, 1%	603	STD	STD
4	R3, R6, R11, R12	20K	Resistor, Chip, 1/16W, 1%	603	STD	STD
1	R7	249K	Resistor, Chip, 1/16W, 1%	603	STD	STD
1	R4	13.3K	Resistor, Chip, 1/16W, 1%	603	STD	STD
1	R15	49.9K	Resistor, Chip, 1/16W, 1%	603	STD	STD
1	R9	0.033	Resistor, Metal Film, 1/4 watt, ± 5%	1206	Std	Std
1	R38	1	Resistor, Metal Film, 1/4 watt, ± 5%	1206	Std	Std
1	R5	10K	Resistor, Metal Film, 1/4 watt, ± 5%	1206	Std	Std
1	R8	16.5K	Resistor, Metal Film, 1/4 watt, ± 5%	1206	Std	Std
1	U1	TPS40211DGQ	IC, 52V, Boost Controller	DGQ10	TPS40211DGQ	TI
1	Q5	2N7002	MOSFET, N-ch, 60-V, 115-mA, 1.2-Ohms	SOT23	2N7002	Diodes Inc.
1	Q3	BSC123N08NS3G	MOSFET, Nch, 80V, 55A, 12.3 milliohm	TDSON-8	BSC123N08NS3G	Infineon
1	Q1	MMBT3904LT1	Bipolar, NPN, 40V, 200mA, 0.225W	SOT23	MMBT3904LT1	On Semi
1	Q2	MMBT3906LT1	Bipolar, PNP, 40V, 200mA, 0.225W	SOT23	MMBT3906LT1	On Semi
1	Q4	SI7489DP	MOSFET, PChan, 100V, 28A, 41milliohm	PWRPAK S0-8	SI7489DP	Vishay
MISC						
3	J1, J2, J3	ED555/2DS	Terminal Block, 2-pin, 6-A, 3.5mm	0.27"x 0.25"	ED555/2DS	OST

8	TP1, TP3, TP5, TP6, TP8, TP9 TP18, TP21	5000	Test Point, Red, Thru Hole Color Keyed	0.100"x 0.100"	5000	Keystone
4	TP2, TP4, TP7, TP11	5001	Test Point, Black, Thru Hole Color Keyed	0.100"x 0.100"	5001	Keystone
1	TP23	5012	Test Point, White, Thru Hole	0.125"x 0.125"	5012	Keystone

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products

Audio	www.ti.com/audio
Amplifiers	amplifier.ti.com
Data Converters	dataconverter.ti.com
DLP® Products	www.dlp.com
DSP	dsp.ti.com
Clocks and Timers	www.ti.com/clocks
Interface	interface.ti.com
Logic	logic.ti.com
Power Mgmt	power.ti.com
Microcontrollers	microcontroller.ti.com
RFID	www.ti-rfid.com
RF/IF and ZigBee® Solutions	www.ti.com/lprf

Applications

Communications and Telecom	www.ti.com/communications
Computers and Peripherals	www.ti.com/computers
Consumer Electronics	www.ti.com/consumer-apps
Energy and Lighting	www.ti.com/energy
Industrial	www.ti.com/industrial
Medical	www.ti.com/medical
Security	www.ti.com/security
Space, Avionics and Defense	www.ti.com/space-avionics-defense
Transportation and Automotive	www.ti.com/automotive
Video and Imaging	www.ti.com/video
Wireless	www.ti.com/wireless-apps

TI E2E Community Home Page

e2e.ti.com

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2011, Texas Instruments Incorporated