

Sitara™ AM437x processor with ARM® Cortex®-A9 core



Key Features and Benefits

- Feature-rich ARM® Cortex®-A9-based solution with performance up to 1 GHz
- Quad-core PRU-ICSS (industrial communications subsystem) connectivity peripheral supporting dual, simultaneous industrial protocols such as EtherCAT®, EtherNet/IP™, PROFIBUS®, PROFINET®-RT/IRT, POWERLINK, SERCOS® III, IEC 61850, as well as motor feedback protocols like EnDAT
- On-chip quad-core Programmable Real-time Unit (PRU) coprocessor for deterministic, real-time processing, direct access to I/Os and ultra-low-latency requirements
- Highly integrated with new peripheral options:
 - Dual-port 1Gb Ethernet switch for networking
 - Two parallel camera ports for applications such as bar code scanners
 - Two independent, up to 867ksps, eight-channel ADCs for servo motor control, audio sampling and sensor monitoring
 - Improved Vector Floating-Point unit for motor control and audio algorithms
 - 9-channel Sinc³ filter sigma-delta ADC for higher precision current sensing, a trend in industrial drives


Overview

Texas Instruments (TI) continues to optimize and expand its portfolio of Sitara processor solutions for the embedded market. With the Sitara AM437x processors support for the ARM Cortex-A9 core, extending performance by up to 40 percent over the current Sitara AM335x processor line. These high-performance successors to the popular Sitara AM335x platform integrate additional features to support a variety of markets from human machine interfaces (HMI) to IoT gateways to industrial automation. The Sitara AM437x processors run at 1 GHz and feature a

Programmable Real Time Unit (PRU) subsystem that enables simultaneous industrial Ethernet protocols and motor feedback protocols, such as EnDAT. Leveraging the PRU, this processor is optimized for industrial drive applications, offering integrated industrial Ethernet communications, motor control peripherals, sigma-delta modulator for current sensing, position feedback protocols and various fieldbus communication options on a single chip.

In addition to the support of industrial applications, with the Sitara AM437x processor, you have access to additional peripherals including:

AM437x block diagram



Sitara™ Processor Family

	AM335x	AM437x
Core	Cortex-A8 up to 1 GHz	Cortex-A9 up to 1 GHz
DMIPS	Up to 2,000	Up to 2,500
3D graphics acceleration	Supported	Supported
Memory	LPDDR1/DDR2/DDR3	LPDDR2/DDR3
OS	Linux®/Android™/ StarterWare/RTOS	Linux/Android/RTOS-based Industrial software
Key features	PRU-ICSS, Cryptography, Touchscreen controller	2× PRU-ICSS, Display subsystem, QSPI, Camera, PWM, GbE 2-port

- 512 kB of on-chip memory
- POWERVR SGX™ 3D graphics accelerator and a display subsystem that enables color space conversion, overlays, resizing and more.

Building upon this integration and giving customers the option of using flexible, discrete power designs, the Sitara AM437x processors include simplified power sequencing. Additionally, the companion power management IC TPS65218 offers high-efficiency converters with integrated power path and added benefits such as a high-accuracy, integrated voltage supervisor and the lowest power mode, reducing power consumption by 70 percent. This is ideal for systems requiring a low-capacity coin-cell battery to support greater than five-year shelf life. The availability of quad-SPI allows execute-in-place (XIP) so the system can run directly from low-cost NOR Flash.

Getting started

Hardware, software and support to make development easy


- Evaluate the processor features on the included LCD touch screen within minutes of opening the EVM box
- Linux™ support
- Android™, Windows® Embedded and various RTOS supported by Ecosystem partners
- Responsive design support and active online TI E2E™ community: e2e.ti.com.

The AM437x processors, based on the ARM Cortex-A9 core, are available to evaluate today at ti.com/am4379. Development is easy and can begin in minutes with TI's all-inclusive development kit, which includes a 7" LCD touch screen and Gigabit Ethernet. Designers can begin development today with the \$599 USD **TMDSEVM437x** general-purpose Evaluation Module.



▲ AM437x Evaluation Module

The **AM437x Industrial Development Kit (IDK)** is an application development platform for evaluating the industrial communication and control capabilities of Sitara AM4379 and AM4377 processors for industrial applications, including drives, sensors and I/O units, communications gateways and programmable logic/automation controllers (PLC/PAC) with integrated



▲ AM437x Industrial Development Kit

industrial communications such as EtherCAT and feedback such as EnDat.

The **AM437x Starter Kit** provides a stable and affordable platform to accelerate development for HMI, industrial and networking applications. It is a low-cost development platform that is integrated with options such as dual Gigabit Ethernet, DDR3L, camera and a capacitive touchscreen LCD.



▲ AM437x Starter Kit

Community support

TI's online community at e2e.ti.com supports AM437x ARM Cortex-A9 processors. Ask questions, share knowledge, explore ideas, and help solve problems with fellow engineers.

Sitara AM437x processors are specifically designed to address the latest challenges in connected drives used in industrial automation. For increased automation, more and more drives are connected using real-time industrial communications such as EtherCAT®, PROFINET® and EtherNet/IP™ to PLC and HMI systems. There is also an increasing trend towards newer standards such as EnDAT2.2 for precise position feedback and high-performance position control and developers are looking for all these new features to have a smaller footprint and lower power consumption.

Robust software eases development

As TI continues to invest in its powerful Industrial Software Development Kit (SDK), customers continue to reap the benefits. By adding PROFINET RT and EtherNet/IP to the currently supported PROFIBUS® and EtherCAT protocols, TI shows its commitment to supporting

multiple protocols on a single device with an integrated on-chip PRU, making industrial automation easy and affordable for original equipment manufacturers (OEMs). The Industrial SDK supports all Sitara processors using A-series cores (including AM335x and AM57x processors) and by extending this software to the AM437x product line, OEMs will have the same access to production-ready software to accelerate time to market of their industrial automation designs, including programmable logic controllers (PLCs) and I/O devices such as sensors and drives. Advancement of this industrial SDK furthers TI's unmatched commitment to simplifying product development.

Processor SDK is a unified software platform for TI embedded processors providing easy setup and fast out-of-the-box access to benchmarks and demos. All releases of Processor SDK are consistent across TI's broad portfolio, allowing developers to seamlessly reuse and migrate software across devices. Developing scalable platform solutions has never been easier than with the Processor SDK and TI's embedded processor solutions. Processor SDK supports both Linux® and TI-RTOS operating systems.

Getting to market faster with system solutions

TI offers the ability to complete an entire industrial system design with TI

analog ICs, including industrial Ethernet and isolated CAN transceivers, motor drivers, temperature sensors and power management devices, plus wireless connectivity and microcontroller options to complement the AM437x processors. With easy-to-use development platforms and ecosystem software support, Texas Instruments offers the entire industrial automation solution.

Additional information

For more information including selection guides, datasheets and application notes, please visit www.ti.com/automation.

Important Notice: The products and services of Texas Instruments Incorporated and its subsidiaries described herein are sold subject to TI's standard terms and conditions of sale. Customers are advised to obtain the most current and complete information about TI products and services before placing orders. TI assumes no liability for applications assistance, customer's applications or product designs, software performance, or infringement of patents. The publication of information regarding any other company's products or services does not constitute TI's approval, warranty or endorsement thereof.

The platform bar, E2E and Sitara are trademarks of Texas Instruments. All other trademarks are the property of their respective owners.

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products (also referred to herein as "components") are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of significant portions of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI components or services with statements different from or beyond the parameters stated by TI for that component or service voids all express and any implied warranties for the associated TI component or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards which anticipate dangerous consequences of failures, monitor failures and their consequences, lessen the likelihood of failures that might cause harm and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed a special agreement specifically governing such use.

Only those TI components which TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components which have **not** been so designated is solely at the Buyer's risk, and that Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.

Products

Audio	www.ti.com/audio
Amplifiers	amplifier.ti.com
Data Converters	dataconverter.ti.com
DLP® Products	www.dlp.com
DSP	dsp.ti.com
Clocks and Timers	www.ti.com/clocks
Interface	interface.ti.com
Logic	logic.ti.com
Power Mgmt	power.ti.com
Microcontrollers	microcontroller.ti.com
RFID	www.ti-rfid.com
OMAP Applications Processors	www.ti.com/omap
Wireless Connectivity	www.ti.com/wirelessconnectivity

Applications

Automotive and Transportation	www.ti.com/automotive
Communications and Telecom	www.ti.com/communications
Computers and Peripherals	www.ti.com/computers
Consumer Electronics	www.ti.com/consumer-apps
Energy and Lighting	www.ti.com/energy
Industrial	www.ti.com/industrial
Medical	www.ti.com/medical
Security	www.ti.com/security
Space, Avionics and Defense	www.ti.com/space-avionics-defense
Video and Imaging	www.ti.com/video

TI E2E Community

e2e.ti.com