

MIOTY® Demo Software

The MIOTY Demo Software is a MIOTY sensor application image that demonstrates MIOTY connectivity with the CC1352R LaunchPad™ SensorTag kit. This quick start guide shows you step by step how to get started with the MIOTY Demo Software. For more information about the application image, refer to the README in the installed MIOTY Demo Software.

Contents

1	Prerequisites.....	1
2	Device Description.....	1

Trademarks

LaunchPad, SimpleLink are trademarks of Texas Instruments.

1 Prerequisites

Hardware:


- One [CC1352R LaunchPad SensorTag](#) kit as the MIOTY end-point device
- One LaunchPad Development Kit with an XDS110 debugger, such as the [CC1352R LaunchPad kit](#)
- One MIOTY gateway from a 3rd party manufacturer, such as [Diehl Connectivity](#)

Software:




- [MIOTY DemoSoftware](#)
- [UniFlash](#)

2 Device Description


1. Remove all jumpers from the debugger on the CC1352R LaunchPad kit.



2. Connect the CC1352R LaunchPad SensorTag to the CC1352R LaunchPad kit through the 10-pin JTAG connection. Make sure the power switch on the CC1352R LaunchPad SensorTag is set to off while using the 10 pin JTAG connection.



3. Open UniFlash and read the primary IEEE MAC address, found under Settings & Utilities.



4. Disconnect the CC1352R LaunchPad SensorTag from the CC1352R LaunchPad kit. On the CC1352R LaunchPad SensorTag, mount the antenna, add batteries, and turn on the power switch. A blinking blue LED indicates the device is on.




5. Add the CC1352R LaunchPad SensorTag as a new MIOTY end-point device in gateway with the following parameters:
 - a. Configuration parameters:

EUI64	Primary IEEE MAC address
Short Address	Last two bytes of the primary IEEE MAC address
Network key	Hardcoded = 00:11:22:33:44:55:66:77:88:99:AA:BB:CC:DD:EE:FF


- b. For example, with primary IEEE MAC address = 00:12:4B:00:1C:AB:7F:ED

EUI64	00:12:4B:00:1C:AB:7F:ED
Short Address	7F:ED
Network key	00:11:22:33:44:55:66:77:88:99:AA:BB:CC:DD:EE:FF

6. Download and install the MIOTY demo binary from [TI.com](https://www.ti.com).
7. Connect to the CC1352R LaunchPad SensorTag with your phone using the SimpleLink™ Starter app.
It shows up as “Multi-Sensor”.
 - a. You can download the SimpleLink Starter app from Google Play store or Apple App store.



8. When connected, perform an OAD update by clicking “TI OAD Service” and select an image through “Select Custom FW”. Select the MIOTY demo binary, which is named “mioty_sensor_app_CC1352R_LPSTK_tirtos_ccs_oad.bin”.



9. Wait until the OAD update completes. After completion, the device should reset into a MIOTY device and automatically start to transmit MIOTY packages to the gateway.
 - a. c. For each transmission cycle, two frames are transmitted with the following format:
 - i. Frame 1

Byte 0	Byte 1	Byte 2	Byte 3	Byte 4	Byte 5	Byte 6	Byte 7
Frame ID	Counter	Light Sensor Lux MSB	Light Sensor Lux LSB	Magnetic Flux MSB	Magnetic Flux LSB	Temperature	Humidity
0x1	<value>	[lx]	[lx]	[mT]	[mT]	[C°]	[RH]

- ii. Frame 2

Byte 0	Byte 1	Byte 2	Byte 3	Byte 4	Byte 5	Byte 6	Byte 7
Frame ID	Counter	Accelerometer X axis	Accelerometer Y axis	Accelerometer Z axis	Battery Voltage MSB	Battery Voltage LSB	Battery Percentage
0x2	<value>	[m/s ²]	[m/s ²]	[m/s ²]	[mV]	[mV]	[%]

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2020, Texas Instruments Incorporated