

ABSTRACT

The AMD Xilinx™ Zynq UltraScale+™ ZCU102 Apps FPGA provides functionality to a DLPC964 controller and supported DMD. The DLP® DLPC964 Apps FPGA is just one example of a front end board used to interface with the DLPLCR964EVM, DLPLCR99EVM, and DLPLCR99UVEVM. The DLPC964 Apps FPGA user's guide details the functions and registers of the DLPC964 Applications FPGA (Apps FPGA) and the organization of the VHDL code used.




Figure 1-1. AMD Xilinx Zynq UltraScale+ ZCU102 Evaluation Module

Table of Contents

1 Introduction	3
2 Description	3
3 Get Started	3
4 Features	3
5 Evaluation Module Overview	4
5.1 Kit Contents	4
5.2 Specification	4
5.3 Assumptions	4
5.4 Apps FPGA Hardware Target	4
6 Apps FPGA Modules	5
6.1 Apps FPGA Block Diagram	5
6.2 BPG Module	6
6.3 BRG Module	7
6.4 BRG_ST Module	8
6.5 PGEN Module	9
6.6 PGEN_MCTRL Module	9
6.7 PGEN_SCTRL Module	11
6.8 PGEN_PRM Module	12
6.9 PGEN_ADDR_ROM	12
6.10 HSSTOP Module	12
6.11 SSF Module	13
6.12 ENC Module	13
6.13 Xilinx IP	13
6.14 Reference Documents	13
6.15 DLPC964 Apps FPGA IO	14
6.16 Key Definitions	15
7 Functional Configuration	17
7.1 Blocks Enabled	17
7.2 Pattern Cycle Enable	17
8 Appendix	25
8.1 Vivado Chipscope Captures	25
8.2 DLPC964 Apps Bitstream Loading	28
8.3 Interfacing To DLPC964 Controller with Aurora 64B/66B	31
9 Additional Information	50
9.1 Abbreviations and Acronyms	51
10 Related Documentation from Texas Instruments	51
11 Revision History	52

Trademarks

Xilinx™, Zynq UltraScale+™, and Vivado™ are trademarks of Xilinx, Inc.

DLP® is a registered trademark of Texas Instruments.

All trademarks are the property of their respective owners.

1 Introduction

This guide explains the hardware features of the DLP LightCrafter DLPC964 EVM (DLPLCRC964EVM) system and operation of the DLPC964 Graphical User Interface (GUI). The EVM architecture and connectors are described along with a quick start guide on how to connect a supported DMD EVM and an AMD Xilinx ZCU102 Evaluation Board (or equivalent) to the DLPLCRC964EVM to run patterns. Specific details for each DLP component can be found in the related component documentation. In addition, this guide provides an overview of the VHDL code and implementation.

Note

DMD EVMs, the AMD Xilinx ZCU102 evaluation board, power supply, optics, illumination source, and FPGA Mezzanine Card (FMC) cables are sold separately.

2 Description

The AMD Xilinx™ Zynq UltraScale+™ ZCU102 Apps FPGA provides functionality to a DLPC964 controller and supported DMD. The DLP® DLPC964 Apps FPGA is just one example of a front-end board used to interface with the DLPLCRC964EVM, DLPLCR99EVM, and DLPLCR99UVEVM. The DLPLCRC964EVM details the functions and registers of the DLPC964 Applications FPGA (Apps FPGA) and the organization of the VHDL code used.

3 Get Started

1. Order the AMD Xilinx Zynq ZCU102 Evaluation kit from an official vendor such as AMD or similar.
2. Please visit the [DLPLCRC964EVM Tool Page](#), [DLPLCR99EVM Tool Page](#), and [DLPLCR99UVEVM Tool Page](#) for more information regarding each EVM and the [TI E2E DLP](#) products forum for more assistance.
3. Read this EVM User's Guide fully and the corresponding as the ZCU102 Evaluation Board User Guide to learn more about each device's capabilities.
4. Download the DLPC964 Apps FPGA Configuration Firmware which includes the readme.txt file, Apps FPGA ZCU102 VHDL code for the DLPC964 controller, and the FPGA appstop.bit file for programming the ZCU102 through bitstream using Vivado.
5. Download the DLPC964 reference software for the DLPLCRC964EVM, and program the FPGA board through bitstream.
6. Once all devices are connected and powered up, open the LightCrafter GUI

4 Features

- The AMD Xilinx Zynq ZCU102 Evaluation kit is a front-end evaluation module designed to be used in conjunction with the DLPLCRC964EVM, DLPLCR99EVM, and DLPLCR99UVEVM.
- More details regarding the Zynq UltraScale+ ZCU102 can be found from AMD's [ZCU102 Evaluation Board User Guide](#).
- The EVM consists of 32 HSSI input data lanes with up to 3.6Gb/s per data lane.

5 Evaluation Module Overview

The DLPC964 Apps FPGA user's guide describes the functions and registers of the DLPC964 Applications FPGA (Apps FPGA) designed to work with a DLP LightCrafter DLPC964 EVM (DLPLCRC964EVM) and a supported DMD EVM (DLPLCR99EVM or DLPLCR99UVEVM). In addition, the guide provides an overview of the VHDL code and implementation.

Note

The DLPLCR99EVM, DLPLCR99UVEVM, DLPLCRC964EVM, AMD Xilinx ZCU102 evaluation board, power supplies, optics, and illumination source are sold separately.

5.1 Kit Contents

The DLPC964 Applications FPGA (Apps FPGA) is designed to work with a DLP LightCrafter DLPC964 EVM (DLPLCRC964EVM) and a supported DMD EVM (DLPLCR99EVM or DLPLCR99UVEVM).

Note that the DLPLCR99EVM, DLPLCR99UVEVM, DLPLCRC964EVM, AMD Xilinx ZCU102 evaluation board, power supplies, optics, and illumination source are sold separately.

5.2 Specification

The Apps FPGA is intended to act a starting point that provides basic functionality and connection to the DLPC964 Controller & supported DMD device. The platform is used to accelerate development cycles for users of the DLPC964 and allow evaluation of TI's 991UUV digital micromirror display (DMD).

5.3 Assumptions

The following document assumes that the user has run the [DLPC964 Apps executable](#) from ti.com. The RTL, Vivado™ project, and various scripts is located at: C:\Texas Instruments-DLP\DLPC964-Apps\.

5.4 Apps FPGA Hardware Target

The Apps FPGA reference code is targeted to the AMD Xilinx Zynq UltraScale+ FPGA housed on an AMD Xilinx ZCU102 Evaluation Board. [Figure 5-1](#) shows how the ZCU102 Evaluation Board connects to the Texas Instruments (TI) DLPC964 Evaluation Module (DLPLCRC964EVM), which connects to the DLPLCR99EVM or DLPLCR99UVEVM.




Figure 5-1. Apps FPGA Hardware Target

6 Apps FPGA Modules

This section details the various modules within the DLPC964 Apps FPGA.

6.1 Apps FPGA Block Diagram

Figure 6-1 shows the Apps FPGA Hardware Block diagram with various modules. Each module plays an important role in transmitting bitplanes to the DLPC964 controller. The DLPC964 receives high-speed bit plane data from the external front end source (AMD Xilinx Zynq ZCU102) and formats the data prior to loading into a DLPLCR99EVM or DLPLCR99UVEVM for display on a DLP991U or DLP991UUV DMD.

The bitplane pattern generator (BPG) is the main module when interfacing with the DLPC964 Apps FPGA and helps monitor the bitplane data being loaded from PGEN into the DLPC964 controller. The block reset generator (BRG) helps start the PGEN data sent to the DLPC964 when the controller is not busy, which is determined by the mcp_active signal coming from the DLPC964 controller.

Once the data is ready to be loaded into PGEN, the bitplane data is transmitted through HSSTOP, which is a wrapper for all four GTH channels (gth0 - gth3). Each channel helps transmit the bitplane data to the DLPC964 controller with speeds up to 10Gbps for each channel. These modules are explained in further detail below.




Figure 6-1. Apps FPGA Hardware Block Diagram

6.2 BPG Module

Bitplane pattern generator (BPG) is the main module of the DLPC964 Apps FPGA. This module can be used as an example on how to interface with the DLPC964 and Aurora transmit IP and consists of two main blocks:

1. The block reset generator (BRG)
2. The pattern generator (PGEN)

The BPG acts as a wrapper for the two sub-blocks BRG and PGEN. The BRG sub-block is responsible for starting the PGEN and reporting when the DLPC964 is busy loading data.

Note

If data is being loaded into the DLPC964 controller, then the BRG waits to load more data from the PGEN until the mcp_active signal is low. Once this signal goes low, the mcp_start signal is sent to the DLPC964 indicating that more data can be loaded into the controller.

The PGEN reports when sending data to the Aurora GTH IP, the next block address that is going to be reset from the DLPC964 with the mcp_start signal, errors that occur (timeout or DMD HSSI), and settings selected by the user.




Figure 6-2. BPG Module Hardware Block Diagram

6.3 BRG Module

The block reset generator (BRG) module is a sub-module of the BPG. The BRG is responsible for starting the pattern generator (PGEN) and interfacing with the DLPC964. There are several logic processes within the BRG to help determine when the time to start the PGEN and when to send another MCP_Start to the DLPC964 controller.

To keep the block diagram simple, the various processes within the BRG have been stated as Logic modules. Each of these logic modules are shown in the [Figure 6-3](#) and explained in more detail below.




Figure 6-3. BRG Module Hardware Block Diagram

6.3.1 Start Signal Logic

Start signal logic handles various scenarios that require the BRG to NOT start the PGEN.

Another block of data is not sent when the any of the following cases are met:

- The PGEN is already sending a block of data to the BRG.
- All mcp_active signals are high. This signal from the DLPC964 lets the DLPC964 Apps FPGA know that the DLPC964 is busy resetting the DMD blocks and needs to finish before another block of data can be sent to the DMD blocks.
- All enabled blocks have been loaded by the PGEN.

The PGEN has to wait for an mcp_start from the BRG before the user can send another data transfer to the DLPC964 controller.

6.3.2 Delay Needed Logic

The Delay Needed Logic handles when a potential mirror settle time violation occurs and tells the BRG_ST to hold the Start Signal Logic signal until the settle time is done.

The Mirror Settle Time refers to the following situation:

- Whenever a block is reset with an mcp_start signal because the time taken to update the DMD is communicated to the DLPC964 Apps via the mcp_active signal. Once the mcp_active signal goes low, the mirrors in that block are set in the proper state but still is settling into the state.

Loading data into mirrors that are settling can cause the DMD to go into an unknown state. To avoid this, there is a mirror settle time added to the delay logic, which is encountered in Global mode (as well as all other operating modes). This is because all blocks are loaded with data and issued with a mcp_start signal all at once. This means all the mirrors on the DMD need time to settle so the start signal need to be delayed.

Note

The DLPC964 Apps cover basic mirror settle time violations and delay the next load appropriately. To avoid complex logic and large amounts of test cases, the BRG adds a delay whenever any of the blocks are disabled.

6.3.3 Blocks Sent and Loaded Logic

The number of blocks sent to the DLPC964 and the number of blocks loaded by the DLPC964. This includes keeping track of segments sent when slow mode is enabled.

6.4 BRG_ST Module

This module is a sub-module of the BRG and is responsible for holding the PGEN start signal to avoid settle time issues. An important note about this module is the actual settle time delays used when the delay is requested.

When all blocks are enabled, the settle time delay is set to 6us. When any one of the 16 blocks are disabled, the settle time delay is set to 6us. The purpose of the first settle time delay is used in global mode. Since in global mode, all the blocks receive a reset signal, the DLPC964 apps cannot load another block until the mirrors have been given time to settle. The second settle time is used to avoid many of the potential settle time violations.

One example of this situation is if the DLPC964 Apps only has two blocks enabled and is set in single mode.

Figure 6-4 shows the timing diagram.




Figure 6-4. BRG_ST Timing

6.5 PGEN Module

The PGEN module is a sub-module of the BPG. The PGEN is responsible for reporting when data is being sent to the Aurora GTH IP, the next block address that is going to be reset from the DLPC964 with the mcp_start signal, errors that occur (timeout or DMD HSSI), and settings selected by the user. The PGEN modules are shown in Figure 6-5 and are explained in more detail below.




Figure 6-5. PGEN Module

6.6 PGEN_MCTRL Module

The primary control module is started by the start signal of the BRG, which also controls four copies of the secondary control modules. The secondary control modules are in charge of ROM addressing and outputting biplane images to the DLPC964 controller. The primary control module's core is a finite state machine (FSM) that starts off by waiting for the BRG to send the mcp_start signal. Once the signal is sent to the primary module, the FSM initiates. Figure 6-6 shows the PGEN_MCTRL FSM where each state machine is defined as followed:

- **CV_SEND_SIGNAL**: initial FSM state. This transitions states when the BRG start signal is received. Depending on the load type selected, the FSM goes to the CV_WAIT_FOR_ACK state or the CV_SEND_DMDLD state. The command valid signal is not needed when the block load type is Clear (001) or Set (001) because no data is sent during these load types.
- **CV_WAIT_FOR_ACK**: once the FSM is started by the BRG, the command valid signal is sent to the Aurora user-k interface. The user-k valid signal is held high in this state until the Aurora user-k ready signal acknowledges the user-k data. Once the FSM is acknowledged, the FSM de-asserts the user-k valid signal and goes to the next FSM state.
- **CV_SEND_DMDLD**: now that the command has been sent, the DLPC964 Apps FPGA can start sending bitplane data. This state starts and monitors all four of the secondary control modules. Once all four of the secondary modules report that the modules have completed sending data, the primary control modules can begin to send the DMD load signal over the Aurora user-k interface.
- **CV_HOLD_DMDLD**: the primary control module holds the DMD load signal until for approximately 0.80ns before transitioning to the beginning of the FSM.




Figure 6-6. PGEN_MCTRL FSM

6.7 PGEN_SCTRL Module

There are four copies of the secondary control module that are controlled by the primary control module. Each secondary is responsible for sending out the proper length data valid signal and to increment the ROM address. The data valid signal goes to the Aurora interface to mark the data being sent as valid. The Aurora interface can de-assert the ready signal at various times, so the secondary module must take this into account by holding the values and valid signal until the ready signal is re-asserted. The maximum ROM address is sent to the secondary module by the primary control module. The secondary module counts up to this value allowing the ROMs to send out lines up to the user-specified amount. Figure 6-7 depicts the main Secondary FSM where each state machine is defined as followed:

- **IV_IDLE:** when the secondary modules are not needed (for example, when load types clear or set are selected), the secondary module is held in this idle state. If data is needed (load type = Normal), then the FSM goes to the next state.
- **IV_BEGIN:** wait until the primary module sends a start signal. Once received, the secondary goes to the next state. Otherwise, the FSM holds in this state until the FSM receives the start signal OR the load type is changed.
- **IV_START:** the FSM starts the process to send out the valid signal and the ROM addresses. The valid signal is delayed a few clock cycles to align the ROM output with the valid signal.
- **IV_ACTIVE:** once the secondary module is started, the process that outputs ROM addresses continues to run until the module has reached the ROM address sent by the primary module. Once the value is reached, the FSM is signaled to go to beginning state.




Figure 6-7. PGEN_SCTRL FSM

6.8 PGEN_PRM Module

The pattern generator parameter (PGEN_PRM) module is responsible for cycling through the patterns, sending the Aurora user-k parameters, and selecting the next block to load/reset. Instead of testing and verifying potentially tens of thousands of test scenarios, the PGEN_PRM allows the user to select from the various configurations outlined in [Section 7.2.3](#).

The user can enable and disable the pattern cycle timer through the I²C interface. When the timer is disabled, the user can select a single pattern to be displayed via the pattern select register. The patterns available to the user are outlined in [Section 7.2.3](#). Certain user-k parameters (block addresses and segment numbers) change every time the PGEN is done sending a pattern. The block addresses that are to be loaded and reset are determined by the blocks enabled (pbc_bpg_bklen) by the user.

6.9 PGEN_ADDR_ROM

Because a single line is the smallest loadable part of the DMD, the user specifies the number of lines desired to be loaded. However, the Aurora GTH channel is 192 bits wide, so the PGEN_ADDR_ROM translates the number of lines to be loaded into a ROM address using the following formula:

$$MAX_ROM_ADDRESS = (\# \text{ of lines}) \times 5 + CEIL(\# \text{ of lines} / 3)$$

6.10 HSSTOP Module

This module contains the Xilinx Aurora IP for transmitting bitplane data to the DLPC964 controller board. This protocol is called the Aurora 64b/66b and for more information, go to [Section 8.3](#).

As shown in [Figure 6-8](#), the HSSTOP module has an AURPRA_APPS_TX_X12LN wrapper for all four of the GTH channels. Each Aurora GTH channel is comprised of three lanes with each lane transmitting 10Gbps. To help keep the GTH lanes synchronized, all four of the channels share the same Aurora clock module.




Figure 6-8. HSSTOP Module Hardware Block Diagram

The Aurora IP allows the differential signals to have a pre-emphasis and post-emphasis to help with signal integrity. In the DLPC964 Apps FPGA design, the following settings are used.

Signal Name	Value
gt_txpostcursor_in	0.00dB (00000)
gt_txdiffctrl_in	807mV (1000)
gt_txmaincursor_in	0.00dB (00000)
gt_txprecursor_in	0.00dB (00000)

6.11 SSF Module

The SSF is responsible for creating the DLPC964 Apps FPGA clocks and resets for the whole system. The SSF takes in the asynchronous signals like the push button reset, DLPC964 init done, and the Aurora MMCM lock so each signal can be synchronizes to the proper clock domains.

6.12 ENC Module

The encrypted (ENC) module is just a wrapper for the IP that is not to be released to customers. The PBC and SCI modules are encapsulated by this module to keep all the encrypted IP in the same location.

6.13 Xilinx IP

Listed here are the Xilinx IP used in the DLPC964 Apps FPGA design.

6.13.1 PGEN_SPBROM_v3

This is a 192x192 ROM that holds various pattern data to be read out and sent over the Aurora interface. This IP can be re-programmed with different user patterns. See [Section 7.2.5](#) below.

6.13.2 MAINPLL

The PLL that generates two of the three main clock networks in the design. The clk_i (100MHz) clock used for the Aurora initialization clock. The clk_a (50MHz) is used for the configuration registers and I²C logic.

6.13.3 AURORA_APPS_TX_X3LN_CLOCK_MODULE

The clock module uses the reference output clock from GTH channel 0 to generate the user and sync clocks. The generated clocks are sent to all four of the Aurora channels to verify that all four of the channels are aligned to the same user clock. Each channel can be slightly out of phase so the BPG architecture takes care of this with the primary and secondary architecture.

6.13.4 AURORA_APPS_TX_X3LN_CHANNEL_WRAPPER

A channel wrapper consists of three GTH lanes and all the Aurora IP modules bundled together. There are four copies of this to make the four channels.

6.14 Reference Documents

Please refer to [Section 10](#) for the Aurora 64B/66B v11.2 LogiCORE IP Product Guide.

6.15 DLPC964 Apps FPGA IO

Signal Name	Input/ Output	Description
refclk_ui_p refclk_ui_n	INPUT	Fixed 300MHz DIFF_SSTL12 reference clock generated from DLPC964 Apps FPGA (Reference from ZCU102: U42).
reset_ui	INPUT	Push button (Reference from ZCU102: AF15) to reset the DLPC964 Apps FPGA.
irqz	INPUT	PBC Interrupt from DLPC964 Controller.
running	OUTPUT	Goes to LED0 (Reference from ZCU102 GPIO_LED_0) on DLPC964 Apps FPGA to signal when out of reset.
C964_init_done	INPUT	Input from the DLPC964 that tells the DLPC964 Apps FPGA to be pulled out of reset.
wdt_enablez	OUTPUT	Watchdog Timer set to '1' when in operation. For the ZCU102, pin is mapped to spare FMC_HPC0_LA24_P as no longer used.
rxlpmen	OUTPUT	Set to 0 for low power mode equalization. Refer to the Xilinx App note for more information.
ext_hssi_rst	OUTPUT	Signal that resets the DLPC964 HSSI Interface.
hssi_bus_err	INPUT	From DLPC964 that signals there was a sync error when loading last block onto DLPC964.
hssi_rst_act	INPUT	From DLPC964 to tell Apps DLPC964 the HSSI is being reset
load2	OUTPUT	Used during DLPC964 init process to setup DMD in load2 mode.
blkmode[1:0]	OUTPUT	Used during DLPC964 init process to setup DMD superblock mode.
blkaddr[4:0]	OUTPUT	Block (or superblock) address the issued mcp_start is sent.
mcp_start	OUTPUT	Signals the DLPC964 to load whatever data was sent onto the DMD.
mcp_active[3:0]	INPUT	From the DLPC964 to signal when the DMD is loading data onto the DMD. Only 4 loads can happen at once.
blkloadz	INPUT	From the DLPC964 to signal when the block data sent is done being loaded and ready to be sent to the DMD.
dmdload_req	OUTPUT	Signals the DLPC964 to load the block recently sent into the controller into the DMD.
gtrx_ch0_refclk_p/n gtrx_ch1_refclk_p/n gtrx_ch2_refclk_p/n gtrx_ch3_refclk_p/n	INPUT	Reference clock from the DLPC964 for each of the Aurora Transmit channels (GTH Channel 0 - 3).
ch0_gtx_p/n[2:0]	OUTPUT	Aurora 10Gbps Transmit channel 0. User-k data is sent across channel 0 ONLY along with the data. When slow mode is enabled (pbc_bpg_normal_mode_en = 0), channel 0 is the only channel sending data.
ch1_gtx_p/n[2:0]	OUTPUT	Aurora 10Gbps Transmit channel 1.
ch2_gtx_p/n[2:0]	OUTPUT	Aurora 10Gbps Transmit channel 2.
ch3_gtx_p/n[2:0]	OUTPUT	Aurora 10Gbps Transmit channel 3.
i2c_sda	INOUT	I ² C Data line shared with the DLPC964.
i2c_scl	INOUT	I ² C Clock line shared with DLPC964.
fmc_gpio[6:0]	INOUT	GPIO between the DLPC964 Apps FPGA and DLPC964.
led	OUTPUT	Goes to LED1 (Reference from ZCU102 GPIO_LED_1) on DLPC964 Apps FPGA to signal when BPG is enabled.
heartbeat_led	OUTPUT	Goes to LED7 (Reference from ZCU102 GPIO_LED_7) on ZCU102 to signal bitstream successfully loaded onto device. LED blinks every 1.3 seconds.
testmux_uo[15:0]	INOUT	Debug mux for the DLPC964 Apps FPGA.

6.16 Key Definitions

- **Block:** a block is a 136 lines × 4096 pixels portion of the DMD. The DMD is split into 16 of these blocks making the total image size of the DMD 2176 lines × 4096 pixels. Blocks can be individually addressed (0x0 - 0xF) in the DLPC964 Apps FPGA.
- **Segment:** there are four segments (A,B,C, and D) per block. Each segment consists of 136 lines × 1024 pixels. In normal operation, each of the four segments are loaded at the same time. In slow mode each segment is loaded individually.
- **Groups:** when in double or quad modes, blocks are updated in groups. These groups are outlined in the table below. Note the importance that the user either enables all blocks in a group or disables all blocks in a group when in double or quad modes.

Block Load Address	0x0	0x1	0x2	0x3	0x4	0x5	0x6	0x7	0x8	0x9	0xA	0xB	0xC	0xD	0xE	0xF
Double Mode Groups	0x0		0x2		0x4		0x6		0x8		0xA		0xC		0xE	
Quad Mode Groups	0x0				0x4				0x8				0xC			

Figure 6-9 and Figure 6-10 show simple timing examples of sending blocks in x4 mode and global mode.




Figure 6-9. x4 Mode




Figure 6-10. Global Mode

- **DLPC964 Apps:** the Xilinx ZCU102 loaded with the Apps FPGA bitstream.
- **DLPC964:** the DLPC964 Controller that interfaces with the DMD.
- **Modes:** there are four modes: single (0x0), double or x2 (0x1), quad or x4 (0x2), and global (0x3). These modes are explained in more detail below and in [Section 7](#).
- **Single (0x0):** in single mode, each block is loaded with data and once the DLPC964 has finished loading that individual block onto the DMD, the DMD is updated with the MCP_Start signal. Since each block can be updated individually, the valid block mode addresses are 0x0 - 0xF.
- **Double (0x1):** double mode means that once the DLPC964 has loaded two blocks within a group with data, the DMD updates both of these blocks with a single MCP_Start signal. Since two blocks are updated at a time, the valid block mode address are 0x0, 0x2, 0x4, 0x6, 0x8, 0xA, 0xC, and 0xE.

Note

Note the importance to know that when enabling and disabling blocks in double mode, all blocks within a group must be enabled or disabled.

- Quad (0x2): quad mode means that once the DLPC964 has loaded four blocks within a group with data, the DMD updates all four blocks with a single MCP_Start signal. Since four blocks are updated at a time, the valid block mode address are 0x0, 0x4, 0x8, and 0xC.
- Global (0x3): this is the default start-up mode. In global mode, all enabled blocks are loaded and once the DLPC964 has finished, the MCP_Start signal updates all the blocks at once. Because all the blocks are updated at once, the next load operation needs to wait until the mirrors have settled.

Note

This is known as the mirror settle time and must be around 8us.

- Block Load Type: the block load type is sent before the data using the user-k in the Aurora GTH interface. The DMD supports 3 different types of loads: normal (0x0), clear (0x1), and set (0x2).
- Normal (0x0): this is the default block load type. The normal load type tells the DLPC964 to load the DMD with whatever data comes after the user-k data.
- Clear (0x1): clear load type does not send any data. This is because when the DLPC964 receives a clear load type, the DLPC964 sets the mirrors in the block specified to the off state (0).
- Set (0x2): set load type does not send any data. This is because when the DLPC964 receives the set load type, the DLPC964 sets the mirrors in the block specified to the on state (1).
- MCP_Start: the mirror clocking pulse start (MCP_Start) signals the DMD to update the mirrors with whatever data was sent. The DLPC964 determines which blocks to update based on the mode selected and the block mode address.
- Lines/Rows: a line of pixels refers to the horizontal row of pixels 4096 across. Think of this as the y-position on the DMD.
- Pixels/Columns: a column of pixels refers to the vertical column of pixels 2176 across. Think of this as the x-position on the DMD.
- Fast and slow mode: fast mode by default is enabled. Fast mode refers to sending all four segments of a block in parallel across the four Aurora GTH channels. Slow mode uses only the first GTH channel and sends the segments sequentially. Refer to the [Pattern Mode](#) section for more details on the segment ordering.
- Load2 Mode: Load2 is disabled by default. When in Load2 mode, the DLPC964 Apps only sends half of the number of rows specified (136 lines requested, only 68 are sent). This is because in this mode, the DMD loads every two lines with the same data.

7 Functional Configuration

Upon start-up, the DLPC964 Apps FPGA is in global reset mode, changing the pattern being sent to the DLP DMD EVM sent every two seconds. If the user wants to change pattern modes, then follow the steps listed below in [Section 7.2.4](#).

7.1 Blocks Enabled

The default start-up of the DLPC964 Apps FPGA enables all 16 DMD blocks. The register used to disable and enable the 16 blocks is a 16-bit configurable register. To avoid code complexity DMD timing violation issues, if a single block is disabled, then each subsequent DMD load is delayed. TI recommends to disable the BPG before modifying the number of blocks enabled.

Note

When in double or quad reset modes, either all the blocks in a reset group are enabled or all are disabled. For example, in Quad reset mode, only enabling blocks 0-3 and 8-11 is valid but enabling blocks 1-4 and 9-12 is not.

7.2 Pattern Cycle Enable

The default start-up of the DLPC964 Apps FPGA cycles through the first eight predefined patterns approximately every two seconds. This can be toggled by the user. When disabled, a single selected pattern is sent to the DLPC964. [Section 7.2.2](#) reviews what patterns are available to the user for display on the DLP DMD EVM.

7.2.1 North/South Flip

Enabling the North/South Flip lets the DLPC964 flip the image sent vertically.

7.2.2 TPG Patterns

When Pattern Cycle is enabled, patterns 1-8 is cycled through the DLPC964 controller. Patterns 9-14 are not cycled through, but can be selected by the customer.

Table 7-1. TPG Patterns

Pattern Number	Value	Name	Description
1	0x0	Full-on	Full white background where all the mirrors on the DMD is in the on position.
2	0x1	Full-off	Full black background where all the mirrors on the DMD is in the off position.
3	0x2	Checkerboard	A black and white checkerboard pattern with squares 64 pixels long by 68 lines high. The height and width are chosen to be a repeatable 136 × 1024 image.
4	0x3	Single pixel grid with border	A single pixel border surrounds every 136 × 1024 area with a grid pattern inscribed inside each one. The vertical lines are spaced 32 pixels apart and the horizontal lines are spaced 34 lines apart.
5	0x4	West to East Diagonal Lines	Diagonal lines spanning west to east of each segment.
6	0x5	East to West Diagonal Lines	Diagonal lines spanning east to west of each segment.
7	0x6	Horizontal Lines	16-line wide horizontal lines.
8	0x7	Vertical Lines	16-pixel wide vertical lines.
9	0x8	Load2 checkerboard	DEBUG PATTERN A black and white checkerboard pattern with squares 32 pixels by 34 line high. The pattern continues between lines 0-67. Lines 68-135 are all black. This is to easily show how the load2 operation works.
10	0x9	Dots 10 by 10	DEBUG PATTERN Customer requested pattern where single white pixels are spaced 8 pixels evenly in the X and Y direction.
11	0xA	Inverting Checkerboard	DEBUG PATTERN This is an inverted version of the checkerboard pattern (0x2). When the user selects this pattern (0xA), the pattern timer register causes the BPG to flip between this pattern and the original checkerboard pattern (0x2). This is to help with hinge memory issues and must be used whenever the light source is off.
12	0xB	Random Noise Pattern	DEBUG PATTERN Randomized noise pattern for customer tilt angle testing.
13	0xC	1x1 Horizontal Lines	DEBUG PATTERN Every row alternates between black/white and can be used to check for issues with row loads.
14	0xD	1x1 Vertical Lines	DEBUG PATTERN Every column alternates between black/white and can be used to check for issues with data bus lines.
15	0xE	Full on/off	DEBUG PATTERN Selecting this pattern causes the BPG to toggle between full-on (0x0) and full-off (0x1) patterns based on the pattern timer value.

7.2.3 Pattern Mode

Note

When changing pattern mode, follow the steps in [Section 7.2.4](#) below

The pattern mode register allows the user to experiment with the various DLPC964 modes of operation. The table below goes over all the available pattern modes:

Mode Number	Value	Name	Settings	Notes
1	0x0	Global Mode	- Global Reset Mode (0x3) - Normal Load Type (0x0) - Load2 Disabled (0x0) - Fast Mode Enabled (0x1) - Total Rows Loaded (136 = 0x88)	In global reset mode, all enabled blocks are loaded with data sequentially. Once all blocks have been loaded, the MCP_Start signal resets all the blocks at the same time.
2	0x1	Quad Mode	- Quad Reset Mode (0x2) - Normal Load Type (0x0) - Load2 Disabled (0x0) - Fast Mode Enabled (0x1) - Total Rows Loaded (136 = 0x88)	In quad reset mode, four blocks are loaded sequentially. Once the four blocks in a group have been loaded, the MCP_Start signal issues a reset to the four blocks in that group at the same time. Note There are four "groups" of blocks in Quad reset mode. Blocks 0-3, 4-7, 8-11, and 12-15. All blocks in a group must be enabled or disabled.
3	0x2	Double Mode	- Double Reset Mode (0x1) - Normal Load Type (0x0) - Load2 Disabled (0x0) - Fast Mode Enabled (0x1) - Total Rows Loaded (136 = 0x88)	In double reset mode, two blocks are loaded sequentially. Once the two blocks in a group have been loaded, the MCP_Start signal issues a reset to the two blocks in that group at the same time. Note There are 8 "groups" of blocks in Double reset mode. Blocks 0-1, 2-3, 4-5, 6-7, 8-9, 10-11, 12-13, 14-15. All blocks in a group must be enabled or disabled.
4	0x3	Single Mode	- Single Reset Mode (0x0) - Normal Load Type (0x0) - Load2 Disabled (0x0) - Fast Mode Enabled (0x1) - Total Rows Loaded (136 = 0x88)	In single reset mode, a single block is loaded at a time and once the DLPC964 has loaded the DMD with the data sent, the MCP_Start signal resets that single block.
5	0x4	Global Clear Mode	- Global Reset Mode (0x3) - Clear Load Type (0x1) - Load2 Disabled (0x0) - Fast Mode Enabled (0x1) - Total Rows Loaded (136 = 0x88)	This mode shows how the Clear block load type is used in the DLPC964 system. A clear load type does not require any data because the block puts all the mirrors in the off state (0). Because the clear load type does not have any data to be sent following, the command valid signal is not needed so only the dmd load signal is sent. The MCP_Start signal follows the same pattern as Global Mode.

Mode Number	Value	Name	Settings	Notes
6	0x5	Global Set Mode	- Global Reset Mode (0x3) - Set Load Type (0x2) - Load2 Disabled (0x0) - Fast Mode Enabled (0x1) - Total Rows Loaded (136 = 0x88)	This mode shows how the Set block load type is used in the DLPC964 system. A set load type does the opposite of the clear load type and also does not require any data. The set load type sets all the mirrors in the on state (1). Just like the clear load type, there is no need for the command valid signal, only the dmd load signal. The MCP_Start signal follows the same pattern as Global Mode.
7	0x6	Global Load2 Mode	- Global Reset Mode (0x3) - Normal Load Type (0x0) - Load2 Enabled (0x1) - Fast Mode Enabled (0x1) - Total Rows Loaded (136 = 0x88)	Enabling the load2 operation tells the DMD to load one line of data received into two rows of the DMD. The role of the DLPC964 Apps FPGA during a Load2 operation is to make sure that at most 68 lines are sent over the Aurora HSS channels and that the number of rows enabled in the user-k control parameter is halved as well.
8	0x7	Single Slow Mode	- Single Reset Mode (0x0) - Normal Load Type (0x0) - Load2 Disabled (0x0) - Slow Mode Enabled (0x0) - Total Rows Loaded (136 = 0x88)	Slow mode (or disabling the fast mode) causes the DLPC964 Apps FPGA to send data across a single channel only (4x 10Gbps lanes compared to 12x). To do this, each segment of a block must be sent sequentially across 1 channel instead of parallel. The segments must be sent in the following order: D (0x3) → C (0x2) → B (0x1) → A (0x0). Once all 4 segments are sent, the MCP_Start signal can be issued. The MCP_Start signal behaves the same as in Single Mode.

7.2.4 Switching Modes

Follow the instructions below for the proper way to switch between pattern modes (for example, going from Global reset mode to double reset mode).

1. Turn off the BPG.
2. Change the DLPC964 Apps FPGA to the desired pattern mode.
3. Reset the DLPC964 and wait for the DLPC964 to come out of reset.
4. Turn on the BPG.

Note

Following these steps verifies that the hardware does not go into an unknown state.

7.2.5 Changing the BPG Patterns

Below are instructions to help users change the default patterns in the ROM for TPG selections.

1. Go into the directory C:\Texas Instruments\DLPC964-Apps\docs\patterns and verify that the user has Python 2.6 (or greater) installed.
2. Open the binary_to_coe.py file and read through the top comments. The patterns used in the DLPC964 Apps were generated using this script. Look at the bit_fnames list located near the top of the script.

```
#           RTL-defined pattern (full-on)           # Pattern 1  (0x0)
#           RTL-defined pattern (full-off)          # Pattern 2  (0x1)
bit_fnames = ["chkrbrd_136x1024.txt",               , # Pattern 3  (0x2)
              "grid_136x1024.txt",                  , # Pattern 4  (0x3)
              "diag_e2w_136x1024.txt",              , # Pattern 5  (0x4)
              "diag_w2e_136x1024.txt",              , # Pattern 6  (0x5)
              "horiz_136x1024.txt",                 , # Pattern 7  (0x6)
#           RTL-defined pattern (veritcal lines)    # Pattern 8  (0x7)
              "load2chkrbrd_136x1024.txt",          , # Pattern 9  (0x8)
              "invchkrbrd_136x1024.txt",            , # Pattern 10 (0x9)
              "dots8by8_136x1024.txt",              , # Pattern 11 (0xA)
              "rand_136x1024.txt",                  , # Pattern 12 (0xB)
              "horiz1x1_136x1024.txt",              , # Pattern 13 (0xC)
              "vert1x1_136x1024.txt",               ] # Pattern 14 (0xD)
#           TBD                                     # Pattern 15 (0xE)
#           Full-on/off toggle                     # Pattern 16 (0xF)
```

3. The user can create a new .txt file and replace one of the names within the bit_fnames list.

Note


Any patterns designated RTL defined pattern cannot be changed to a different pattern since the patterns are not read from the ROM.

- a. Instructions for creating a .txt file for the python script:
 - i. The text file MUST have 1024 columns and 136 lines.
 - ii. Each character in the text file must either be a '1' or a '0'.
 - iii. Make sure the text file is in the same directory as the python script.
4. Once the bit_fnames has been updated with the new text file name, run the python script. This creates a file called bpg_patterns.coe


5. Open the Vivado project (either by unzipping the archived project in the build\project directory, or by running the run.tcl script).

Note


Unzipping the project is faster but if desired, then the run.tcl script has instructions on how to run.




6. Once the project is open, in the Project Manager window, find the tab labeled IP sources and click.



7. Right-click on pgen_spbrom_v3 and select re-customize IP.




8. Once the IP configuration tool is open, go to the options tab and the user sees a *Memory Initialization* section.




9. Click **Browse** and navigate to the location of the bpg_patterns.coe file created by the python script in step 4. Assuming there are no errors, click **OK**. In the next window, click **Generate**.
10. The user now has reprogrammed the ROM in the DLPC964 Apps FPGA. Now, re-build the project.

11. Once Xilinx finishes generating output products, click *Generate Bitstream* located on the left in the Flow Navigator. Click *OK* to any prompts and once Vivado finishes, the bitstream can be found inside the `project_1\project_1.runs\impl_1\` directory.



8 Appendix

8.1 Vivado Chipscope Captures






Figure 8-4. Pattern Mode 3 Capture



Figure 8-5. Pattern Mode 4 Capture



Figure 8-6. Pattern Mode 5 Capture



8.2 DLPC964 Apps Bitstream Loading

8.2.1 Loading Bitstream onto FPGA

Follow the instructions below for loading the DLPC964 Apps binary onto the FPGA through a bitstream using [Vivado Lab Solutions 2024.2](#).

Note

Click the link above to download Vivado Lab Solutions 2024.2. Once the webpage is loaded, find the archived 2024.2 folder and then navigate to the Vivado Lab Solutions 2024.2 downloadable link and download the installation.

Note

The FPGA needs to be reloaded each time power is lost or disconnected from the AMD EVM.

1. Plug in the Micro-B USB cable into the side of the ZCU102 and the other end into the computer running Vivado.
2. Start Vivado Lab Solutions 2024.2 on the computer.
3. Select *Open Hardware Manager* from the main window.
4. Click *open target* located in the top left of the hardware manager then *Auto Connect*.
 - a. If the AMD EVM is the only FPGA plugged into the computer, then Vivado automatically connects to the AMD EVM.
5. Right-click on the *FPGA* and select *Program Device*.
6. Navigate to the appstop.bit file and select *Program*.

8.2.2 Loading Bitstream onto Flash

Follow the instructions below for loading the DLPC964 Apps binary onto the flash through a bitstream using [Vivado Lab Solutions 2024.2](#).

Note

Click the link above to download Vivado Lab Solutions 2024.2. Once the webpage is loaded, find the archived 2024.2 folder and then navigate to the Vivado Lab Solutions 2024.2 downloadable link and download the installation.

Note

The bitstream is always loaded onto the FPGA upon power-up of the AMD EVM.

1. Plug in the micro USB into the side of the AMD EVM and the other end into the computer running Vivado.
2. Verify that boot mode is set to JTAG by setting SW6 to 0000 (Switches 4 → 1, right to left, toward the ON arrow) corresponding to Mode Pins [3:0] = 0000.





Figure 8-9. FPGA Configuration Mode 1 (JTAG)

3. Start Vivado Lab Studios 2024.2 on the computer.
4. Select *Open Hardware Manager* from the main window.
5. Click *open target* located in the top left of the hardware manager then *Auto Connect*.
 - a. If the AMD EVB is the only FPGA plugged into the computer, then Vivado automatically connects to the AMD EVB. Otherwise, the process is slightly more involved.
6. Right-click on the FPGA and select *Add Configuration Memory Device*.
7. Find the Flash name *mt25qu512-qspi-x8-dual_parallel* and click *OK*.
8. Select *OK* again and select the configuration file (*appstop.mcs*).
 - a. Make sure all other settings match.
9. Once setup, click *OK*. The programming can take a few minutes.
10. After programming completes power off the FPGA.
11. Enter QSPI mode by setting SW6 to 0010 (Switches 4 → 1, right to left, toward the ON arrow) corresponding to Mode Pins [3:0] = 0010.



8.3 Interfacing To DLPC964 Controller with Aurora 64B/66B

8.3.1 Theory of Operation

Data transactions to the DLPC964 controller are DMD block-based. The DLP991U and DLP991UUV has a total of 16 DMD blocks where each block is 4096 columns by 136 rows each. As shown in Figure 8-11, a single row of DMD column is further divided into four segments of 1024 columns and mapped independently to the four Aurora serial channels. Therefore, each Aurora core is a full DMD block array of 1024 columns by 136 rows.

8.3.2 Overview

Data transfer between the ZCU102 Apps FPGA and DLPC964 Controller are carried out with 12 10Gbps serial links as shown in Figure 8-11. The link-layer protocol is the Xilinx Aurora 64b/66b serial interface.

The Aurora 64b/66b serial interface covers:

- The generation of the Aurora 64b/66b TX core with Xilinx Vivado IP Catalog.
- Interface signaling between the RTL wrapper `aurora_apps_tx_x12ln.v` and Apps user logics.
- Theory of operation for transporting DMD data block with Aurora 64b/66b.
- Using Xilinx IBERT toolset to verify eye opening of the 10Gbps channel links.




Figure 8-11. DLPC964 System Block Diagram

8.3.3 Aurora 64B/66B TX Core and RTL Generation

TI released a RTL module called the `aurora_apps_tx_x12ln.v` for the ZCU102 Apps FPGA reference project. This module contains four individual Aurora 64B/66B 3-lane cores (`aurora_apps_tx_3xln_channel_wrapper.v`) to manage traffic for each of the transmit channel. This section covers the generation step of the Aurora core utilizing the Xilinx Vivado IP Catalog.

8.3.3.1 Select Aurora 64B66B From IP Catalog




Figure 8-12. Selecting from IP Catalog

8.3.3.2 Configure Core Options




Figure 8-13. Configuring Core Options

8.3.3.3 Lane Configurations

Select three lane configurations under *GT Selections*.

Note

Although quad X1Y2 is selected during this step, the RTL of the core does not have any location lock. This allows for instantiation of four times in our top level x12 lanes module (aurora_apps_tx_x12ln.v). The actual mapping of quads is handled in the constraints file.

8.3.3.4 Shared Logic Options

Select *Include Shared Logic in core* option under *Shared Logic*.

Proceed to generate the Aurora core.




Figure 8-14. Shared Logic Options

8.3.3.5 Generate Example Design Files

Users need to find the generated core in the project's *Sources* section. Right-click and select the *Open IP Example Design* option to allow Vivado generate the example design.




Figure 8-15. Design File Generation

8.3.3.6 RTL File List

List of RTL files generated by Vivado IP Catalog shown below.

Note

`PROJECT_DIRECTORY` is the home directory of the user's Vivado project

The RTL example design files associated with the Aurora 64b/66b implementation are located at the following directory:

`PROJECT_DIRECTORY/aurora_apps_tx_3xln_ex/gen/sources_1/ip/aurora_apps_tx_3xln/aurora_apps_tx_3xln/example_design:`

- `aurora_apps_tx_3xln_gt_gthe4_common_wrapper.v`
- `gtwizard_ultrascale_v1_7_gthe4_common.v`
- `aurora_apps_tx_3xln_multi_wrapper.v`
- `aurora_apps_tx_3xln_ultrascale_rx_userclk.v`
- `aurora_apps_tx_3xln_wrapper`

All main source files for the RTL design files are located at the following directories:

`PROJECT_DIRECTORY/srcs/sources_1/new:`

- `aurora_apps_tx_3xln_AXI_TO_LL.v`
- `aurora_apps_tx_3xln_cdc_sync.v`
- `aurora_apps_tx_3xln_channel_wrapper.v`
- `aurora_apps_tx_3xln_core.v`
- `aurora_apps_tx_3xln_gt.v`
- `aurora_apps_tx_3xln_gt_common_wrapper.v`
- `aurora_apps_tx_3xln_gt_gthe4_common_wrapper.v`
- `aurora_apps_tx_3xln_gt_gtwizard_gthe4.v`
- `aurora_apps_tx_3xln_gt_gtwizard_top.v`
- `aurora_apps_tx_3xln_MULTI_GT.v`
- `aurora_apps_tx_3xln_RESET_LOGIC.v`
- `aurora_apps_tx_3xln_SCRAMBLER_64B66B.v`
- `aurora_apps_tx_3xln_SIMPLEX_TX_AURORA_LANE.v`
- `aurora_apps_tx_3xln_SIMPLEX_TX_ERR_DETECT.v`
- `aurora_apps_tx_3xln_SIMPLEX_TX_GLOBAL_LOGIC.v`
- `aurora_apps_tx_3xln_SIMPLEX_TX_LANE_INIT_SM.v`
- `aurora_apps_tx_3xln_SIMPLEX_TX_STREAM.v`
- `aurora_apps_tx_3xln_SUPPORT_RESET_LOGIC.v`
- `aurora_apps_tx_3xln_SYM_GEN.v`
- `aurora_apps_tx_3xln_WRAPPER.v`
- `aurora_apps_tx_x12ln.v`
- `gtwizard_ultrascale_v1_7_gthe4_common.v`

`PROJECT_DIRECTORY/srcs/sources_1/imports/synth:`

- `gtwizard_ultrascale_v1_7_gthe4_channel.v`

8.3.3.7 Single Channel 3-Lane Aurora Core RTL Wrapper

The 3-channel Aurora wrapper `aurora_apps_tx_x3ln_channel_wrapper.v` is a simplified and cleaned-up RTL modification of `aurora_apps_tx_x3ln_support.v` with the following changes:

- Tied off all DRP ports and unused GTH control ports.
- Consolidate the DIFFCTRL, post-, pre- and main- cursor controls of all three channels to one.
- Removal of the channel's clock, `aurora_apps_tx_3xln_clock_module` (the clock module is moved to the `aurora_apps_tx_x12ln.v` so all four channels can share the same user clock). See [Section 8.3.3.8](#) for details).

The purpose of cleaned-up RTL is to simplified I/O port list for ease of component instantiation in the next section.

8.3.3.8 Four Channels 12 Lanes Top Level RTL Wrapper

Figure 8-16 showing `aurora_apps_tx_x12ln.v` has four instantiation of module `aurora_apps_tx_3xln_channel_wrapper.v` to form the four Aurora GTH TX channels entity.

`Tx_out_clk` from channel 0 feeds into `aurora_apps_tx_3xln_clock_module.v` to generate the `clk_user` signal driving the Apps FPGA and Aurora user logics interface. Refer to the [Xilinx app note Chapter 2 Table 2-7: Aurora 64B/66B Core Clock Ports](#) and [Chapter 3 Figure 3-1 Aurora 64B/66B Clocking Architecture](#) for information regarding `tx_out_clk` and `clk_user`.

Note

For link speed of 10Gbps with 64B/66B interface, `clk_user` frequency = $10\text{GHz} / 64 = 156.25\text{MHz}$.

Reset logics generate reset signals `reset_pb` and `pma_init` to the four Aurora TX channels. Refer to the [Xilinx app note Chapter 3, Figure 3-5 Aurora 64B/66B Simplex Normal Operation Reset Sequence](#) for specification of generating `reset_pb` and `pma_init`.




Figure 8-16. Aurora_apps_tx_x12ln.v RTL Block Diagram

Table 8-1. Signal Port List for RTL aurora_apps_tx_x12ln.v

Name	Direction	Clock Domain	Description
clk_init	Input	clk_init	100MHz free running clock for generate reset signals to Aurora cores.
arstz_ui	Input	async	Active low reset input. Input low trigger reset operation to Aurora cores.
dlpc964_initdone_ui	Input	async	DLPC964 Controller INIT_DONE status signal. Low keeps Aurora cores in reset state.
gt0_txout_n[0:2]	Output	async	Channel 0 10Gbps differential output Lane 0,1, and 2 to DLPC964 Controller
gt1_txout_p[0:2]	Output	async	Channel 1 10Gbps differential output Lane 0,1, and 2 to DLPC964 Controller
gt2_txout_p[0:2]	Output	async	Channel 2 10Gbps differential output Lane 0,1, and 2 to DLPC964 Controller
gt3_txout_p[0:2]	Output	async	Channel 3 10Gbps differential output Lane 0,1, and 2 to DLPC964 Controller
gt0_refclk_p	Input	async	Channel 0 100MHz differential transceiver external reference clock from a low-jitter oscillator.
gt1_refclk_p	Input	async	Channel 1 100MHz differential transceiver external reference clock from a low-jitter oscillator.
gt2_refclk_p	Input	async	Channel 2 100MHz differential transceiver external reference clock from a low-jitter oscillator.
gt3_refclk_p	Input	async	Channel 3 100MHz differential transceiver external reference clock from a low-jitter oscillator.
gt_txpostcursor_in[4:0]	Input	async	Transceiver post-cursor TX pre-emphasis control and is set to "00000" for TI EVM hardware. Customer must perform IBERT eyescan to determine the best setting for the hardware.
gt_txdiffctrl_in[3:0]	Input	async	Transceiver TX driver swing control and is set to "1000" (807mV differential peak to peak swing) for TI EVM hardware. Customer must perform IBERT eyescan to determine the best setting for the hardware.
gt_txmaincursor_in[6:0]	Input	async	Transceiver main-cursor TX control and is set to "0000000" for TI EVM hardware. Customer must perform IBERT eyescan to determine the best setting for the hardware.
gt_txprecursor_in[4:0]	Input	async	Transceiver pre-cursor TX pre-emphasis control and is set to "00000" for TI EVM hardware. Customer must perform IBERT eyescan to determine the best setting for the hardware.
clk_user	Output	clk_user	156.25MHz clock for user interface to Aurora cores.
clk_user_not_locked_uo	Output	async	When high, indicates clk_user is not locked, and can be used to keep user logics in reset state if clk_user loose lock in power-up or system reset condition.
gt(0,1,2,3)_s_axi_tx_tdata[191:0]	Input	clk_user	DMD pixel data to be transmitted across the Aurora links.
gt(0,1,2,3)_s_axi_tx_tvalid	Input	clk_user	User logics asserted this signal high to indicate to Aurora core the DMD pixel data is valid to transmit. Aurora cores ignore data if tvalid is low. Refer to the Xilinx app note for the AXI4-stream <i>ready</i> signal behavior.
gt(0,1,2,3)_s_axi_tx_tready	Output	clk_user	Aurora cores assert this signal high when DMD pixel data is accepted. Deasserted when pixel data are ignored, ie. cores are not ready to accept data. Refer to the Xilinx app note for the AXI4-stream <i>ready</i> signal behavior.
gt(0,1,2,3)_s_axi_user_k_tx_tdata[191:0]	Input	clk_user	User-k control word data to be transmitted across the Aurora links.
gt(0,1,2,3)_s_axi_user_k_tx_tvalid	Input	clk_user	User logics asserted this signal high to indicate to Aurora core the user-k control word data is valid to transmit. Aurora core ignore data if tvalid is low.
gt(0,1,2,3)_s_axi_user_k_tx_tready	Output	clk_user	Aurora core asserts this signal high when user-k control word data are accepted. Deasserted when data are ignored, that is, cores not ready to accept data.
gt(0,1,2,3)_hard_err	Output	clk_user	Asserted high when Aurora core detects a hard error. Refer to the Xilinx app note Table 2-13 for the hard error definition.
gt(0,1,2,3)_soft_err	Output	clk_user	Asserted high when Aurora core detects a soft error. Refer to the Xilinx app note Table 2-13 for the soft error definition.
gt(0,1,2,3)_channel_up	Output	clk_user	Asserted high after Aurora cores complete the channel initialization sequence.
gt(0,1,2,3)_lane_up[2:0]	Output	clk_user	Asserted high for each lane upon successful lane initialization with each bit representing one lane.
tp_gt0_pll_lock	Output	async	Asserted high when Aurora channel 0 tx_out_clk is stable. As stated in earlier section, channel 0 tx_out_clk is used to generate clk_user. tx_out_clk is 312.5MHz out of the Aurora transceiver and divided by two to form clk_user of 156.25MHz.

8.3.3.9 Block Start with Block Control Word

Aurora is a generic data transport link without concept of a DMD block. To define the start of a DMD block, the Apps user logics must send a Block Control word packet through channel 0 Aurora user-k port before data transmission.

Refer to [Xilinx app note Chapter 2 Table 2-10](#) for detailed information regarding the Aurora user-k interface port. In summary, the user-k interface ports are used to implement application-specific control functions, and are independent and higher priority than the data interface. As shown in [Table 8-2](#), the RTL wrapper `aurora_apps_tx_x12ln.v` has four channels of user-k port interface exposed to Apps FPGA user logics.

Note

Only channel 0 is used to transmit the Block Control word. Control word packets sending over the user-k port of channel 1, 2, and 3 are not used and are ignored by DLPC964 Controller.

Table 8-2. RTL Wrapper “aurora_apps_tx_x12ln.v” User-k Ports Usage

Signal Name	Signal Direction	DLPC964 Application Usage
gt0_s_axi_user_k_tx_tdata[191:0]	Input to Aurora Channel 0	192 bits Block Control word packet to be transmitted
gt0_s_axi_user_k_tx_tvalid	Input to Aurora Channel 0	User logics asserted this signal high to indicate to Aurora core the Block Control word is valid to transmit. Aurora cores ignore word if tvalid is low.
gt0_s_axi_user_k_tx_tready	Output from Aurora Channel 0	Aurora cores assert this signal high when the Block Control word is accepted. Deasserted when words are ignored, that is, cores are not ready to accept input word.
gt1_s_axi_user_k_tx_tdata[191:0]	Input to Aurora Channel 1	Unused
gt1_s_axi_user_k_tx_tvalid	Input to Aurora Channel 1	Unused
gt1_s_axi_user_k_tx_tready	Output from Aurora Channel 1	Unused
gt2_s_axi_user_k_tx_tdata[191:0]	Input to Aurora Channel 2	Unused
gt2_s_axi_user_k_tx_tvalid	Input to Aurora Channel 2	Unused
gt2_s_axi_user_k_tx_tready	Output from Aurora Channel 2	Unused
gt3_s_axi_user_k_tx_tdata[191:0]	Input to Aurora Channel 3	Unused
gt3_s_axi_user_k_tx_tvalid	Input to Aurora Channel 3	Unused
gt3_s_axi_user_k_tx_tready	Output from Aurora Channel 3	Unused

Table 8-3 describes the various fields within the 192 bits Block Control word. Block Control word not only defines the start of a DMD block, but also contains instruction and information to guide the DLPC964 controller on how to process the receiving DMD block data

Table 8-3. Block Control Word Fields Definition

Field Position	Field Type	Field Description
gt0_s_axi_user_k_tx_tdata[7:0]	USER_BLOCK_NUMBER	Must set to zeros (0x00). Values other than 0x00 are invalid, DLPC964 controller ignores the entire 192 bits control word if this field is not zeros.
gt0_s_axi_user_k_tx_tdata[11:8]	BLOCK_ADDRESS	Indicates the address of the DMD block to which DLPC964 applies the operation. 0000: DMD Block 0 0001: DMD Block 1, 0010: DMD Block 2 1111: DMD Block 15
gt0_s_axi_user_k_tx_tdata[15:7]		Reserved, unused.
gt0_s_axi_user_k_tx_tdata[24:16]	ROW_LENGTH	Number of row DLPC964 loads the user data. DLP991U and DLP991UUV DMD has 136 rows per block, thus valid range is 1-136. All other values, including 0 are invalid. Set to 136 for full block operation. Value 1 to 135 for partial block. Note This field used if LOAD_TYPE is 000.
gt0_s_axi_user_k_tx_tdata[34:32]	LOAD_TYPE	000: Block loading. DLPC964 load the user data to the DMD array area defined by the BLOCK_ADDRESS and ROW_LENGTH. 001: Block clear. DLPC964 clear the DMD array to zeros of the entire block define by BLOCK_ADDRESS. 010: Block set. DLPC964 set the DMD array to ones of the entire block defined by BLOCK_ADDRESS. Other values: reserved, do not use. Note When in 001 (block clear) or 010 (block set) operation, the ROW_LENGTH and NORTH_SOUTH_FLIP fields are ignored because clear and set operation affect the entire DMD block array. In other words, block set/clear operation do not support partial block operation.
gt0_s_axi_user_k_tx_tdata[36]	NORTH_SOUTH_FLIP	Control the direction of data loading within a DMD block. 0: DLPC964 load data starting and counting up from row 1. 1: DLPC964 load data starting and counting down from row 136.
gt0_s_axi_user_k_tx_tdata[29:28]	DMD_SEGMENT	When SINGLE_CHANNEL_MODE = '1', select the DMD segment to which the DLPC964 applies the operation. DLPC964 Controller ignores this field if SINGLE_CHANNEL_MODE = '0'.
gt0_s_axi_user_k_tx_tdata[30]	SINGLE_CHANNEL_MODE	1: Single channel operation. Operate the DMD array with only Aurora channel 0. 0: Normal operation. Operate the DMD array with all four Aurora channels.
gt0_s_axi_user_k_tx_tdata[191:31]		reserved, unused.

Figure 8-17 shows the transmission of the 192 bits Block Control word over the channel 0 user-k port at the start of an Aurora block transfer (in this example, loading all 136 lines of DMD block 1).




Figure 8-17. Block Start with Block Control Word Waveform

1. With the proper Block Control word on bus `gt0_s_axi_user_k_tx_tdata[191:0]`, the Apps FPGA user logics asserts the TVALID flag (`gt0_s_axi_user_k_tx_tvalid`), and waits for the response of the Aurora core.
2. Aurora asserts the TREADY flag, `gt0_s_axi_user_k_tx_tready`, indicating the core has accepted the 192 bits user-k data.
3. After the Block Control word is sent, Apps FPGA user logic starts the Aurora block transfer on all four data interfaces.

8.3.3.10 Block Complete with DMDLOAD_REQ

Refer to [Figure 8-11](#): DLPC964 System Block Diagram

DMDLOAD_REQ is an output signal from the Apps FPGA to DLPC964 Controller.

Once an Aurora block data transfer is completed, the Apps FPGA user logics must assert the DMDLOAD_REQ to signal the DLPC964 that this is the end of a DMD block and trigger to carry out the operation encoded in the Block Control word.

Guidelines for asserting the DMDLOAD_REQ signal and sending Block Control word:

- Apps FPGA user logics must wait for the block transfer to be completed on all four Aurora data channels before asserting DMDLOAD_REQ.
 - Apps FPGA must take into account that the four Aurora data channel interfaces are not fully synchronous to each other, thus data completion do not happen at the exact same clock cycle. Therefore, the Apps FPGA must monitor and verify the Aurora block data transfer is completed on all four channels before asserting DMDLOAD_REQ.

Note

Asserting DMDLOAD_REQ before completion of Aurora block transfer can result in data not loaded properly to DMD.

- DMDLOAD_REQ can be asserted immediately after completing an Aurora block transfer, as long as the 300ns DMDLOAD_REQ setup time is met (refer to [Section 8.3.3.11](#) for more information).
- Apps FPGA user logics must assert DMDLOAD_REQ for the current block before initiate the transmission of the next new DMD block. Every block must start with a Block Control word packet and end with DMDLOAD_REQ assertion.
- DMDLOAD_REQ is still required for operations that do not involve block data transfer (such as block clear/set operation), and must still meet the 300ns setup time (refer to [Section 8.3.3.11](#) for more information).
- Refer to [Figure 8-18](#) for the scenario where after the Apps user logics has completed the transfer of current block. The user can find that the DLPC964 is still loading the previous block to the DMD (for example, BLKLOADZ is low). The Apps FPGA can still assert the DMDLOAD_REQ while BLKLOADZ is low because the DLPC964 can detect and store this DMDLOAD_REQ request. After completing the Aurora data transfer of the current DMD block and asserting the DMDLOAD_REQ signal, the Apps FPGA must wait for the de-assertion of BLKLOADZ by the DLPC964 (for example, BLKLOADZ transition from low to high) before starting the next block. De-assertion of BLKLOADZ means the DLPC964 has completed the DMD data loading operation for previous block and a data buffer is freed up for accepting a new data block from the Aurora interface.

Note

The DLPC964 has two data block buffers; one for receiving the incoming Aurora data block, the other for holding the previous block for streaming out to DMD. The buffers can be overrun and data is not loaded correctly to the DMD if Apps FPGA does not synchronize the Aurora block transfer with the BLKLOADZ's de-assertion signal.

- Refer to [Figure 8-19](#) for a scenario where the Apps FPGA chooses to send the DLPC964a DMD data block, but delay the assertion of the DMDLOAD_REQ.




Figure 8-18. End of Block DMDLOAD_REQ Assertion Follow By New Block Control Word Waveform

1. Apps FPGA user logics assert DMDLOAD_REQ immediately after the completion of current block data transmission on all four Aurora data interfaces.
2. DLPC964 de-assert BLKLOADZ indicating completion of data loading operation for previous DMD block.
3. Apps FPGA user logics detects the de-assertion of BLKLOADZ and send a new Block Control word on Aurora channel 0 user-k port for next block.
4. Apps FPGA user logics sending data for the next block.
5. BLKLOADZ asserted low by DLPC964 indicating that the data loading operation for the current block is triggered by DMDLOAD_REQ.




Figure 8-19. DMDLOAD_REQ Delayed Assertion Waveform

1. Apps FPGA finishes sending the last block (block 15) data of current pattern and asserts DMDLOAD_REQ to instruct the DLPC964 to carry out the data load operation.
2. DLPC964 loading data to block 15 triggered by DMDLOAD_REQ from 1.
3. Apps FPGA sends the first block (block 0) of data of the next pattern over the Aurora data interfaces while the DLPC964 is loading block 15 of the current pattern.
4. DLPC964 de-asserts BLKLOADZ after the data loading of block 15 of current pattern is complete. The Apps FPGA detected the BLKLOADZ de-assertion as the last block of the current pattern and has been loaded onto the DMD and issued a MCP_START for global block reset operation.
5. The Apps FPGA delayed the assertion of DMDLOAD_REQ for block 0 for the next pattern due to the requirement of meeting the mirror settling time.
6. Send Block Control word for block 1 for the next pattern after the assertion of DMDLOAD_REQ for block 0.
7. DLPC964 asserts BLKLOADZ to indicate that the DMD data loading operation was triggered by DMDLOAD_REQ from part 5.

8.3.3.11 DMDLOAD_REQ Setup Time Requirement

Apps FPGA user logics can assert the DMDLOAD_REQ signal as soon as completing an Aurora block transfer as long as the signal is at least 300ns after sending the first data packet of that block. This setup time requirement is due to the 300ns transmit latency of the Aurora TX/RX channel paths, thus verifies the DLPC964 receives the DMDLOAD_REQ flag after the arrival of Aurora block data.

In most cases, this 300ns setup requirement is met naturally as a data block is large enough to verify over 300ns from the first valid data packet being sent to the last ones of a block when the Apps FPGA can assert the DMDLOAD_REQ signal. Cases of this 300ns setup window become critical is when Apps FPGA tries to send a small partial DMD block such as in Figure 8-20 showing an example of the Apps FPGA sending a total of 3 rows (Table 8-2, ROW_LENGTH = 3) of a DMD partial block to DLPC964:




Figure 8-20. DMDLOAD_REQ Setup Time for Three DMD Rows Load Operation

1. Apps FPGA transmits a Block Control word to indicate the start of an Aurora block transfer.
2. After sending three rows of data through the four Aurora data interface channels, the Apps FPGA waits for the 300ns setup time to expire before issues a DMDLOAD_REQ.

Note

The 300ns is measured from the start of the first TVALID on the data interface.

3. Apps FPGA asserts DMDLOAD_REQ once the setup time is meet.
4. BLKLOADZ asserted by DLPC964 indicating DMD data load operation in progress.

For operations that do not require the data packet, such as block clear (Table 8-3, LOAD_TYPE = 001) and block set (Table 8-3, LOAD_TYPE = 010). This DMDLOAD_REQ of 300ns setup time is still required and measured from the Block Control word packet. Figure 8-21 is an example of a block set operation.




Figure 8-21. DMDLOAD_REQ Setup Time For Block Set Operation

1. Apps FPGA transmits a Block Control word packet to start a block set operation. Notice this operation does not require any block data as the four data interfaces stay idle (gtX_s_axi_tx_tvalid = '0').
2. Apps FPGA asserts DMDLOAD_REQ after the 300ns setup time. 300ns is measured from Block Control word as block set operation does not require Aurora data transfer.
3. DLPC964 asserts BLKLOADZ indicating block set operation in progress.

8.3.3.12 Single Channel Transfer Mode

For non-critical pattern rate application, the DLPC964 supports operating with only Aurora channel 0. Only the three 10Gbps serial links for channel 0 are used and must be channel 0 in this mode of operation.




Figure 8-22. System Block Diagram For Single Channel Operation

Operation is enabled by setting Block Control word field, `SINGLE_CHANNEL = '1'` (Table 8-2), and transfer DMD segment in order of 3(first), 2, 1, 0(last) (`DMD_SEGMENT` field in Table 8-2). In other words, to control a particular DMD block, the Apps FPGA must operate segment 3 of that block first, follow by segment 2, segment 1, and 0 being the last transfer segment.

The guidelines stated in Section 8.3.3.9, Section 8.3.3.10, and Section 8.3.3.11, still apply to single channel operation mode where each block and segment Aurora transfer must still begin with a Block Control word and end with the `DMDLOAD_REQ` along with the 300ns setup time. However, one major difference regarding the Apps FPGA/DLPC964 handshaking in this mode is that the actual DMD operation only triggered by the `DMDLOAD_REQ` corresponds to segment 0; for example, `BLKLOADZ` is not asserted for segment 3, 2 and 1. (See Figure 8-23 for details).

All four segments of the selected block must be operated and in order of segment 3 (first), 2, 1, and 0 (last); otherwise the DLPC964 do not carry out the proper DMD operation to that block.




Figure 8-23. Single Channel Operation Waveform Example

1. Apps FPGA Aurora Data Transfer for DMD Block 0 in Single Channel Mode.
 - a. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 0 Segment 3
 - b. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 0 Segment 2.
 - c. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 0 Segment 1.
 - d. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 0 Segment 0.
 - e. Segment 0's DMDLOAD_REQ triggers DLPC964 to begin block 0 data loading, assert BLKLOADZ to indicate operation in process.
2. Apps FPGA Aurora Data Transfer for DMD Block 1 in Single Channel Mode.
 - a. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 1 Segment 3.
 - b. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 1 Segment 2.
 - c. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 1 Segment 1.
 - d. Block Control word, DMD data, and DMDLOAD_REQ for DMD block 1 Segment 0.
 - e. Segment 0's DMDLOAD_REQ triggers DLPC964 to begin block 1 data loading, assert BLKLOADZ to indicate operation in process.

Note that there is no data transfer happening on GT channel 1, 2, and 3. Only channel 0 is operated in this Single Channel mode.

8.3.3.13 DMD Block Array Data Mapping

To each Aurora core, a full DMD block array is 1024 columns by 136 rows. [Figure 8-24](#) shows the mapping of the 192 bits Aurora data bus to a full DMD block in increment direction (first Aurora data packet start at row 0). A full DMD block requires 726 Aurora data packets to transmit a full block. For the last packet, only bits 0-63 are required and bits 64-191 are ignored by DLPC964.

[Figure 8-25](#) next page shows the data mapping in the decrement direction with the first Aurora data packet start at row 135.

	Data 0 [0:191]	Data 1 [0:191]	Data 2 [0:191]	Data 3 [0:191]	Data 4 [0:191]	Data 5 [0:63]
Row 0	Columns 0-191	Columns 192-383	Columns 384-575	Columns 576-767	Columns 768-959	Columns 960-1023
	Data 5 [64:191]	Data 6 [0:191]	Data 7 [0:191]	Data 8 [0:191]	Data 9 [0:191]	Data 10 [0:127]
Row 1	Columns 0-127	Columns 128-319	Columns 320-511	Columns 512-703	Columns 704-895	Columns 896-1023
	Data 10 [128:191]	Data 11 [0:191]	Data 12 [0:191]	Data 13 [0:191]	Data 14 [0:191]	Data 15 [0:191]
Row 2	Columns 0-63	Columns 64-255	Columns 256-447	Columns 448-639	Columns 640-831	Columns 832-1023
	Data 16 [0:191]	Data 17 [0:191]	Data 18 [0:191]	Data 19 [0:191]	Data 20 [0:191]	Data 21 [0:63]
Row 3	Columns 0-191	Columns 192-383	Columns 384-575	Columns 576-767	Columns 768-959	Columns 960-1023
-						
-						
-						
-						
-						
	Data 714 [128:191]	Data 715 [0:191]	Data 716 [0:191]	Data 717 [0:191]	Data 718 [0:191]	Data 719 [0:191]
Row 134	Columns 0-63	Columns 64-255	Columns 256-447	Columns 448-639	Columns 640-831	Columns 832-1023
	Data 720 [0:191]	Data 721 [0:191]	Data 722 [0:191]	Data 723 [0:191]	Data 724 [0:191]	Data 725 [0:63]
Row 135	Columns 0-191	Columns 192-383	Columns 384-575	Columns 576-767	Columns 768-959	Columns 960-1023

Figure 8-24. Aurora Data Bus to DMD Block Array Mapping Increment Direction

	Data 720 [0:191]	Data 721 [0:191]	Data 722 [0:191]	Data 723 [0:191]	Data 724 [0:191]	Data 725 [0:63]
Row 0	Columns 0-191	Columns 192-383	Columns 384-575	Columns 576-767	Columns 768-959	Columns 960-1023
	Data 714 [128:191]	Data 715 [0:191]	Data 716 [0:191]	Data 717 [0:191]	Data 718 [0:191]	Data 719 [0:191]
Row 1	Columns 0-63	Columns 64-255	Columns 256-447	Columns 448-639	Columns 640-831	Columns 832-1023
	Data 709 [64:191]	Data 710 [0:191]	Data 711 [0:191]	Data 712 [0:191]	Data 713 [0:191]	Data 714 [0:127]
Row 2	Columns 0-127	Columns 128-319	Columns 320-511	Columns 512-703	Columns 704-895	Columns 896-1023
	Data 704 [0:191]	Data 705 [0:191]	Data 706 [0:191]	Data 707 [0:191]	Data 708 [0:191]	Data 709 [0:63]
Row 3	Columns 0-191	Columns 192-383	Columns 384-575	Columns 576-767	Columns 768-959	Columns 960-1023
-						
-						
-						
-						
-						
	Data 5 [64:191]	Data 6 [0:191]	Data 7 [0:191]	Data 8 [0:191]	Data 9 [0:191]	Data 10 [0:127]
Row 134	Columns 0-127	Columns 128-319	Columns 320-511	Columns 512-703	Columns 704-895	Columns 896-1023
	Data 0 [0:191]	Data 1 [0:191]	Data 2 [0:191]	Data 3 [0:191]	Data 4 [0:191]	Data 5 [0:63]
Row 135	Columns 0-191	Columns 192-383	Columns 384-575	Columns 576-767	Columns 768-959	Columns 960-1023

Figure 8-25. Aurora Data Bus to DMD Block Array Mapping Decrement Direction

8.3.3.14 Xilinx IBERT

The signal integrity of the 10Gbps link can be verified with the Xilinx IBERT (Integrated Bit Error Ratio Tester) toolset. Refer to Xilinx user's guides ([Section 10](#)) for more details regarding the IBERT tool.

As shown in [Table 8-1](#), there are four input ports to the RTL to control the TX transceiver setting. The TI EVM hardware are configured as below.

Table 8-4. Input Ports to the RTL to Control the TX Transceiver Setting

Signal Name	I/O Direction	Clock Domain	Description
gt_txpostcursor_in[4:0]	Input	Async	Transceiver post-cursor TX pre-emphasis control. Set to "00000" for TI EVM hardware. Customers must perform IBERT eyescan to determine the best setting for the hardware.
gt_txdiffctrl_in[3:0]	Input	Async	Transceiver TX driver swing control. Set to "1000" (807mV differential peak to peak swing) for TI EVM hardware. Customer must perform IBERT eyescan to determine the best setting for the hardware.
gt_txmaincursor_in[6:0]	Input	Async	Transceiver main-cursor TX control. Set to "0000000" for TI EVM hardware. Customer must perform IBERT eyescan to determine the best setting for the hardware.
gt_txprecursor_in[4:0]	Input	Async	Transceiver pre-cursor TX pre-emphasis control. Set to "00000" for TI EVM hardware. Customer must perform IBERT eyescan to determine the best setting for the hardware.

In addition, the DLPC964 has an input pin RXLPEN to select between the low power mode ('0') or DFE ('1') equalization for the DLPC964 Xilinx GT cell transceiver. For TI EVM, RXLPEN is set to 0 for low power mode equalization. Refer to the [Xilinx app note](#) for information regarding RXLPEN.

With the above RX/TX transceiver settings (TX post-, main-, pre- cursor, TX diffctrl, and RXLPEN) selected and enabled in the IBERT GUI, [Figure 8-26](#) shows an IBERT scan result of one of the 12 high speed links with eye opening of 200+ vertical codes, and 0.6UI horizontal at BER of 1e-12 (the purple area).

Note

Users need to select PRBS31, the highest duty cycle binary sequence option within the IBERT tool, to mimic the traffic pattern of the 64b/66B encoding characteristics.




Figure 8-26. IBERT Eye-scan For Aurora Channel0 Link0 Using TI EVM Hardware

9 Additional Information

9.1 Abbreviations and Acronyms

The following lists abbreviations and acronyms used in this manual:

Apps FPGA	AMD Xilinx Zynq UltraScale+ FPGA on the ZCU102 EVM or similar board for customer applications
BRG	Block Reset Generator
DMD	Digital Micromirror Device
EVM	Evaluation Module (Board)
FCC	Federal Communications Commission
FPGA	Field Programmable Gate Array
FW	Firmware
GPIF	General Purpose Interface
GPIO	General Purpose Input Output
GUI	Graphical User Interface
HSSI	High Speed Serial Interface
HW	Hardware
IBERT	Integrated Bit Error Ratio Tester
I²C	Inter-Integrated Circuit
IP	Internet Protocol
JTAG	Joint Test Action Group
MCP	Mirror Clocking Pulse
PBC	Processor Bus Control
PCB	Printed Circuit Board
PGEN	Pattern Generator
PLL	Phase-Locked Loop
SDK	Software Development Kit
SPI	Serial-Peripheral Interface
SW	Switch
USB	Universal Serial Bus
VHDL	Verification and Hardware Description Language

10 Related Documentation from Texas Instruments

Component data sheets, technical documents, design documents, and ordering information can be found at the following links:

[DLPC964 Digital Controller Product Folder](#)
[DLP LightCrafter DLPC964 EVM Tool Folder](#)
[DLPC964 EVM Users Guide](#)
[DLP991UFLV DMD Product Folder](#)
[DLP LightCrafter DLP991UFLV DMD EVM Product Folder](#)
[DLP LightCrafter DLP991UUVFLV DMD EVM Product Folder](#)
[Aurora 64B/66B v11.2 LogiCORE IP Product Guide](#)
[Integrated Bit Error Ratio Tester 7 Series GTH Transceivers v3.0](#)

11 Revision History

NOTE: Page numbers for previous revisions may differ from page numbers in the current version.

Changes from Revision A (February 2025) to Revision B (August 2026)	Page
• Updated name reflecting VC707 to modern ZCU102 platform.....	3
• Added <i>Description</i> section.....	3
• Reflecting change to Zynq UltraScale+ ZCU102 FPGA by updating all references mentioning the prior solution (VC707). The DLPC964 controller's new Apps FPGA will modernized to the ZCU102 which will also be used as the standard platform for the DLP team.....	3
• Changed section title from <i>Overview</i> to <i>Evaluation Module Overview</i>	4
• Added <i>Kit Contents</i> section.....	4
• Added <i>Specification</i> section.....	4
• Changed all references for the Apps FPGA board from the prior platform VC707 to the new modern platform ZCU102.....	15
• Changed link to reflect Vivado Version used for App design development.....	28
• Updated MCS file generated to be supported by Apps FPGA's ARM device.....	28

STANDARD TERMS FOR EVALUATION MODULES

1. *Delivery:* TI delivers TI evaluation boards, kits, or modules, including any accompanying demonstration software, components, and/or documentation which may be provided together or separately (collectively, an "EVM" or "EVMs") to the User ("User") in accordance with the terms set forth herein. User's acceptance of the EVM is expressly subject to the following terms.
 - 1.1 EVMs are intended solely for product or software developers for use in a research and development setting to facilitate feasibility evaluation, experimentation, or scientific analysis of TI semiconductors products. EVMs have no direct function and are not finished products. EVMs shall not be directly or indirectly assembled as a part or subassembly in any finished product. For clarification, any software or software tools provided with the EVM ("Software") shall not be subject to the terms and conditions set forth herein but rather shall be subject to the applicable terms that accompany such Software
 - 1.2 EVMs are not intended for consumer or household use. EVMs may not be sold, sublicensed, leased, rented, loaned, assigned, or otherwise distributed for commercial purposes by Users, in whole or in part, or used in any finished product or production system.
2. *Limited Warranty and Related Remedies/Disclaimers:*
 - 2.1 These terms do not apply to Software. The warranty, if any, for Software is covered in the applicable Software License Agreement.
 - 2.2 TI warrants that the TI EVM will conform to TI's published specifications for ninety (90) days after the date TI delivers such EVM to User. Notwithstanding the foregoing, TI shall not be liable for a nonconforming EVM if (a) the nonconformity was caused by neglect, misuse or mistreatment by an entity other than TI, including improper installation or testing, or for any EVMs that have been altered or modified in any way by an entity other than TI, (b) the nonconformity resulted from User's design, specifications or instructions for such EVMs or improper system design, or (c) User has not paid on time. Testing and other quality control techniques are used to the extent TI deems necessary. TI does not test all parameters of each EVM. User's claims against TI under this Section 2 are void if User fails to notify TI of any apparent defects in the EVMs within ten (10) business days after delivery, or of any hidden defects with ten (10) business days after the defect has been detected.
 - 2.3 TI's sole liability shall be at its option to repair or replace EVMs that fail to conform to the warranty set forth above, or credit User's account for such EVM. TI's liability under this warranty shall be limited to EVMs that are returned during the warranty period to the address designated by TI and that are determined by TI not to conform to such warranty. If TI elects to repair or replace such EVM, TI shall have a reasonable time to repair such EVM or provide replacements. Repaired EVMs shall be warranted for the remainder of the original warranty period. Replaced EVMs shall be warranted for a new full ninety (90) day warranty period.

WARNING

Evaluation Kits are intended solely for use by technically qualified, professional electronics experts who are familiar with the dangers and application risks associated with handling electrical mechanical components, systems, and subsystems.

User shall operate the Evaluation Kit within TI's recommended guidelines and any applicable legal or environmental requirements as well as reasonable and customary safeguards. Failure to set up and/or operate the Evaluation Kit within TI's recommended guidelines may result in personal injury or death or property damage. Proper set up entails following TI's instructions for electrical ratings of interface circuits such as input, output and electrical loads.

NOTE:

EXPOSURE TO ELECTROSTATIC DISCHARGE (ESD) MAY CAUSE DEGRADATION OR FAILURE OF THE EVALUATION KIT; TI RECOMMENDS STORAGE OF THE EVALUATION KIT IN A PROTECTIVE ESD BAG.

3 Regulatory Notices:

3.1 United States

3.1.1 Notice applicable to EVMs not FCC-Approved:

FCC NOTICE: This kit is designed to allow product developers to evaluate electronic components, circuitry, or software associated with the kit to determine whether to incorporate such items in a finished product and software developers to write software applications for use with the end product. This kit is not a finished product and when assembled may not be resold or otherwise marketed unless all required FCC equipment authorizations are first obtained. Operation is subject to the condition that this product not cause harmful interference to licensed radio stations and that this product accept harmful interference. Unless the assembled kit is designed to operate under part 15, part 18 or part 95 of this chapter, the operator of the kit must operate under the authority of an FCC license holder or must secure an experimental authorization under part 5 of this chapter.

3.1.2 For EVMs annotated as FCC – FEDERAL COMMUNICATIONS COMMISSION Part 15 Compliant:

CAUTION

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Interference Statement for Class A EVM devices

NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

FCC Interference Statement for Class B EVM devices

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

3.2 Canada

3.2.1 For EVMs issued with an Industry Canada Certificate of Conformance to RSS-210 or RSS-247

Concerning EVMs Including Radio Transmitters:

This device complies with Industry Canada license-exempt RSSs. Operation is subject to the following two conditions:

(1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Concernant les EVMs avec appareils radio:

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Concerning EVMs Including Detachable Antennas:

Under Industry Canada regulations, this radio transmitter may only operate using an antenna of a type and maximum (or lesser) gain approved for the transmitter by Industry Canada. To reduce potential radio interference to other users, the antenna type and its gain should be so chosen that the equivalent isotropically radiated power (e.i.r.p.) is not more than that necessary for successful communication. This radio transmitter has been approved by Industry Canada to operate with the antenna types listed in the user guide with the maximum permissible gain and required antenna impedance for each antenna type indicated. Antenna types not included in this list, having a gain greater than the maximum gain indicated for that type, are strictly prohibited for use with this device.

Concernant les EVMs avec antennes détachables

Conformément à la réglementation d'Industrie Canada, le présent émetteur radio peut fonctionner avec une antenne d'un type et d'un gain maximal (ou inférieur) approuvé pour l'émetteur par Industrie Canada. Dans le but de réduire les risques de brouillage radioélectrique à l'intention des autres utilisateurs, il faut choisir le type d'antenne et son gain de sorte que la puissance isotrope rayonnée équivalente (p.i.r.e.) ne dépasse pas l'intensité nécessaire à l'établissement d'une communication satisfaisante. Le présent émetteur radio a été approuvé par Industrie Canada pour fonctionner avec les types d'antenne énumérés dans le manuel d'usage et ayant un gain admissible maximal et l'impédance requise pour chaque type d'antenne. Les types d'antenne non inclus dans cette liste, ou dont le gain est supérieur au gain maximal indiqué, sont strictement interdits pour l'exploitation de l'émetteur.

3.3 Japan

3.3.1 *Notice for EVMs delivered in Japan:* Please see http://www.tij.co.jp/sds/ti_ja/general/eStore/notice_01.page 日本国内に輸入される評価用キット、ボードについては、次のところをご覧ください。

<https://www.ti.com/ja-jp/legal/notice-for-evaluation-kits-delivered-in-japan.html>

3.3.2 *Notice for Users of EVMs Considered "Radio Frequency Products" in Japan:* EVMs entering Japan may not be certified by TI as conforming to Technical Regulations of Radio Law of Japan.

If User uses EVMs in Japan, not certified to Technical Regulations of Radio Law of Japan, User is required to follow the instructions set forth by Radio Law of Japan, which includes, but is not limited to, the instructions below with respect to EVMs (which for the avoidance of doubt are stated strictly for convenience and should be verified by User):

1. Use EVMs in a shielded room or any other test facility as defined in the notification #173 issued by Ministry of Internal Affairs and Communications on March 28, 2006, based on Sub-section 1.1 of Article 6 of the Ministry's Rule for Enforcement of Radio Law of Japan,
2. Use EVMs only after User obtains the license of Test Radio Station as provided in Radio Law of Japan with respect to EVMs, or
3. Use of EVMs only after User obtains the Technical Regulations Conformity Certification as provided in Radio Law of Japan with respect to EVMs. Also, do not transfer EVMs, unless User gives the same notice above to the transferee. Please note that if User does not follow the instructions above, User will be subject to penalties of Radio Law of Japan.

【無線電波を送信する製品の開発キットをお使いになる際の注意事項】 開発キットの中には技術基準適合証明を受けていないものがあります。技術適合証明を受けていないもののご使用に際しては、電波法遵守のため、以下のいずれかの措置を取っていただく必要がありますのでご注意ください。

1. 電波法施行規則第6条第1項第1号に基づく平成18年3月28日総務省告示第173号で定められた電波暗室等の試験設備でご使用いただく。
2. 実験局の免許を取得後ご使用いただく。
3. 技術基準適合証明を取得後ご使用いただく。

なお、本製品は、上記の「ご使用にあたっての注意」を譲渡先、移転先に通知しない限り、譲渡、移転できないものとします。

上記を遵守頂けない場合は、電波法の罰則が適用される可能性があることをご留意ください。 日本テキサス・インスツルメンツ株式会社
東京都新宿区西新宿 6 丁目 2 4 番 1 号
西新宿三井ビル

3.3.3 *Notice for EVMs for Power Line Communication:* Please see http://www.tij.co.jp/sds/ti_ja/general/eStore/notice_02.page

電力線搬送波通信についての開発キットをお使いになる際の注意事項については、次のところをご覧ください。<https://www.ti.com/ja-jp/legal/notice-for-evaluation-kits-for-power-line-communication.html>

3.4 European Union

3.4.1 *For EVMs subject to EU Directive 2014/30/EU (Electromagnetic Compatibility Directive):*

This is a class A product intended for use in environments other than domestic environments that are connected to a low-voltage power-supply network that supplies buildings used for domestic purposes. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

4 EVM Use Restrictions and Warnings:

4.1 EVMS ARE NOT FOR USE IN FUNCTIONAL SAFETY AND/OR SAFETY CRITICAL EVALUATIONS, INCLUDING BUT NOT LIMITED TO EVALUATIONS OF LIFE SUPPORT APPLICATIONS.

4.2 User must read and apply the user guide and other available documentation provided by TI regarding the EVM prior to handling or using the EVM, including without limitation any warning or restriction notices. The notices contain important safety information related to, for example, temperatures and voltages.

4.3 Safety-Related Warnings and Restrictions:

4.3.1 User shall operate the EVM within TI's recommended specifications and environmental considerations stated in the user guide, other available documentation provided by TI, and any other applicable requirements and employ reasonable and customary safeguards. Exceeding the specified performance ratings and specifications (including but not limited to input and output voltage, current, power, and environmental ranges) for the EVM may cause personal injury or death, or property damage. If there are questions concerning performance ratings and specifications, User should contact a TI field representative prior to connecting interface electronics including input power and intended loads. Any loads applied outside of the specified output range may also result in unintended and/or inaccurate operation and/or possible permanent damage to the EVM and/or interface electronics. Please consult the EVM user guide prior to connecting any load to the EVM output. If there is uncertainty as to the load specification, please contact a TI field representative. During normal operation, even with the inputs and outputs kept within the specified allowable ranges, some circuit components may have elevated case temperatures. These components include but are not limited to linear regulators, switching transistors, pass transistors, current sense resistors, and heat sinks, which can be identified using the information in the associated documentation. When working with the EVM, please be aware that the EVM may become very warm.

4.3.2 EVMs are intended solely for use by technically qualified, professional electronics experts who are familiar with the dangers and application risks associated with handling electrical mechanical components, systems, and subsystems. User assumes all responsibility and liability for proper and safe handling and use of the EVM by User or its employees, affiliates, contractors or designees. User assumes all responsibility and liability to ensure that any interfaces (electronic and/or mechanical) between the EVM and any human body are designed with suitable isolation and means to safely limit accessible leakage currents to minimize the risk of electrical shock hazard. User assumes all responsibility and liability for any improper or unsafe handling or use of the EVM by User or its employees, affiliates, contractors or designees.

4.4 User assumes all responsibility and liability to determine whether the EVM is subject to any applicable international, federal, state, or local laws and regulations related to User's handling and use of the EVM and, if applicable, User assumes all responsibility and liability for compliance in all respects with such laws and regulations. User assumes all responsibility and liability for proper disposal and recycling of the EVM consistent with all applicable international, federal, state, and local requirements.

5. *Accuracy of Information:* To the extent TI provides information on the availability and function of EVMs, TI attempts to be as accurate as possible. However, TI does not warrant the accuracy of EVM descriptions, EVM availability or other information on its websites as accurate, complete, reliable, current, or error-free.

6. Disclaimers:

6.1 EXCEPT AS SET FORTH ABOVE, EVMS AND ANY MATERIALS PROVIDED WITH THE EVM (INCLUDING, BUT NOT LIMITED TO, REFERENCE DESIGNS AND THE DESIGN OF THE EVM ITSELF) ARE PROVIDED "AS IS" AND "WITH ALL FAULTS." TI DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, REGARDING SUCH ITEMS, INCLUDING BUT NOT LIMITED TO ANY EPIDEMIC FAILURE WARRANTY OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADE SECRETS OR OTHER INTELLECTUAL PROPERTY RIGHTS.

6.2 EXCEPT FOR THE LIMITED RIGHT TO USE THE EVM SET FORTH HEREIN, NOTHING IN THESE TERMS SHALL BE CONSTRUED AS GRANTING OR CONFERRING ANY RIGHTS BY LICENSE, PATENT, OR ANY OTHER INDUSTRIAL OR INTELLECTUAL PROPERTY RIGHT OF TI, ITS SUPPLIERS/LICENSORS OR ANY OTHER THIRD PARTY, TO USE THE EVM IN ANY FINISHED END-USER OR READY-TO-USE FINAL PRODUCT, OR FOR ANY INVENTION, DISCOVERY OR IMPROVEMENT, REGARDLESS OF WHEN MADE, CONCEIVED OR ACQUIRED.

7. *USER'S INDEMNITY OBLIGATIONS AND REPRESENTATIONS.* USER WILL DEFEND, INDEMNIFY AND HOLD TI, ITS LICENSORS AND THEIR REPRESENTATIVES HARMLESS FROM AND AGAINST ANY AND ALL CLAIMS, DAMAGES, LOSSES, EXPENSES, COSTS AND LIABILITIES (COLLECTIVELY, "CLAIMS") ARISING OUT OF OR IN CONNECTION WITH ANY HANDLING OR USE OF THE EVM THAT IS NOT IN ACCORDANCE WITH THESE TERMS. THIS OBLIGATION SHALL APPLY WHETHER CLAIMS ARISE UNDER STATUTE, REGULATION, OR THE LAW OF TORT, CONTRACT OR ANY OTHER LEGAL THEORY, AND EVEN IF THE EVM FAILS TO PERFORM AS DESCRIBED OR EXPECTED.

8. *Limitations on Damages and Liability:*

8.1 *General Limitations.* IN NO EVENT SHALL TI BE LIABLE FOR ANY SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF THESE TERMS OR THE USE OF THE EVMS , REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. EXCLUDED DAMAGES INCLUDE, BUT ARE NOT LIMITED TO, COST OF REMOVAL OR REINSTALLATION, ANCILLARY COSTS TO THE PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, RETESTING, OUTSIDE COMPUTER TIME, LABOR COSTS, LOSS OF GOODWILL, LOSS OF PROFITS, LOSS OF SAVINGS, LOSS OF USE, LOSS OF DATA, OR BUSINESS INTERRUPTION. NO CLAIM, SUIT OR ACTION SHALL BE BROUGHT AGAINST TI MORE THAN TWELVE (12) MONTHS AFTER THE EVENT THAT GAVE RISE TO THE CAUSE OF ACTION HAS OCCURRED.

8.2 *Specific Limitations.* IN NO EVENT SHALL TI'S AGGREGATE LIABILITY FROM ANY USE OF AN EVM PROVIDED HEREUNDER, INCLUDING FROM ANY WARRANTY, INDEMNITY OR OTHER OBLIGATION ARISING OUT OF OR IN CONNECTION WITH THESE TERMS, , EXCEED THE TOTAL AMOUNT PAID TO TI BY USER FOR THE PARTICULAR EVM(S) AT ISSUE DURING THE PRIOR TWELVE (12) MONTHS WITH RESPECT TO WHICH LOSSES OR DAMAGES ARE CLAIMED. THE EXISTENCE OF MORE THAN ONE CLAIM SHALL NOT ENLARGE OR EXTEND THIS LIMIT.

9. *Return Policy.* Except as otherwise provided, TI does not offer any refunds, returns, or exchanges. Furthermore, no return of EVM(s) will be accepted if the package has been opened and no return of the EVM(s) will be accepted if they are damaged or otherwise not in a resalable condition. If User feels it has been incorrectly charged for the EVM(s) it ordered or that delivery violates the applicable order, User should contact TI. All refunds will be made in full within thirty (30) working days from the return of the components(s), excluding any postage or packaging costs.
10. *Governing Law:* These terms and conditions shall be governed by and interpreted in accordance with the laws of the State of Texas, without reference to conflict-of-laws principles. User agrees that non-exclusive jurisdiction for any dispute arising out of or relating to these terms and conditions lies within courts located in the State of Texas and consents to venue in Dallas County, Texas. Notwithstanding the foregoing, any judgment may be enforced in any United States or foreign court, and TI may seek injunctive relief in any United States or foreign court.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2023, Texas Instruments Incorporated

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you fully indemnify TI and its representatives against any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to [TI's Terms of Sale](#), [TI's General Quality Guidelines](#), or other applicable terms available either on [ti.com](#) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products. Unless TI explicitly designates a product as custom or customer-specified, TI products are standard, catalog, general purpose devices.

TI objects to and rejects any additional or different terms you may propose.

Copyright © 2026, Texas Instruments Incorporated

Last updated 10/2025