

# SB-103


*SB-103 ISDN Network Terminators and Repeaters*



Literature Number: SNOA164

# ISDN Network Terminators and Repeaters

National Semiconductor  
System Brief 103  
May 1990



TL/F/10853-1

## SYSTEM DESCRIPTION

The ISDN subscriber loop represents the conversion of the "last mile" of telephone cable from analog signaling to digital signaling. Today's homes and offices typically receive their phone service from a Central Office (CO) Switch. This telephone network provides voice services, but cannot provide similar data services without the use of high speed modems. ISDN digitizes all of the information passed on the subscriber loop, enabling new services and features, such as Automatic Number Identification, Automatic Call Distribution, and Computer Screen Sharing and File Transfer to take place simultaneously with voice transmission. As ISDN is an international standard, users will have access to the same features and capabilities worldwide.

In order to digitize the subscriber loop new equipment must be installed. The analog CO linecards are replaced, and a new Network Termination, called an NT-1, is installed at the customer premises. These two pieces of equipment enable full duplex 160 Kbps transmission over the existing twisted pair copper lines.

Until recently the availability of advanced silicon solutions and the establishment of tariffs has impeded the implementation of ISDN. Advances in mixed mode analog/digital circuitry has enabled semiconductor manufacturers to introduce single chip U Interface solutions. The U Interface transceiver is placed on either end of the subscriber loop, one in the linecard and one in the NT-1. Multiple U Interface transceivers may be used in repeaters or regenerators between the CO and the NT-1. Sophisticated echo cancelling techniques are used to achieve the high transmission and low error rates required by the ISDN specification.

## KEY DESIGN CHALLENGES

### High Speed Data Transfer

In order to achieve the high transmission rates required over a single twisted pair of wire, an echo cancellation technique must be implemented which cancels the transmitted signal from the received signal. Intersymbol interference must also be eliminated through the use of advanced signal processing techniques.

## Low Power Consumption

In many cases the NT-1 or a Repeater may need to be powered off the line by the CO. As the circuitry for an ISDN system is relatively complex, low power consumption is critical.

## Minimizing System Cost

ISDN equipment must not only be cost effective, it must also abide by the space constraints of the existing analog equipment. A minimum of components will also increase reliability of the system.


## Flexibility for Multiple Designs

Manufacturers are likely to become broad based suppliers of ISDN, often providing multiple versions of various network components. It is important that the devices used with in initial product offerings have features and capabilities that may easily be applied to other applications in the future.

## KEY COMPONENTS


- TP3410 A high performance transceiver for use on standard telephone wiring with full duplex data rates up to 160 Kbps at distances up to 18k ft. Features include two on chip phase lock loops, a programmable time slot assigner, a separate D channel port, and support for both North American and European digital system interface formats.
- TP3420/21 International standard ISDN four wire transceiver. Offers a long loop length (1.5 km/5k ft) with low error rate and two phase lock loops on chip to minimize EMI and reduce external components. Supports both the North American and European digital system interface formats.
- COP822 Low cost 8-bit microcontroller containing all system timing, interrupt logic, 1k ROM, 64 bytes RAM, and I/O necessary to implement dedicated control functions.

**Block Diagram of NT-1**



TL/F/10853-2

**Block Diagram of a U Regenerator or Repeater**



TL/F/10853-3

**Typical Bill of Materials for Network Terminator**

Function	Description	NSC Part	Other Mfg	Qty
CPU	Microcontroller	COP822		1
Transceiver	U Interface Dev	TP3410		
	S Interface Dev	TP3420		
LED Driver		HC595		1
Miss Gate		HC7400		1
Transformer	Line Trans for U		✓	1
	Line Trans for S		✓	1
Switching Regulator				1
Diodes			✓	6
Resistors				STE
LEDs				6
DIP Switch				1
RIP				1
Capacitors				20
Crystal			15.36 MHz	1
RJ45	Connector			2

**Typical Bill of Materials for ISDN Repeater**

Function	Description	NSC Part	Other Mfg	Qty
CPU	Microcontroller	COP822		1
Transceiver	U Interface Dev	TP3410		2
Transformer			✓	2
Switching Regulator			✓	1
Diodes				15
Resistors				15
LEDs				6
DIP Switch				1
Capacitors				16
Crystal			15.36 MHz	1
RJ45	Connector			2

**LIFE SUPPORT POLICY**

NATIONAL'S PRODUCTS ARE NOT AUTHORIZED FOR USE AS CRITICAL COMPONENTS IN LIFE SUPPORT DEVICES OR SYSTEMS WITHOUT THE EXPRESS WRITTEN APPROVAL OF THE PRESIDENT OF NATIONAL SEMICONDUCTOR CORPORATION. As used herein:

1. Life support devices or systems are devices or systems which, (a) are intended for surgical implant into the body, or (b) support or sustain life, and whose failure to perform, when properly used in accordance with instructions for use provided in the labeling, can be reasonably expected to result in a significant injury to the user.
2. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.



**National Semiconductor Corporation**  
 1111 West Bardin Road  
 Arlington, TX 76017  
 Tel: 1(800) 272-9959  
 Fax: 1(800) 737-7018

**National Semiconductor Europe**  
 Fax: (+49) 0-180-530 85 86  
 Email: onjwge@tevm2.nsc.com  
 Deutsch Tel: (+49) 0-180-530 85 85  
 English Tel: (+49) 0-180-532 78 32  
 Français Tel: (+49) 0-180-532 93 58  
 Italiano Tel: (+49) 0-180-534 16 80

**National Semiconductor Hong Kong Ltd.**  
 19th Floor, Straight Block,  
 Ocean Centre, 5 Canton Rd.  
 Tsimshatsui, Kowloon  
 Hong Kong  
 Tel: (852) 2737-1600  
 Fax: (852) 2736-9960

**National Semiconductor Japan Ltd.**  
 Tel: 81-043-299-2309  
 Fax: 81-043-299-2408

## IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

### Products

Audio	<a href="http://www.ti.com/audio">www.ti.com/audio</a>
Amplifiers	<a href="http://amplifier.ti.com">amplifier.ti.com</a>
Data Converters	<a href="http://dataconverter.ti.com">dataconverter.ti.com</a>
DLP® Products	<a href="http://www.dlp.com">www.dlp.com</a>
DSP	<a href="http://dsp.ti.com">dsp.ti.com</a>
Clocks and Timers	<a href="http://www.ti.com/clocks">www.ti.com/clocks</a>
Interface	<a href="http://interface.ti.com">interface.ti.com</a>
Logic	<a href="http://logic.ti.com">logic.ti.com</a>
Power Mgmt	<a href="http://power.ti.com">power.ti.com</a>
Microcontrollers	<a href="http://microcontroller.ti.com">microcontroller.ti.com</a>
RFID	<a href="http://www.ti-rfid.com">www.ti-rfid.com</a>
OMAP Mobile Processors	<a href="http://www.ti.com/omap">www.ti.com/omap</a>
Wireless Connectivity	<a href="http://www.ti.com/wirelessconnectivity">www.ti.com/wirelessconnectivity</a>

### Applications

Communications and Telecom	<a href="http://www.ti.com/communications">www.ti.com/communications</a>
Computers and Peripherals	<a href="http://www.ti.com/computers">www.ti.com/computers</a>
Consumer Electronics	<a href="http://www.ti.com/consumer-apps">www.ti.com/consumer-apps</a>
Energy and Lighting	<a href="http://www.ti.com/energy">www.ti.com/energy</a>
Industrial	<a href="http://www.ti.com/industrial">www.ti.com/industrial</a>
Medical	<a href="http://www.ti.com/medical">www.ti.com/medical</a>
Security	<a href="http://www.ti.com/security">www.ti.com/security</a>
Space, Avionics and Defense	<a href="http://www.ti.com/space-avionics-defense">www.ti.com/space-avionics-defense</a>
Transportation and Automotive	<a href="http://www.ti.com/automotive">www.ti.com/automotive</a>
Video and Imaging	<a href="http://www.ti.com/video">www.ti.com/video</a>

TI E2E Community Home Page

[e2e.ti.com](http://e2e.ti.com)

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265  
Copyright © 2011, Texas Instruments Incorporated