

TIDA-01036 REV E1 Bill of Materials

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
PCB1	1		TIDA-01036	Any	Printed Circuit Board	
C1, C4, C7, C13,	24	0.1uF	C3216C0G2A104J160AC	TDK	CAP, CERM, 0.1 μF, 100 V, +/- 5%, C0G/NP0, 1206_190	1206_190
C14, C15, C16,						
C17, C18, C28,						
C29, C30, C40,						
C41, C48, C49,						
C50, C51, C58,						
C59, C60, C63,						
C65, C69						
C2, C3, C8, C19,	14	0.1uF	GRM155R71C104KA88D	MuRata	CAP, CERM, 0.1 µF, 16 V, +/- 10%, X7R, 0402	0402
C21, C23, C36,						
C38, C42, C43,						
C52, C54, C62,						
C66						
C5, C6, C9, C20,	14	10uF	ZRB18AD71A106KE01L	MuRata	CAP, CERM, 10 µF, 10 V, +/- 10%, X7T, 0603	0603
C22, C24, C37,	17	ioui		Martala		0000
C39, C44, C45,						
C53, C55, C64,						
C67						
C31, C33, C35,	18	1uF	GRM188R71E105KA12D	MuRata	CAP, CERM, 1 μF, 25 V, +/- 10%, X7R, 0603	0603
C70, C71, C74,	10	Tu		Multata	$CAI, CERW, T \mu 7, 23 V, 77, 1070, X710, 0000$	0005
C76, C78, C79,						
C80, C81, C82,						
C86, C88, C90,						
C91, C93, C94						
C32, C34, C72,	12	0.1uF	C0603C104J3RACTU	Kemet	CAP, CERM, 0.1 µF, 25 V, +/- 5%, X7R, 0603	0603
C73, C75, C77,	12	0. IUF	C0003C104J3RAC10	Kemet	CAP, CERIVI, 0.1 μ P, 25 V, 7/- 5%, X/R, 0005	0603
C83, C84, C85,						
C87, C89, C92 H1, H2, H3, H4	4		NY PMS 440 0025 PH	B&F Fastener Supply	Machine Screw, Round, #4-40 x 1/4, Nylon, Philips panhead	Screw
H5, H6, H7, H8	4		1902C	Keystone	Standoff, Hex, 0.5"L #4-40 Nylon	Standoff
J1, J2, J6, J7	4		142-0701-801	Johnson	Connector, End launch SMA, 50 ohm, SMT	End Launch SMA
J3, J5	2		7006	Keystone	Binding Post, RED, TH	11.4x27.2mm
.14	1		7007	Keystone	Binding Post, BLACK, TH	11.4x27.2mm
L1, L2, L3, L4, L5,	26		1001		SMD EMI Suppression Ferrite Beads WE-CBF, Z= 10 Ohm	11.727.2000
L6, L7, L8, L9,	20					
L10, L11, L12,						
L13, L14, L15,						
L16, L17, L18,						
L19, L20, L21,						
L22, L23, L24,						
L25, L26 R1, R2, R3, R25,	12	590	CRCW0805590RFKEA	Vishay-Dale	RES, 590, 1%, 0.125 W, 0805	0805
R1, R2, R3, R25, R26, R37, R88,	12	590	CICOVO0000000KFREA	VISITAY-DAIE		0000
R20, R37, R88, R89, R90, R105,						
R106, R107	2	200		Vishov Dolo	DES 200 5% 0 125 W 0805	0905
R4, R13	2	300	CRCW0805300RJNEA	Vishay-Dale	RES, 300, 5%, 0.125 W, 0805	0805

Designator	Quantity	Value	PartNumber	Manufacturer	Description	PackageReference
R5, R6, R14, R15,	12	0	CRCW08050000Z0EA	Vishay-Dale	RES, 0, 5%, 0.125 W, 0805	0805
R27, R28, R33,						
R34, R38, R41,						
R76, R85						
R7, R8, R9, R29,	12	191	CRCW0805191RFKEA	Vishay-Dale	RES, 191, 1%, 0.125 W, 0805	0805
R30, R39, R82,						
R83, R84, R100,						
R101, R102						
R10, R11, R12,	12	1.00	CRCW08051R00FKEA	Vishay-Dale	RES, 1.00, 1%, 0.125 W, 0805	0805
R31, R32, R40,						
R79, R80, R81,						
R97, R98, R99						
R16, R17, R18,	12	10.0	CRCW080510R0FKEA	Vishay-Dale	RES, 10.0, 1%, 0.125 W, 0805	0805
R35, R36, R42,						
R73, R74, R75,						
R91, R92, R93						
R19, R43, R44,	6	20.0k	RG1608P-203-B-T5	Susumu Co Ltd	RES, 20.0 k, 0.1%, 0.1 W, 0603	0603
R55, R56, R57						
R20, R23, R45,	12	49.9k	RG1608P-4992-B-T5	Susumu Co Ltd	RES, 49.9 k, 0.1%, 0.1 W, 0603	0603
R47, R53, R54,						
R58, R60, R62,						
R70, R71, R72						
R21, R49, R51,	6	1.00k	CRCW06031K00FKEA	Vishay-Dale	RES, 1.00 k, 1%, 0.1 W, 0603	0603
R64, R66, R68						
R22, R50, R52,	6	499	RG1608P-4990-B-T5	Susumu Co Ltd	RES, 499, 0.1%, 0.1 W, 0603	0603
R65, R67, R69	10	4.001				0005
R77, R78, R86,	10	1.00k	ERJ-P06F1001V	Panasonic	RES, 1.00 k, 1%, 0.25 W, 0805	0805
R87, R94, R95,						
R96, R103, R104,						
R108 TP1, TP2, TP3,	0	Ded	5000		Test Deist Ministure Ded TU	Ded Minister
	6	Red	5000	Keystone	Test Point, Miniature, Red, TH	Red Miniature
TP4, TP5, TP6	6		THS4551IDGKR		Lew Device Devicing 400MUL, Fully Differential Apprilian DOK0000A	Testpoint
U1, U2, U3, U5,	0		THS4551IDGKR	Texas Instruments	Low Power, Precision, 160MHz, Fully Differential Amplifier, DGK0008A	DGK0008A
U6, U7 U4, U8, U9, U10,	6		OPA376AIDBVR	Texas Instruments	Precision, Low Noise, Low Iq Operational Amplifier, 2.2 to 5.5 V, -40 to	DBV0005A
	0		OPAS/GAIDBVR	rexas instruments		DBV0005A
U11, U12 C10, C11, C12,	0	16pE	CDM1885C2A160 (A01D	MuRata	125 degC, 5-pin SOT23 (DBV0005A), Green (RoHS & no Sb/Br)	0603
C10, C11, C12, C25, C26, C27,	U	16pF	GRM1885C2A160JA01D	wurata	CAP, CERM, 16 pF, 100 V, +/- 5%, C0G/NP0, 0603	0003
C25, C26, C27, C46, C47, C56,						
C57, C61, C68						
FID1, FID2, FID3	0		N/A	N/A	Fiducial mark. There is nothing to buy or mount.	Fiducial
R24, R46, R48,	-	49.9k	RG1608P-4992-B-T5	Susumu Co Ltd	RES, 49.9 k, 0.1%, 0.1 W, 0603	0603
R59, R61, R63	0	-9.9K	1000F -4992-D-15		[1, -0, -0.3, -0.1, 0, 0.1, 0, 0.1, 0, 0.0]	0000
1,03,1,01,1,03			1			1

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ('TI') reference designs are solely intended to assist designers ("Designer(s)") who are developing systems that incorporate TI products. TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design.

TI's provision of reference designs and any other technical, applications or design advice, quality characterization, reliability data or other information or services does not expand or otherwise alter TI's applicable published warranties or warranty disclaimers for TI products, and no additional obligations or liabilities arise from TI providing such reference designs or other items.

TI reserves the right to make corrections, enhancements, improvements and other changes to its reference designs and other items.

Designer understands and agrees that Designer remains responsible for using its independent analysis, evaluation and judgment in designing Designer's systems and products, and has full and exclusive responsibility to assure the safety of its products and compliance of its products (and of all TI products used in or for such Designer's products) with all applicable regulations, laws and other applicable requirements. Designer represents that, with respect to its applications, it has all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. Designer agrees that prior to using or distributing any systems that include TI products, Designer will thoroughly test such systems and the functionality of such TI products as used in such systems. Designer may not use any TI products in life-critical medical equipment unless authorized officers of the parties have executed a special contract specifically governing such use. Life-critical medical equipment is medical equipment where failure of such equipment would cause serious bodily injury or death (e.g., life support, pacemakers, defibrillators, heart pumps, neurostimulators, and implantables). Such equivalent classifications outside the U.S.

Designers are authorized to use, copy and modify any individual TI reference design only in connection with the development of end products that include the TI product(s) identified in that reference design. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of the reference design or other items described above may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS AND OTHER ITEMS DESCRIBED ABOVE ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY DESIGNERS AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS AS DESCRIBED IN A TI REFERENCE DESIGN OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

TI's standard terms of sale for semiconductor products (<u>http://www.ti.com/sc/docs/stdterms.htm</u>) apply to the sale of packaged integrated circuit products. Additional terms may apply to the use or sale of other types of TI products and services.

Designer will fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of Designer's noncompliance with the terms and provisions of this Notice.

> Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2016, Texas Instruments Incorporated