

Bill of Materials

I DESIGNS

TIDM-1002

Item	Qty	Reference	Value	Part Description	Manufacturer	Manufacturer Part Number	Alternate Part	PCB Footprint	Note
1	1	!PCB1		Printed Circuit Board	Any	USS-AFE-BP	-		
				CAP, CERM, 22 μF, 10 V, +/- 20%,					
2	2	C1, C6	22uF	X5R, 0603	Samsung Electro-Mecha	CL10A226MP8NUNE		0603	
3	8	C2, C3, C4, C7, C8, C11, C26,	2.2uF	CAP, CERM, 2.2 μF, 16 V, +/- 10%,	MuRata	GRM188R61C225KE15D		0603	
				CAP, CERM, 4.7 μF, 16 V, +/- 10%,					
4	1	C5	4.7uF	X5R, 0603	MuRata	GRM188R61C475KAAJ		0603	
5	8	C9, C10, C13, C14, C15, C19,	0.1uF	CAP, CERM, 0.1 μF, 25 V, +/- 10%,	MuRata	GRM188R71E104KA01D		0603	
				CAP, CERM, 1 μF, 16 V, +/- 10%,					
6	6	C12, C20, C21, C23, C30, C33			MuRata	GRM188R71C105KA12D		0603	
7	1	C16	620pF	CAP, CERM, 620 pF, 50 V, +/- 5%,	MuRata	GRM1885C1H621JA01D		0603	
				CAP, CERM, 68 pF, 50 V, +/- 5%,					
8	1	C17	68pF	COG/NP0, 0603	MuRata	GRM1885C1H680JA01D		0603	
9	1	C18	33pF	CAP, CERM, 33 pF, 50 V, +/- 5%,	MuRata	GRM1885C1H330JA01D		0603	
				CAP, CERM, 4700 pF, 50 V, +/- 5%,					
10	1	C24		X7R, 0603	Kemet	C0603C472J5RACTU		0603_HV	
11	1	C25	680pF	CAP, CERM, 680 pF, 50 V, +/- 5%,	MuRata	GRM1885C1H681JA01D		0603	
				CAP, CERM, 0.22 μF, 10 V, +/- 10%,					
12	1	C31	0.22uF	X7R, 0603	MuRata	GRM188R71A224KA01D		0603	
13	2	FB1, FB2	220 ohm	Ferrite Bead, 220 ohm @ 100	TDK	MPZ1608S221A		0603	
14	8	J1, J2, J3, J4, J7, JP1, JP3, JP4		Header, 100mil, 2x1, Gold, TH	Sullins Connector Soluti	PBC02SAAN		Sullins_PBC02SAA	N
15	2	J5, J6		Receptacle, 2.54mm, 2x1, Gold, TH	Samtec	SSQ-102-03-F-S		Samtec_SSQ-102-	03-x-S
16	1	JP2		Header, 100mil, 3x1, Gold, TH	Sullins Connector Soluti	PBC03SAAN		PBC03SAAN	
17	1	L1	1uH	Inductor, Multilayer, Ferrite, 1 μΗ,	MuRata	LQM21PN1R0MC0D		0805_HV	
18	2	P1, P2		Receptacle, 2.54mm, 10x2, Tin, TH	Samtec	ESQ-110-13-T-D-LL		Samtec_ESQ-110-	13-x-D-LL
19	16	R1, R2, R3, R10, R13, R15, R1	0	RES, 0, 5%, 0.1 W, 0603	Yageo America	RC0603JR-070RL		0603	
20	2	R5, R39	24.9k	RES, 24.9 k, 1%, 0.1 W, 0603	Yageo America	RC0603FR-0724K9L		0603	
21	4	R6, R7, R38, R41	2.00Meg	RES, 2.00 M, 1%, 0.1 W, 0603	Yageo America	RC0603FR-072ML		0603	
22	2	R9, R11	806	RES, 806, 1%, 0.1 W, 0603	Yageo America	RC0603FR-07806RL		0603	
23	3	R14, R27, R46	402	RES, 402, 1%, 0.1 W, 0603	Yageo America	RC0603FR-07402RL	·	0603, 0603_HV, 0	603_HV
24	1	R16		RES, 2.00 k, 1%, 0.1 W, 0603	Yageo America	RC0603FR-072KL		0603	
25	1	R23	10.0	RES, 10.0, 1%, 0.1 W, 0603	Yageo America	RC0603FR-0710RL	·	0603	-
26	1	R24		RES, 1.82 k, 1%, 0.1 W, 0603	Yageo America	RC0603FR-071K82L		0603	
27	3	R25, R42, R45		RES, 49.9, 1%, 0.1 W, 0603	Yageo America	RC0603FR-0749R9L		0603	
28	1	R31	75.0	RES, 75.0, 1%, 0.1 W, 0603	Yageo America	RC0603FR-0775RL		0603_HV	

Item	Qty	Reference	Value	Part Description	Manufacturer	Manufacturer Part Number	Alternate Part	PCB Footprint No	ote
29	1	R33	499	RES, 499, 1%, 0.1 W, 0603	Yageo America	RC0603FR-07499RL		0603	
									l.
30		TP1	Orange	Test Point, Miniature, Orange, TH	Keystone	5003		Keystone5003	
31	2	TP2, TP3	Black	Test Point, Miniature, Black, TH	Keystone	5001		Keystone5001	
				Ultra-Low Leakage Load Switch,					
32	2	U1, U3		DBV0006A	Texas Instruments	TPS22860DBVR		DBV0006A_N	
33	1	U2		3.5-MHz High Efficiency Step-Up	Texas Instruments	TPS61240DRVR	TPS61240DRVT	DRV0006A	
				10-Ω SPDT ANALOG SWITCH					
				SINGLE-CHANNEL 2:1					
				MULTIPLEXER/DEMULTIPLEXER,					
34	3	U4, U5, U7		DCK0006A	Texas Instruments	TS5A9411DCKR	TS5A9411DCKT	DCK0006A_N	
35	1	U6		Dual-Bit Dual-Supply Bus	Texas Instruments	SN74LVC2T45DCTR	SN74LVC2T45DCTT	DCT0008A_N	
				Ultra Low Power, Rail-to-Rail Out,					
				Negative Rail In, VFB Amplifier, 2.5					
				to 5.5 V, -40 to 125 degC, 6-pin					
				SOT23 (DBV6), Green (RoHS & no					
36	1	U8		Sb/Br)	Texas Instruments	OPA835IDBVT	Equivalent	DBV0006A_N	
37	1	U9		Very Low Power, Rail to Rail Out,	Texas Instruments	OPA836IDBVT	Equivalent	DBV0006A_N	
				Ultra Low Power, Rail-to-Rail					
				Output, Fully-Differential					
38	1	U10		Amplifier, DGK0008A	Texas Instruments	THS4531IDGK		DGK0008A N	ļ
39	0	C27	2.2uF	CAP, CERM, 2.2 μF, 16 V, +/- 10%,	MuRata	GRM188R61C225KE15D		0603	
				CAP, CERM, 560 pF, 50 V, +/- 10%,					
40	0	C32	560pF	X7R, 0603	MuRata	GRM188R71H561KA01D		0603	
41	0	FID1, FID2, FID3	·	Fiducial mark. There is nothing to	N/A	N/A		Fiducial10-20	
				Thermal Transfer Printable Labels,					
				0.650" W x 0.200" H - 10,000 per					
42	0	LBL1		roll	Brady	THT-14-423-10	-	Label 650x200	
43	0	R4	200k	RES, 200 k, 1%, 0.1 W, 0603	Yageo America	RC0603FR-07200KL		0603	
44	0	R8, R12, R17, R21	0	RES, 0, 5%, 0.1 W, 0603	Yageo America	RC0603JR-070RL		0603	
45	0	R28	10.0k	RES, 10.0 k, 1%, 0.1 W, 0603	Vishay Draloric	RCG060310K0FKEA		0603	
46	0	R36, R40, R47	2.00Meg	RES, 2.00 M, 1%, 0.1 W, 0603	Yageo America	RC0603FR-072ML		0603	
47	0	R37	24.9k	RES, 24.9 k, 1%, 0.1 W, 0603	Yageo America	RC0603FR-0724K9L		0603	
48	0	R43, R44	49.9	RES, 49.9, 1%, 0.1 W, 0603	Yageo America	RC0603FR-0749R9L		0603	-

IMPORTANT NOTICE FOR TI DESIGN INFORMATION AND RESOURCES

Texas Instruments Incorporated ('TI") technical, application or other design advice, services or information, including, but not limited to, reference designs and materials relating to evaluation modules, (collectively, "TI Resources") are intended to assist designers who are developing applications that incorporate TI products; by downloading, accessing or using any particular TI Resource in any way, you (individually or, if you are acting on behalf of a company, your company) agree to use it solely for this purpose and subject to the terms of this Notice.

TI's provision of TI Resources does not expand or otherwise alter TI's applicable published warranties or warranty disclaimers for TI products, and no additional obligations or liabilities arise from TI providing such TI Resources. TI reserves the right to make corrections, enhancements, improvements and other changes to its TI Resources.

You understand and agree that you remain responsible for using your independent analysis, evaluation and judgment in designing your applications and that you have full and exclusive responsibility to assure the safety of your applications and compliance of your applications (and of all TI products used in or for your applications) with all applicable regulations, laws and other applicable requirements. You represent that, with respect to your applications, you have all the necessary expertise to create and implement safeguards that (1) anticipate dangerous consequences of failures, (2) monitor failures and their consequences, and (3) lessen the likelihood of failures that might cause harm and take appropriate actions. You agree that prior to using or distributing any applications that include TI products, you will thoroughly test such applications and the functionality of such TI products as used in such applications. TI has not conducted any testing other than that specifically described in the published documentation for a particular TI Resource.

You are authorized to use, copy and modify any individual TI Resource only in connection with the development of applications that include the TI product(s) identified in such TI Resource. NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT OF TI OR ANY THIRD PARTY IS GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information regarding or referencing third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of TI Resources may require a license from a third party under the patents or other intellectual property of TI.

TI RESOURCES ARE PROVIDED "AS IS" AND WITH ALL FAULTS. TI DISCLAIMS ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, REGARDING TI RESOURCES OR USE THEREOF, INCLUDING BUT NOT LIMITED TO ACCURACY OR COMPLETENESS, TITLE, ANY EPIDEMIC FAILURE WARRANTY AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY YOU AGAINST ANY CLAIM, INCLUDING BUT NOT LIMITED TO ANY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON ANY COMBINATION OF PRODUCTS EVEN IF DESCRIBED IN TI RESOURCES OR OTHERWISE. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, DIRECT, SPECIAL, COLLATERAL, INDIRECT, PUNITIVE, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES IN CONNECTION WITH OR ARISING OUT OF TI RESOURCES OR USE THEREOF, AND REGARDLESS OF WHETHER TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You agree to fully indemnify TI and its representatives against any damages, costs, losses, and/or liabilities arising out of your non-compliance with the terms and provisions of this Notice.

This Notice applies to TI Resources. Additional terms apply to the use and purchase of certain types of materials, TI products and services. These include; without limitation, TI's standard terms for semiconductor products http://www.ti.com/sc/docs/stdterms.htm), evaluation modules, and samples (http://www.ti.com/sc/docs/sampterms.htm).

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2017, Texas Instruments Incorporated