






1. MATERIAL: 6061-T6 ALUMINUM
2. LIGHT BEAD BLAST (MATTE FINISH):
3. FINISH: ANOPLATE ANOBLACK EC PROCESS.
ALTERNATE BLACK ANODIZING PROCESSES
NOT CONSIDERED AN EQUIVALENT

© COPYRIGHT 2013 TEXAS INSTRUMENT
UNPUBLISHED, ALL RIGHTS RESERVED

DWG NO		2513416	SHEET	1
REVISONS				
REV	DESCRIPTION		DATE	BY
A	ECO #2136196 - INITIAL RELEASE		9/20/13	RDR
B	ADDED <input type="checkbox"/> 13.30 - <input type="checkbox"/> 1.0, ZONE B-6		12/11/13	SS



		<p>UNLESS OTHERWISE SPECIFIED</p> <ul style="list-style-type: none">● DIMENSIONS ARE IN MILLIMETERS● TOLERANCES: ANGLES ±1° 2 PLACE DECIMALS ±0.25 1 PLACE DECIMALS ±0.50● DIMENSIONAL LIMITS APPLY BEFORE PROCESSES● INTERPRET DIMENSIONS IN ACCORDANCE WITH ASME Y14.5M-1994● REMOVE ALL BURRS AND SHARP EDGES● PARENTHETICAL INFO FOR REF ONLY	DWN R ROWE	DATE 4/15/2013	<div>TEXAS INSTRUMENTS</div>		
			Engr	HEATSINK, DETECTOR			
			CQE/QA				
			CM				
				SIZE B	DWG NO 2513416	REV B	
NEXT ASSY	USED ON		Apprvd	SCALE 2:1		SHEET 1 OF 1	
APPLICATION							