



BOTTOM SILKSCREEN (.PLS) AS VIEWED FROM TOP









BOTTOM PASTE MASK (.CRS) AS VIEWED FROM TOP

MADE IN U.S.
P/N 551600500-001 REV
(C) 2010 NSC




TOP COMPONENT LAYER (.CMP) AS VIEWED FROM TOP


DRILL GUIDE	
	0.008, +0.003,-0.003 INCHES
	0.014, +0.003,-0.003 INCHES
	0.038, +0.003,-0.003 INCHES
	0.076, +0.004,-0.003 INCHES
	0.125, +0.004,-0.004 IN. UNPLATED




DRILLS AND DIMENSIONS (.FAB) AS VIEWED FROM TOP




LAYER 2 (.LY2) AS VIEWED FROM TOP



LAYER 3 (LY3) AS VIEWED FROM TOP





TOP SILKSCREEN (.PLC) AS VIEWED FROM TOP




BOTTOM SOLDER LAYER (.SOL) AS VIEWED FROM TOP

TOP FROM VIEW AS (.STC) SOLDERMASK BOTTOMTOS K2AMR3DJ02 (.2T2) AS VIEWED FROM TOP







TOP PASTE MASK (.CRC) AS VIEWED FROM TOP

