

Bill of Materials

TI DESIGNS

TIDA-00307

Item	Qty	Reference	Fitted	Part Description	Manufacturer	Manufacturer Part Number	PCB Footprint
2	2	C1, C2	Fitted	CAP, CERM, 1000pF, 2KV 10% X7R 1206	Johanson Dielectrics Inc	202R18W102KV4E	603
3	18	C3, C4, C5, C6, C7, C8, C10, C12, C14, C17, C20, C22, C26, C27, C28, C29, C45, C56	Fitted		AVX	06031C103JAT2A	603
4	C	C9, C34	Not Fitted	CAP, CERM, 0.1uF, 25V, +/-5%, X7R, 0603	AVX	06033C104JAT2A	603
5	6	C11, C19, C21, C25, C31, C32	Fitted	CAP, CERM, 0.1uF, 50V, +/-10%, X7R, 0603	Kemet	C0603C104K5RACTU	0805_HV
6	2	C13, C33	Fitted	CAP, CERM, 4.7uF, 50V, +/-10%, X5R, 0805	TDK	C2012X5R1H475K125AB	603
7	2	C15, C43	Fitted	CAP, CERM, 1uF, 16V, +/-10%, X7R, 0603	Taiyo Yuden	EMK107B7105KA-T	3528-21
8	14	C16, C18, C30, C41, C42, C46, C48, C49, C50, C52, C54, C58, C59, C60	Fitted	CAP, TA, 10 μF, 16 V, +/- 10%, 2 ohm, SMD	Vishay-Sprague	T491B106K016AT	805
9	2	C23, C24	Fitted	CAP, CERM, 1uF, 50V, +/-10%, X7R, 0805	AVX	08055C105KAT2A	1206
10	16	C35, C36, C37, C38, C39, C40, C44, C47, C51, C53, C57, C61, C62, C63, C64, C65	Fitted	CAP, CERM, 0.027uF, 50V, +/-5%, C0G/NP0, 1206	MuRata	GRM3195C1H273JA01D	603
11	1	C55	Fitted	CAP, CERM, 0.01uF, 50V, +/-5%, X7R, 0603	Kemet	C0603C103J5RACTU	sod-323
12	16	D1, D2, D3, D4, D5, D6, D8, D10, D12, D14, D16, D18, D21, D22, D23, D24	Fitted	Diode, TVS, ARRAY, 19V, SOD323	Bourns Inc.	CDSOD323-T12C	DIO_SMB_BIAAAA
13	1	D7	Fitted	TVS 18 VOLT 600 WATT BI-DIR SMB	Littelfuse Inc	SMBJ18CA	LED0603AA
14	C	D9, D20	Not Fitted	LED SmartLED Green 570NM	OSRAM	LG L29K-G2J1-24-Z	powerDI123
15	2	D11, D17	Fitted	DIODE ZENER 5.9V 1W PMDS	Rohm Semiconductor	PTZTE255.6B	LED0603AA
16	2	D13, D19	Fitted	LED SmartLED Green 570NM	OSRAM	LG L29K-G2J1-24-Z	powerDI123
17	1	D15	Fitted	Diode, Schottky, 200V, 1A, PowerDI123	Diodes Inc.	DFLS1200-7	FB0603

Item	Qty	Reference	Fitted	Part Description	Manufacturer	Manufacturer Part Number	PCB Footprint
18	4	FB1, FB2, FB3, FB4	Fitted	FERRITE CHIP 1000 OHM 300MA 0603	TDK Corporation	MMZ1608B102C	FID_TOP_40_80BA
20	4	H1, H2, H3, H4	Fitted	Machine Screw, Round, #4-40 x 1/4, Nylon, Philips panhead	B&F Fastener Supply	NY PMS 440 0025 PH	CN2_MTB_P100_PD 80_D1.1_S5.54X6.5_ STACK
21	17	J10, J12, J13, J14, J15, J16, J17,	Fitted	Terminal Block, 4x1, 2.54mm, TH	On Shore Technology Inc	OSTVN02A150	CONN_1725711
22	1	J11	Fitted	Terminal Block, 8x1, 2.54 mm, TH	Phoenix Contact	1725711	Label_650x200
24	0	Q1, Q2	Not Fitted	MOSFET, N-CH, 30V, 22A, SON 2X2 MM	Texas Instruments	CSD17571Q2	1206
25	16	R48, R57, R69, R80, R94, R111,	Fitted	RES 100 OHM .4W 1% 0204 MELF	Vishay Beyschlag	MMA02040C1000FB300	603
26	0	R15, R17, R20, R30, R32, R37,	Not Fitted	RES, 22 ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW060322R0FKEA	603
27	16	R38, R49, R61, R73, R78, R83,	Fitted	RES, 1.00k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW06031K00FKEA	603
28	16	R46, R50, R63, R66, R70, R74,	Fitted	RES, 1.6k ohm, 5%, 0.1W, 0603	Vishay-Dale	CRCW06031K60JNEA	603
29	27	R43, R51, R54, R55, R56, R62,	Fitted	RES, 0 ohm,5%, 0.1W, 0603	Yageo America	RC0603JR-070RL	603
30	9	R155, R156, R157	Fitted	RES, 47.0k ohm, 1%, 0.1W, 0603	Vishay Dale	CRCW060347K0FKEA	603
31	0	R40, R68, R76, R77, R128, R133	Not Fitted	RES, 47.0k ohm, 1%, 0.1W, 0603	Vishay Dale	CRCW060347K0FKEA	603
32	0	R41, R47, R101, R106	Not Fitted	RES, 300 ohm, 5%, 0.1W, 0603	Vishay-Dale	CRCW0603300RJNEA	603
33	2	R58, R93	Fitted	RES, 560 ohm, 5%, 0.1W, 0603	Vishay-Dale	CRCW0603560RJNEA	603
34	0	R79, R123, R135	Not Fitted	RES, 0 ohm,5%, 0.1W, 0603	Yageo America	RC0603JR-070RL	1206
35	17	R120, R121, R129, R130, R132,	Fitted	RES, 0 ohm,5%, 0.25W, 1206	Yageo America	RC1206JR-070RL	603
36	4	R122, R125, R136, R139	Fitted	RES, 357 ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW0603357RFKEA	603
37	2	R137, R145	Fitted	RES, 10.0k ohm, 1%, 0.1W, 0603	Vishay-Dale	CRCW060310K0FKEA	805
38	0	R144	Not Fitted	RES, 0 ohm,5%, 0.125W, 0805	Yageo America	RC0805JR-070RL	0
39	24	TP7, TP8, TP9, TP10, TP11,	Fitted	Test Point 40mil pad 20mil drill	STD	STD	DBT0038A_M
40	2	U1, U3	Fitted	16 bit 500KSPS 8 Channel SAR ADC	Texas Instruments	ADS8688DBT	DBV0005A_N
41	1	U2	Fitted	IC REG LDO 5V 0.15A SOT23-5	Texas Instruments	TPS70950DBVR	DBV0005A_N
42	1	U4	Fitted	IC REG LDO 3.3V 0.15A SOT23-5	Texas Instruments	TPS70933DBVT	

IMPORTANT NOTICE FOR TI REFERENCE DESIGNS

Texas Instruments Incorporated ("TI") reference designs are solely intended to assist designers ("Buyers") who are developing systems that incorporate TI semiconductor products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products.

TI reference designs have been created using standard laboratory conditions and engineering practices. TI has not conducted any testing other than that specifically described in the published documentation for a particular reference design. TI may make corrections, enhancements, improvements and other changes to its reference designs.

Buyers are authorized to use TI reference designs with the TI component(s) identified in each particular reference design and to modify the reference design in the development of their end products. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER TI INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, Is GRANTED HEREIN, including but not limited to any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services, or a warranty or endorsement thereof. Use of such information may require a license from a third party, or a license from TI under the patents or other intellectual property of TI.

TI REFERENCE DESIGNS ARE PROVIDED "AS IS". TI MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE REFERENCE DESIGNS OR USE OF THE REFERENCE DESIGNS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. TI DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO TI REFERENCE DESIGNS OR USE THEREOF. TI SHALL NOT BE LIABLE FOR AND SHALL NOT DEFEND OR INDEMNIFY BUYERS AGAINST ANY THIRD PARTY INFRINGEMENT CLAIM THAT RELATES TO OR IS BASED ON A COMBINATION OF COMPONENTS PROVIDED IN A TI REFERENCE DESIGN. IN NO EVENT SHALL TI BE LIABLE FOR ANY ACTUAL, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES, HOWEVER CAUSED, ON ANY THEORY OF LIABILITY AND WHETHER OR NOT TI HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, ARISING IN ANY WAY OUT OF TI REFERENCE DESIGNS OR BUYER'S USE OF TI REFERENCE DESIGNS.

TI reserves the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques for TI components are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

Reproduction of significant portions of TI information in TI data books, data sheets or reference designs is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards that anticipate dangerous failures, monitor failures and their consequences, lessen the likelihood of dangerous failures and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in Buyer's safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed an agreement specifically governing such use.

Only those TI components that TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components that have *not* been so designated is solely at Buyer's risk, and Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.